


SOFFIT PANEL



GENERAL INFORMATION

Applications

Soffit panels may be applied horizontally or vertically. They are not recommended for roof applications. NOTE: Sidelap disengagement may occur under loading if adhesive is not applied.

Substructure

Soffit panels are designed to be installed over open structural framing or a solid substrate.

Coverage

Soffit panels are available in a 1" depth with a 12" coverage.

► Length

Minimum factory cut length is 5'-0" (with striations), or 7'-0" (without striations). Maximum recommended length for 24 ga. panels is 20'-0". Maximum recommended length for 26 ga. panels is 5'-0". Longer panels require additional consideration in packaging, shipping, and erection. Please consult Metal Sales for recommendations.

Fasteners

The fastener selection guide should be consulted for choosing the proper fastener for specific applications. Quantity an type of fastener must meet necessary loading and code requirements.

NOTE: All panels are subject to surface distortion due to improperly applied fasteners. Overdriven fasteners will cause stress and induce oil canning across the face of the panel at or near the point of attachment.

Availability

Finishes: Acrylic Coated Galvalume[®], MS Colorfast45[®], or various Kynar 500 (PVDF) colors. Gauges: 26ga, 24ga, 22ga, and 0.032 aluminum (Aluminum is available solid or perforated - Linen White only)

SECTION PROPERTIES									ALLOWABLE UNIFORM LIVE LOADS PSF (3 or More Equal Spans)									
Ga.	Width (in.)	Yield KSI	Weight PSF	Top in Compression		Bottom in Compression		Inward Load					Outward Load					
				lxx In⁴/ft	Sxx In³/ft	lxx In⁴/ft	Sxx In³/ft	2'	2.5'	3'	3.5'	4'	2'	2.5'	3'	3.5'	4'	
24	12"	50	1.24	0.0194	0.0341	0.0423	0.0502	96	83	70	57	44	96	83	70	57	44	
22	12"	50	1.63	0.0281	0.0518	0.0576	0.0685	96	83	70	57	44	96	83	70	57	44	

1. Theoretical section properties have been calculated per AISI 2001 "Specification for the Design of Cold-formed Steel Structural Members." Ixx and Sxx are effective section properties for deflection and bending.

Allowable load is calculated in accordance with AISI 2001 specifications considering bending, shear, combined bending and shear, deflection, and the results
of the ASTM E 330 test with SM 9200 Adhesive field applied. Allowable load considers the worst case of 2 or more equal spans. Allowable load is based on
values from the ASTM E 330 test. Panel weight is not considered.

3. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.

4. Allowable loads do not include a 1/3 stress increase in uplift.

metal sales



Kent, WA (800) 431-3470 Temple, TX (800) 543-4415 Longmont, CO (800) 289-7663 Antioch, TN (800) 251-8508 Woodland, CA (800) 759-6019 Rogers, MN (800) 328-9316 Spokane, WA (800) 572-6565 Jefferson, OH (800) 321-5833 Rock Island, IL (800) 747-1206 Sellersburg, IN (800) 999-7777 Jacksonville, FL (800) 394-4419 Orwigsburg, PA (800) 544-2577 Independence, MO (800) 747-0012 Fontana, CA (800) 782-7953 Anchorage, AK (866) 640-7663 Bay City, MI (888) 777-7640 Detroit Lakes, MN (888) 594-1394 Mocksville, NC (800) 228-6119