

Weather Shield®

Premium Windows & Doors



Reveal your true personality.

For more than 50 years, Weather Shield Windows and Doors has been a leader in innovation and quality in the window and door industry. The company offers a wide variety of millwork solutions for both residential and light commercial applications. Offering the industries widest array of product styles and material types, Weather Shield is ideally positioned to assist you with a range of project solutions ranging from custom residential homes to low-rise multi-family, educational or health care facilities.

WOOD & ALUMINUM-CLAD

Accentials™

With 55 standard and designer colors*, plus virtually any custom color under the sun, Weather Shield's exclusive **Accentials**** **Distinctive Colors & Finishes** program makes it easy to subtly complement your designs. Or, you can select from eight anodized aluminum exterior finishes, perfect for light commercial applications.

*Colors shown may not be accurate representations.

ALUMINUM EXTERIORS





EIGHT EXTERIOR ANODIZED ALUMINUM FINISHES*

Unlike thin roll-form aluminum that dents easily, Weather Shield's thick extruded aluminum exteriors feature an integral nailing fin for increased structural stability and easier installation.

*Colors shown may not be accurate representations.

White Western Adobe Obsidian Hartford Green Desert Tan Cameo Craftsman Bronze Brick Red

WOOD INTERIORS

Weather Shield's exclusive **Custom Wood Interiors Collection®** offers nine wood species that allow you to match the fine cabinetry, furniture, flooring and trim in your room interiors.



PINE	MAPLE	CHERRY	MAHOGANY	ASH
OAK	CHARACTER ALDER	AMERICAN FIR	KNOTTY PINE	

Options and accessories for every imagination.


HARDWARE FINISHES***

Weather Shield combines beauty and durability with a wide variety of all-metal hardware finishes for windows and doors. Corrosion-resistant seacoast hardware packages are also available for projects built near saltwater environments.



We've chosen two classic **Stone River Bronze finishes** for our Collections,
Legacy Series and Weather Shield
hardware—and seven more are
available with additional lead time.

Colors shown are Natural Nickel (Standard), Dark Antique #73 (Standard), Light Antique, Charcoal Black, Mink, Natural, Medium Antique, Solid Dark and Dark Antique #83.





47 DESIGNER COLORS*											
	Alabaster	Pearl	Moderate White	Accessible Beige	Linen		Salt Marsh	Superior Bronze			
		Driftwood	Shale	Quaker Bronze	Arcadian	Woodland Green	Bercoritz Green	Black Forest			
		Prestige	Charcoal	Gunpowder	Sage Green	Moss	Bronze Green	Autumn Leaf			
	Olympus White	Mist Grey	Streamline Gray	Gray Matters	Pampered Peach	Vital Yellow	Sunbeam Yellow	Restrained Gold			
	Aegean Blue	Distance	Blue Stone	Indigo	Sundried Tomato	Firebrick	Boysenberry	Timberidge			
		Oceanside	Blue Hill	Dark Night	Royal Brown	Appalachian Brown	Tudor House				

GLAZING

FEATURING OUR EXCLUSIVE



$\mathbf{d}^{\scriptscriptstyle{\mathsf{m}}}$

Zo-e-shield 6: Three panes of glass with one laminated interlayer between two panes. One EasyCare surface. One multi-layer Low E coating. One inert gas-filled insulating airspace. One Real

Warm Edge Spacer.

Zo-e-shield 7: Three panes of glass. One EasyCare

surface. One multi-layer Low E coating. Additional

multi-layer Low E coating. Two inert gas-mix-filled

insulating airspaces. Two Real Warm Edge Spacers.

Zo-e-shield 5: Two panes of glass. One EasyCare surface. One multi-layer Low E coating. One inert gas-filled insulating airspace. One Real Warm Edge Spacer.

Insul Low E 2 with Krypton/Argon Gas: Two panes of glass. One Low E 2 surface. One Krypton/Argon gas-filled insulating airspace. Warm Edge spacer system.

GLAZING OPTIONS:

Insul Low E² **with Argon Gas:** Two panes of glass. One Low E² surface. One Argon gas-filled insulating airspace. Warm Edge spacer system.

Insul Low E²: Two panes of glass. One Low E² surface. One insulating airspace. Warm Edge I spacer system.

Insul: Two panes of glass. One insulating airspace. Warm Edge I spacer system.

Insul Impact: Two panes of glass. One pane of non-impact glass with Low E² surface. One insulating airspace. One pane of impact glass.

Impact: One pane of impact glass consisting of a tough .090" gauge polyvinyl butyral (PVB) laminated interlayer bonded between two panes of annealed or tempered glass.

As a proud ENERGY STAR® partner, we ensure our products are rated, certified, and labeled for U-Value and Solar Heat Gain by the National Fenestration Rating Council (NFRC).

Collections[™]...



Every element of Collections Windows and Doors rings true and works in harmony, from style to materials. This all-wood product line blends classic styles, materials and finishes with the latest in high-performance technology.

Collections reflects the richness of America's design heritage. The Spanish Colonial collection honors the rustic styles and history of the American Southwest and features windows and doors for wide-ranging applications. We've handcrafted every piece from the finest wood species with old-world proportions and finishes. Sash corners are connected with the traditional wooden-dowel joinery used at the turn of the century. Dadoed jamb end work creates secure corners that help prevent warping.

Every detail is right—proper joints, thick sash, and authentic stiles and rails with the brawny proportions of the Spanish Colonial style. Exotic woods compliment the window and door offering and are available in a smooth sanded finish or our rugged wire-brushed textured finish. And, Collections windows perform as beautifully as they look. For timeless design and craftsmanship, honest materials and unmatched performance, count on Collections.

Weather Shield®...



Our signature product line, Weather Shield®, is the most comprehensive collection of wood windows and patio doors offered by any manufacturer. You have the luxury of selecting from warm, all-natural wood exteriors and interiors or aluminum-clad wood windows and doors in thousands of shapes and sizes.

Unwavering attention to detail such as Weather Shield's unique Quadra-Mitered® construction on the nailing fin, frame, sash and glazing bead of double-hung tilt windows eliminates unsightly square-offs and overlapping corner cuts. This results in a consistent profile on both the interior and exterior of the window.

Practically anything you can imagine in windows and doors is possible with the Weather Shield product line. With a vast array of options, accessories and upgrades, you can explore the limits of your creativity. And with durable all-metal hardware that's far stronger than plastic-covered handles found on competitive brands, you'll find these windows and doors are exceptionally easy to live with.

Elegant beauty with a rustic flare.

COLLECTIONS WINDOWS AND DOORS - KEY FEATURES

- Window and door hardware from Stone River Bronze® combines today's technology with the rugged, handcrafted charm of centuries-old originals. A range of period-accurate styles, colors as well as other custom designs are available.
- · Collections tilt windows feature wood jamb liners which combine the performance of vinyl with the authenticity of wood.
- Three panel styles can be chosen with the entrance doors: flat, beaded and raised.



Collections casement and patio doors feature a retractable screen. Tilt wood framed full or half screens. The retractable screen rolls down from a concealed aluminum



To give our door panels and casements long-lasting strength and stability, we join the stiles and rails with dowel construction. Tilts feature traditional mortise and tenon joints.

windows are available with

Tilts feature a traditional, heavy sill nose and brawny rail and stile proportions.

COLLECTIONS

WINDOW STYLES

Casements **Push-Out Casements** Single-Hung Tilts Double-Hung Tilts

DOOR STYLES

Sliding Patio Doors Hinged Patio Doors **Entrance Doors**

EXTERIOR MATERIAL

Wood

INTERIOR MATERIAL

Wood



WEATHER SHIELD WINDOWS AND DOORS - KEY FEATURES

- Exteriors are available in low-maintenance heavy-duty extruded aluminum-cladding for better dent resistance, or traditional wood that's primed for a topcoat finish or pre-finished to save you time and effort.
- Seams, fasteners, nailheads and even hardware profiles are reduced to the absolute **minimum** so nothing interrupts the clean sightlines of the windows and doors.
- Structural corner key reinforces frame corners for superior durability and resistance to air/water infiltration.



Weather Shield casement windows feature a standard "nested" operator handle with a cam-action hinge that locks the handle into place when the window is being opened or closed.



Rigid integral nailing fin surrounds the unit (sides, top and bottom), allowing for easy installation and greater structural integrity.



A heavy-duty fiberglass pultruded sill on Weather Shield sliding patio doors features an internal weep system that protects the side jambs from soaking up moisture and rotting.

WEATHER SHIELD

WINDOW STYLES

Casements French Casements **Awnings** Scena-Vu Double-Hung Tilts **Double Sliders** Triple Sliders **Direct-Set Shapes**

DOOR STYLES

Telescoping Sliding Patio Doors Sliding Patio Doors Hinged Patio Doors Full Radius Hinged Patio Doors

EXTERIOR MATERIAL

Aluminum-Clad Wood

INTERIOR MATERIAL

Wood

LifeGuard®...



LifeGuard® Windows and Doors from Weather Shield offer you the safety of impact-resistant glass, uncompromising beauty and storm-proof protection unrivaled by costly, cumbersome shutter systems. In addition, LifeGuard® IG Insulated Windows and Doors enhance this protection with energy efficiency for the ultimate in comfort.

Designed to help prevent flying debris from entering your home during violent weather, LifeGuard Windows and Doors feature heavy-duty impact glass consisting of a polyvinyl butyral (PVB) laminated interlayer bonded between two panes of annealed or tempered glass. LifeGuard IG windows and doors offer a combination of heavy-duty impact glass and non-impact glass that creates an insulating airspace for improved energy efficiency.

Incredible attention to detail includes low-profile tilt latch and lock mechanisms on double-hung tilt windows that are mortised into the checkrail. Plus, three-point combination weather stripping on LifeGuard Insulated French doors ensure a leak-resistant seal that meets the water infiltration ratings of coastal building codes.

ProShield®...



Enjoy low maintenance and uncompromising beauty with ProShield® windows and doors by Weather Shield. Durable vinyl exteriors defy the heat, cold, wind, rain or snow, while beautiful wood interiors complement the floors, furniture and cabinets in your home.

A dedication to quality is what sets ProShield windows and doors apart. We extrude the vinyl ourselves in order to produce colors that are specially formulated for consistency throughout the extrusion. This also makes nicks and scratches that may occur over time less visible to the eye. In addition, we mill the wood and temper the glass used throughout the ProShield product line. We challenge you to find this level of consistent quality in any other vinyl-clad wood windows or doors.

Our ProShield product line offers an abundance of sizes, shapes, styles, accessories and options. No other manufacturer frees your imagination with more design flexibility.

Protection and comfort.

LIFEGUARD AND LIFEGUARD IG WINDOWS AND DOORS - KEY FEATURES

- Thick wood window frames are protected by a virtually maintenance-free extruded aluminum-clad exterior featuring an integral nailing fin for easier installation and improved stability of the entire window unit.
- Heavy-duty .090" gauge polyvinyl butyral (PVB) laminated glass is glazed directly into the frame of direct-set windows and resists the likelihood of impact fractures caused by flying debris.
- LifeGuard units feature a topcoat finish that meets AAMA 2605 requirements for superior resistance to salt spray and industrial pollutants.



An optional LVL mullion allows you to stack two or more LifeGuard direct-set windows together, or stack them above casements or double-hung tilts to open up even more of your home's outside views. (Not approved for Miami-Dade County.)



Unlike other window brands, LifeGuard double-hung tilt windows' streamlined sash and frame design eliminates the need for unsightly windload blocks or over sized sash locks to meet stringent code



Stainless steel, 1" x 11" structural strike plates on all four corners of LifeGuard French door panels reinforce stile and rail joints, as well as increase lock bolt retention in active panels.

LIFEGUARD

WINDOW STYLES

Casements **Awnings** Double-Hung Tilts Direct-Set Shapes

DOOR STYLES

Hinged Patio Doors French Sliding Patio Doors

EXTERIOR MATERIAL

Aluminum-Clad

INTERIOR MATERIAL

Wood

Durable vinyl. Warm wood.

PROSHIELD WINDOWS AND DOORS - KEY FEATURES

- Vinyl bulb weather stripping on the casement window frame, plus pile stripping with a Mylar fin around the sash creates a tight seal against air and water infiltration.
- Incredibly strong 4-9/16" one-piece jambs contain no visible fasteners such as staples, brads or tacks that are used on other multi-piece jambs.
- Snap-in perimeter grilles feature a "frame" design using concealed pins to snap them securely in place, giving them superior strength compared to stick grilles found on other window brands.



A rigid integral nailing fin provides greater durability than flimsy snap-in or foldout fins used on other vinyl clad windows.



The composite threshold on ProShield hinged patio doors prevents the side jambs from soaking up moisture that leads to rotting and the vinyl bottom door sweep has a built-in water diverter for water drainage.





A precision-tuned block and tackle counter balance system on double-hung tilt windows makes lifting the sash a

breeze and easily holds

it open in any position.

PROSHIELD

WINDOW STYLES

Casements **Awnings** Double-Hung Tilts **Double Sliders** Direct-Set Shapes

DOOR STYLES

Sliding Patio Doors Hinged Patio Doors

EXTERIOR MATERIAL

Extruded Vinyl

INTERIOR MATERIAL

Wood

HR175° Windows. Don't just replace. Upgrade.



Historical accuracy with contemporary energy efficiency.

Weather Shield's HR175® historic renovation windows combine the energy efficient options of today with the historically accurate details of yesterday such as 7/8" True Divided Lite (TDL).

- **Custom manufactured** to your exact specifications in monumental openings up to 5' wide by 10' high.
- Historically accurate 1-3/4" thick bottom sash tilts in for easier cleaning, plus the sash can also be re-glazed.

The **Weather Shield Technical Support hotline** is available Monday through Friday from 8 a.m. to 5 p.m. Central time. Call 1-800-477-6808 or fax us at 1-800-390-1225. You can also e-mail Weather Shield's Architectural Services department at archservices@weathershield.com.

Services available include:

- Review custom product requests
 - Custom profiles
 - Special size units
- Answer technical questions
 - Size limitations
 - $\ \ Paint \ information$
 - Performance ratings
- Review product specifications
 - Product/specification review
 - Review quotes requiring shop drawings
- Shop drawings
 - Unit elevations (drawn to scale)
 - Typical cross sections (drawn full scale)

Weather Shield on-line Architectural Detail

Manuals are located on our Web site at www.weathershield.com. Site information includes the following on many of our product lines:

- Cross Sections
- Elevations
- Testing/Certification
- CSI Specifications
- Installation Instructions
- Accessories
- Other Support Documents

For questions concerning current pricing, your order status and other administrative issues, please contact your local Weather Shield dealer or territory manager.



Premium Windows & Doors



www.weathershield.com | 1-800-477-6808