



Stucco Casing Bead

AMICO Vinyl Casing Bead is often referred to, by the industry, as a plaster stop because it is used to terminate plaster or stucco. AMICO vinyl casing beads are strong and durable, to give maximum protection to this highly vulnerable stucco area. Casing beads larger than 7/8 inch, have additional reinforcement in the ground flange for extra strength.



Regular Ground



Deep Ground

Standard Length: 10 feet

PRODUCT NO.	DIMENSIONS	GROUND	PCS PER BOX
CASING BEAD REGULAR GROUND AM66-250	1 3/4" Perforated Flange	1/4"	100
CASING BEAD REGULAR GROUND AM66-380	1 3/4" Perforated Flange	3/8"	100
CASING BEAD REGULAR GROUND AM66-500	1 3/4" Perforated Flange	1/2"	100
CASING BEAD REGULAR GROUND AM66-580	1 3/4" Perforated Flange	5/8"	100
CASING BEAD REGULAR GROUND AM66-750	1 3/4" Perforated Flange	3/4"	75
CASING BEAD REGULAR GROUND AM66-780	1 3/4" Perforated Flange	7/8"	75
CASING BEAD DEEP GROUND AM66-1000	1 3/4" Perforated Flange	1"	75
CASING BEAD DEEP GROUND AM66-1250	1 3/4" Perforated Flange	1 1/4"	50
CASING BEAD DEEP GROUND AM66-1500	1 3/4" Perforated Flange	1 1/2"	50
CASING BEAD DEEP GROUND AM66-2000	1 3/4" Perforated Flange	2"	40


Stucco Casing Bead

Spring 2002


Stucco Accessories

AMICO Vinyl Arched Casing Bead offers the same quality and performance as our other fine casing bead products plus it has the capability to curve to most construction radiuses.

(Patent # 5,699,638)





Vinyl Arched Casing Bead



Standard Length: 10 feet



PRODUCT NO.	DIMENSIONS	GROUND	PCS PER BOX
ARCHED CASING BEAD AM66A-250	1¾" Perforated Flange	1/4"	25
ARCHED CASING BEAD AM66A-380	1¾" Perforated Flange	3/8"	25
ARCHED CASING BEAD AM66A-500	1¾" Perforated Flange	1/2"	25
ARCHED CASING BEAD AM66A-580	1¾" Perforated Flange	5/8"	25
ARCHED CASING BEAD AM66A-750	1¾" Perforated Flange	3/4"	25
ARCHED CASING BEAD AM66A-780	1¾" Perforated Flange	7/8"	25
ARCHED CASING BEAD AM66A-1000	1¾" Perforated Flange	1"	25
ARCHED CASING BEAD AM66A-1250	1¾" Perforated Flange	1¼"	25
ARCHED CASING BEAD AM66A-1500	1¾" Perforated Flange	1½"	25
ARCHED CASING BEAD AM66A-2000	1¾" Perforated Flange	2"	25

Stucco Casing Bead



Vinyl Casing Bead with Wide Flange

AMICO Vinyl Wide Flange Casing Bead is used to terminate plaster at the top of the wall and at all through wall penetrations. The extra wide 2½ inch perforated flange is used in those areas that require a wider than normal flange.



Vinyl Casing Bead with Reveal

AMICO Vinyl Casing with Reveal is used as a plaster termination at windows and (sliding) doors that are inset from the plane of the wall surface, when this inset is not deep enough to use a corner bead. The casing bead with reveal may be the perfect accessory to deal with this transition by eliminating the caulk joint created by a normal casing bead while providing a paintable surface. Caulking and flashing is still required at the juncture of the bead and the window.


Standard Length: 10 feet

PRODUCT NO.	DIMENSIONS	GROUND	PCS PER BOX
WIDE FLANGE CASING BEAD AM66WF-500	2½" Flange	1/2"	100
WIDE FLANGE CASING BEAD AM66WF-580	2½" Flange	5/8"	75
WIDE FLANGE CASING BEAD AM66WF-750	2½" Flange	3/4"	75
CASING BEAD with REVEAL AMRS580-500	1¾" Flange	5/8"	75

Stucco One-Coat Casing Bead


Spring 2002

Stucco Accessories



AMICO One-Coat Casing Bead

This vinyl product should be used only with one-coat systems that require perforated casing beads at the bottom of exterior walls. These beads should not be used in three-coat stucco applications or where a foundation weep screed is specified.



Vinyl Stucco One-Coat Casing Bead

Standard Length: 10 feet

PRODUCT NO.	DIMENSIONS	GROUND	PCS PER BOX
CASING BEAD ONE-COAT AM660C-380	1 3/4" Flange	3/8"	50
CASING BEAD ONE-COAT AM660C-500	1 3/4" Flange	1/2"	50


Stucco Angled Casing Bead

Stucco Accessories

Spring 2002

AMICO Vinyl Angled Casing Bead is used to form the top edge of a horizontal wall band. It is used when the applicator chooses not to use angled banding bead.

The down sloping angle permits water to move away from the top edge of the wall and away from the building facade.



AMICO Vinyl Stucco Casing Bead with Deep Ground or Banding Bead (as detailed to the right), can be used on the lower edge.

Scale varies with dimension

Standard Length: 10 feet

PRODUCT NO.	DIMENSIONS	GROUND	PCS PER BOX
ANGLED CASING BEAD AM66-Angled-1000	Flange	1"	75
ANGLED CASING BEAD AM66-Angled-1250	Flange	1¼"	50
ANGLED CASING BEAD AM66-Angled-1500	Flange	1½"	40
ANGLED CASING BEAD AM66-Angled-2000	Flange	2"	40


Chamfered / Bull Nose Casing Bead

Spring 2002


Stucco Accessories

AMICO Vinyl Stucco Chamfered and Bull Nose Casing Beads

are used like traditional stucco casing beads to terminate stucco at all openings, such as windows, doors and at the top of walls. The Chamfered and Bull Nose Casing Beads match the profile of the Chamfered and Bull Nose Reveals. These **patent pending** products were designed to satisfy the demand for innovative and creative stucco accessories. When used with stucco reveals of the same design and our Chamfered and Bull Nose Corner Beads, the entire look of the stucco assembly is enhanced. All joints should be imbedded in caulk and caulked after installation if necessary.



Chamfered Casing Bead



Bull Nose Casing Bead

PRODUCT NO.	DIMENSIONS	GROUND	PCS PER BOX
CHAMFERED STUCCO CASING BEAD AM66CH-580	1 3/4" FLANGE	5/8"	60
CHAMFERED STUCCO CASING BEAD AM66CH-750	1 3/4" FLANGE	3/4"	50
CHAMFERED STUCCO CASING BEAD AM66CH-780	1 3/4" FLANGE	7/8"	50
CHAMFERED STUCCO CASING BEAD AM66CH-1000	1 3/4" FLANGE	1"	50
CHAMFERED STUCCO CASING BEAD AM66CH-1250	1 3/4" FLANGE	1 1/4"	50

PRODUCT NO.	DIMENSIONS	GROUND	PCS PER BOX
BULL NOSE STUCCO CASING BEAD AM66BN-580	1 3/4" FLANGE	5/8"	60
BULL NOSE STUCCO CASING BEAD AM66BN-750	1 3/4" FLANGE	3/4"	50
BULL NOSE STUCCO CASING BEAD AM66BN-780	1 3/4" FLANGE	7/8"	50
BULL NOSE STUCCO CASING BEAD AM66BN-1000	1 3/4" FLANGE	1"	50
BULL NOSE STUCCO CASING BEAD AM66BN-1250	1 3/4" FLANGE	1 1/4"	50