

GATE OPERATORS AND ACCESS CONTROLS

Thinking Beyond Your Perimeter

Gated communities. Private residences. Businesses of all sizes. At every entrance and every point of access, we provide the products that meet your specifications, with the style, convenience and safety your customers demand – all from one source.








LiftMaster[®] and Elite[®] gate operators and telephone entry systems touch the lives of millions of people each day as they come and go from both home and office. In fact, no other supplier offers you the ability to specify a complete commercial and residential access system... all from a single source.

Systems That Work Together Seamlessly

Need to power a gate or control a point of access? Start with the gate operator. We offer three different styles: slide, swing, and barrier. All slide and swing operators offer the ability to incorporate special features including AC or DC power, as well as solar power. Barrier gates provide synchronized operation with slide or swing gates and provide the highest level of security and anti-tailgating functionality. And our entire product line features operators designed for applications requiring continuous operation and high security, as well as for gates weighing up to 5,000 lbs.

Next, add access control devices and voice-enabled systems to put maximum control in the hands of residents and property managers. Whether it's a telephone entry system, wireless keypad, card reader or handheld access device, you can depend on us to have the right solution for your unique application.



Multi-Site Control

LiftMaster QTM Site Control Solutions, a new integrated access system offering complete and secure property control, is ideal for situations ranging from facilities requiring complex access levels to simple access demands spread over multiple locations making it ideal for apartment buildings, business campuses, military bases and educational facilities. LiftMaster QTM has the ability to distinguish 10,000 unique users and up to 20,000 credentials and codes.



Lift Master Gate Access Systems

LiftMaster[®] and Elite[®] Gate Operators

MODEL	SL3000UL™	HS670	SL575	SL585	SL595	SL930	MSL	MSLX	ROBOSLIDE™	CSW200UL™	MSW	SW470	ROBOSWING™
DC POWERED						•	•	•	•		٠		•
ТҮРЕ	SLIDE	SLIDE	SLIDE	SLIDE	SLIDE	SLIDE	SLIDE	SLIDE	SLIDE	SWING	SWING	SWING	SWING
RESIDENTIAL									٠				•
COMMERCIAL	•		•			•	•	•		•	•	•	
INDUSTRIAL	•	•		•	•					•			
CYCLES PER HOUR/DAY	CONT.	CONT.	18-22/HR	20/HR	25/HR	18-22/DAY	450/DAY	500/DAY	120/DAY	CONT.	900/DAY	10/HR	250/DAY
MAX. ARM*/GATE WEIGHT (LBS)	1000-2000	3000-5000	1200-1800	1000-1900	1100-2500	1500	1000	1000	800	600-1000	650	500	400
MAX. ARM*/GATE WIDTH (FEET)	37	80	40-50	45-75	45-90	40	32	32	20	20-22	18	12	16
MAX. GATE WIDTH (FEET-CANTILEVER)			25-32	25-40	25-45								

MODEL	MIRACLE-ONE™	LA400	LA412 Solar Model	LA100	MAT	MA	MAS	MAST	BG770	BG790	НСТ
DC POWERED	•	٠	•	•	٠	•	•	•			
ТҮРЕ	SWING	SWING	SWING	SWING	BARRIER	BARRIER	BARRIER	BARRIER	BARRIER	BARRIER	OVERHEAD
RESIDENTIAL	٠	•	•	•							
COMMERCIAL					•	•			•	•	•
INDUSTRIAL		٠					•	•			
CYCLES PER HOUR/DAY	100/DAY	100/DAY	50/DAY	20/DAY	6000/DAY	6000/DAY	10,000/DAY	10,000/DAY	100/HR	25/HR	CONT.
MAX. ARM*/GATE WEIGHT (LBS)	600	550	550	250	N/A	N/A	N/A	N/A	25*	50*	400
MAX. ARM*/GATE WIDTH (FEET)	16	15	15	12	15' ARM	15' ARM	8' ARM	8' ARM	15*	24*	N/A
MAX. GATE WIDTH (FEET-CANTILEVER)											

Elite® Telephone Entry and Access Control Systems

-	-				-					
SYSTEM	TAC1	GAPLM	EL25	MUGAPLM	DIAL CODE	IEL2000	INFINITY S	INFINITY L	ICON26	Q SITE CONTROL
SINGLE LINE VOICE ACCESS	•	•	•	•						
MULTI-LINE VOICE ACCESS				•	٠	٠	٠	•	٠	
LIGHT DUTY COMMERCIAL	•	•	•	•	•	•	•	•	•	•
GATED COMMUNITIES				•	٠	•	٠	•	٠	٠
HIGH RISE ACCESS CONTROLS					•	•	•	•	٠	•
VOICE CONTROLS & DIRECTORY DIALING					٠	•	٠	•	•	
ELEVATOR CONTROLS							•	•		•
MULTIPLE SITES			٠		•	•	•	•	٠	•
MAXIMUM ACCESS CREDENTIAL CAPACITY	250	50	2000	250	16,000	16,000	16,000	16,000	16,000	10,000
MAXIMUM DIALING DIRECTORY CAPACITY				63	1000	2000	2000	2000	1000	
MAXIMUM ACCESS CONTROL POINTS	4	4	4	4	2	2	4	4	4	4
WIRELESS CAPABILITY	•	•	٠	•	•	•	•	•	٠	•
FLUSH MOUNT							•	•		
SURFACE MOUNT	•	•	•	•	•	٠	٠	•	•	•



Through Connectivity, Compatibility And Control, We Are Expanding The Capabilities For Access And Communication For Homes And Businesses.

Making Wireless Access and Communication Easier

Welcome to the expanding world of integrated access.

Now the company that offers access products that power gates, fences and garage doors has added a fully compatible wireless access and communication system that thinks the same way.

LiftMaster® Wireless Access and Communication suite of products.

The LiftMaster Wireless Access and Communication product line is offered in three key categories - Gate and Door Access Controls, Communication Controls and Relay Activation - to support an entire system designed to work in concert with each other and enable complete customizing of property access and communication systems effortlessly and securely. All systems are incredibly easy to install and operate.











GAPLM

Gate and Door Access Controls

Used by visitors to communicate with residents and businesses to gain access.

Access and **Communication Control**



Gate Access Panel For use with up to 4 gates or doors



Access Control

WKP250LM Wireless Keypad 1 gate or door



GAILM **Gate Access Intercom** For use with up to 2 gates or doors



WPB3LM Wireless 3-Button Control Station 1 gate or door

Compatible Access and Communication Controls

Used by residents to screen visitors and facilitate access including ability to talk from device to device.



Interior

OPI

Portable Intercom Wireless communication with remote access



ΟΤΙ **Indoor Telephone Interface** Wireless telephone access interface

RIFM1LM Flush Mount Intercom

Wireless communication with remote access



ΟΤΙ

Outdoor Intercom Wireless communication with remote access



Exterior



For use with up to 4 gates or

Relay Controls and System Extension Devices

Using proprietary Low Power technology, this product provides long range control of one or multiple devices, with the lowest power consumption of any system.



Wireless Wiegand ML100/MLRPT

Introducing a new age of flexiblity and scalability in design, development, integration and installation of Wiegand-based access control systems.



LiftMaster[®] Wireless **Relay Command** PHN11/PHN21/PHN22/ PHNRPT

Using proprietary Low Power technology, this product provides long range control of one or multiple devices, with the lowest power consumption of any system.



	Gap Lin Gale Access Sale Access Multi Call and Access Multi Call a								
		Gallin Panel	Interco	2	Interco	Wires Son	ND COGE VD3 WD COGE VD3 WIE I LA	01 PL	Untrois 3. Button
	Z	ese se	MULCESS INT	DALLM DALLM		22 Se	100000 Ker	W B31 M	SS 3.
	Gale LM	GALLM Sale M		DALL M	A A S		00000000000000000000000000000000000000	CLO CLO CLO CLO CLO CLO CLO CLO CLO CLO	out.
COMPATIBLE ACCESS CONTROL				∕ ~న CATIO	N	/ ~ ~ ,		0	
INTERIOR									
OPI Portable Intercom	•		٠						
RIFM1LM Access Flush Mount Intercom	•								
OTI Outdoor Intercom	•								
OTIU Indoor Telephone Interface	•								
EXTERIOR									
OTIUEX Outdoor Telephone Interface	•								
MULTI-UNIT									
MUOTIU Indoor Multi-Unit Telephone Interface			٠						
MUOTIUEX Outdoor Multi-Unit Telephone Interface			•						
SIGNAL MANAGEMENT									
RPTSET Repeaters									
GATE, DOOR AND LOCK CONTROL									
370LM Security+ [®] Mini 3-Button Remote Control									
373LM Security+® 3-Button Remote Control									
312HM Receiver	•								
GCU Gate Control Unit	•								
ULTRX9003 UltraRx 3-Button Station Receiver									

GATE AND DOOR ACCESS CONTROLS



For additional information and our complete accessory and product line, visit http://specs.chamberlain.com. or call 800.282.6225.

CHAMBERLAIN **Professional Products** 845 Larch Avenue Elmhurst, IL 60126