



511 SOUTH 7TH STREET
DELANO MN 55328
Phone: 763.972.2981
Fax: 763.972.2911

www.industriallouvers.com
ilinfo@industriallouvers.com

MODEL ECG

STANDARD CONSTRUCTION

Frame and blades to be .125" extruded aluminum 6063.

Finish to be mill.

INSTALLATION

Model ECG should be installed in accordance with manufacturers recommended attachment method and in accordance with state and federal building codes.

WARRANTY

All materials and workmanship are warranted for a period of 1 year from date of completion.

MAINTENANCE

None required.

FEATURES

- All sizes are custom fabricated to meet project requirements.
- Blade spacing customized to your project requirements.
- Clip angles for installation.

OPTIONAL ACCESSORIES

Many optional accessories to the basic design are available at an additional cost. They include:

- Extended sill flashing
- Flanged frames of various sizes
- Hinged access panels
- Subframes
- Continuous perimeter angles
- Visible mullions for multiple section requirements.
- Anodized or Kynar finish

Please contact the factory for other special requirements.


SUGGESTED SPECIFICATIONS

Furnish and install where indicated on the drawings ILI extruded aluminum decorative grille Model ECG as manufactured by Industrial Louvers, Inc., Delano, MN. Frames and blades are to be .125" extruded aluminum flat bars alloy 6063. The bars shall be set on a [insert degrees] degree angle and spaced [insert blade spacing]" on center both horizontally and vertically.


CATALOG NO. ECG

Rev: SEPT. 2010


MODEL ECG



VERTICAL SECTION



HORIZONTAL SECTION



VISIBLE MULLION DETAIL

ACCESSORIES:

- SILL FLASHING - DEPTH _____
- SCREEN _____
- FINISH _____
- COLOR _____
- OTHER _____

CONSTRUCTION CONFIGURATION:

VERTICAL BAR SPACING _____

HORIZONTAL BAR SPACING _____

GRILLE DEPTH _____

ITEM NO.	QTY	SIZE	Actual	M.O.	MULLION TYPE	NO. OF SECTIONS	REMARKS
		WIDTH	HEIGHT				

PROJECT _____ REPRESENTATIVE _____

LOCATION _____ ILI JOB NO. _____ REP NO. _____

ARCH/ENGR. _____ Industrial Louvers, Inc. Phone: 763-972-2981

CONTRACTOR _____ 511 South 7th Street Fax: 763-972-2911

DATE _____ Delano, MN 55328

CATALOG NO. ECG Rev: SEPT. 2010