

*French Porte*<sup>®</sup>

*Overhead French Garage Doors*



*French Porte*<sup>®</sup> *looks different*

*Because it is different...*



*Jennifer Style 2 Single Garage Doors*

*French Porte*<sup>®</sup> *overhead **French** garage doors*

*You'll **see** the difference*

**Unparalleled Strength**

All FrenchPorte<sup>®</sup> garage doors are constructed from durable, extruded aluminum and fastened together using interlocking hardware. All models are built unbreakable polycarbonate panes.

**Fantastic Curb Appeal**

FrenchPorte<sup>®</sup> has transformed the industry by brilliantly incorporating style with quality. With FrenchPorte you don't have to sacrifice strength, safety or security to have a beautiful garage door.

STRENGTH ♦ SAFETY ♦ SECURITY

[WWW.FRENCHPORTE.COM](http://WWW.FRENCHPORTE.COM)





*French Porte*<sup>®</sup>

*Overhead French Garage Doors*



*Jennifer Style Single Garage Doors with Clear Polycarbonate Panes*



STRENGTH ♦ SAFETY ♦ SECURITY  
[WWW.FRENCHPORTE.COM](http://WWW.FRENCHPORTE.COM)







## Table of Contents

Product Overview .....3



### The FrenchPorte Family of Products



The Jennifer® Style .....5



The Kendra® Style .....7



The Madeleine® Style .....9



The Christina Style .....11

Commercial Application ..... 13

Options ..... 14

Measurement Guide ..... 15

Steps to Order ..... 16





# *French Porte*<sup>®</sup>

*Overhead French Garage Doors*

*FrenchPorte was designed with the customer in mind.*

*Designed to Endure.*



*Jennifer Style Double Garage Door*

The FrenchPorte<sup>®</sup> garage door is stronger than a conventional garage door. All FrenchPorte<sup>®</sup> models are constructed from durable, extruded aluminum and fastened together using interlocking hardware, which increases strength. The translucent frosted panes are made using polycarbonate sheets, which are virtually unbreakable and able to withstand the most extreme conditions. The maintenance-free design will provide a long life without rusting, warping or rotting.

*Designed to Complement.*

FrenchPorte<sup>®</sup> garage doors are designed to complement your home with the beauty and distinct look of French doors. The FrenchPorte<sup>®</sup> sectional garage door works just like a conventional garage door. The door is divided into several horizontal sections which are then hinged together. They also use the same guides or tracks as a conventional sectional garage door allowing the FrenchPorte<sup>®</sup> garage door to roll vertically back into the garage.



*Jennifer Style 2 Double Garage Doors*



## Product Overview


- **Fantastic Curb Appeal.** Our FrenchPorte® styles were designed as elegant sets of French doors, yet maintain the convenience of a traditional overhead garage door. We offer four beautiful styles for the homeowner to choose from: Jennifer, Kendra, Madeleine, and Christina.
- **Unparalleled Strength.** FrenchPorte®'s reinforced aluminum and unbreakable, frosted polycarbonate panes ensure the utmost in strength and security.
- **Absolute Safety.** Our patented pinch-proof and seamless extrusions ensure the utmost in safety. Fingers will not get caught between sections.
- **Certifications:**
  - Windload Tested up to 130 mph. winds.
  - Cycle Tested: certified to exceed 100,000 cycles.
  - FrenchPorte® uses 100% recyclable materials.
  - We offer a limited Lifetime Warranty to the homeowner.



### Construction:

Each FrenchPorte® garage door is constructed with our new patented seamless construction and pinch resistant extrusions, combining safety with beauty. The aluminum provides strength while maintaining a lighter overall weight. The translucent frosted panes are made using a polycarbonate sheet, which is virtually unbreakable and able to withstand the most extreme conditions. This maintenance-free design will provide a long life without rusting, warping or rotting.

Illuminate your interior space when your garage door is closed. FrenchPorte® garage doors are translucent, but not transparent.





*French Porte*<sup>®</sup>

*Overhead French Garage Doors*


# *The Jennifer*<sup>®</sup> Size Chart

## STANDARD SIZES:


8'x7'




9'x8'



8'x8'



10'x8'



9'x7'




12'x7'




15'x7'



12'x8'




15'x8'



14'x8'



16'x8'



16'x7'





*French Porte*<sup>®</sup>

*Overhead French Garage Doors*

*FP*



*The Jennifer*<sup>®</sup> *Style*



The Jennifer style is designed to look like a single set of elegant French doors. Each panel has three panes across and a minimum of four panes down.





*French Porte*<sup>®</sup>

*Overhead French Garage Doors*

# *The Kendra*<sup>®</sup> Size Chart

## STANDARD SIZES:


8'x7'




9'x8'



8'x8'



10'x8'




9'x7'



12'x7'



15'x7'




12'x8'



15'x8'



14'x8'



16'x8'



16'x7'





*French Porte*<sup>®</sup>

*Overhead French Garage Doors*



*The Kendra*<sup>®</sup> *Style*



*Kendra Style Single Garage Door*

The Kendra style is designed to look like two sets of elegant French doors. Each panel has two panes across and a minimum of four panes down.





*French Porte*<sup>®</sup>

*Overhead French Garage Doors*


# *The Madeleine*<sup>®</sup> Size Chart

## STANDARD SIZES:


8'x7'




9'x8'




8'x8'




10'x8'




9'x7'




12'x7'




15'x7'




12'x8'




15'x8'



14'x8'



16'x8'



16'x7'





*French Porte*<sup>®</sup>

*Overhead French Garage Doors*

*FP*

*The Madeleine*<sup>®</sup> *Style*



*Madeleine Style 2 Single Garage Doors*

The Madeleine Style is designed to look like a stationary door in the center, with two operating doors, one on either side. Each panel has three panes across and a minimum of four panes down.






*French Porte*<sup>®</sup>

*Overhead French Garage Doors*


# *The Christina Size Chart*

## STANDARD SIZES:


8'x7'



9'x8'



8'x8'



10'x8'



9'x7'




12'x7'




15'x7'




12'x8'



16'x7'



14'x8'



16'x8'



16'x7'





*French Porte*<sup>®</sup>

*Overhead French Garage Doors*



**BEFORE**



*The Christina Style*

**AFTER**



THE CHRISTINA STYLE DOUBLE GARAGE DOOR

The Christina, our most recent style, is designed to resemble two sets of elegant French doors, with less grill work and a streamlined look. Each panel has one pane across, and a minimum of four panes down. The Christina is beautiful on a traditional home, and also pairs perfectly on a modern home with contemporary flair.





*French Porte*<sup>®</sup>

*Overhead French Garage Doors*

# *The Madeleine Walk-Thru Option*







# *Commercial Application*



Clear paned Madeleine doors on a commercial green house.



Close-up of clear paned Madeleine doors.



Jennifer doors on a commercial office building.





# French Porte®

Overhead French Garage Doors

## FrenchPorte® Options

### STANDARD OPTIONS:

- Track sizes: 12", 15"
- White Powder Coated Aluminum
- Handles:
  - ▶ Brass
  - ▶ Bronze
  - ▶ Nickel
  - ▶ Black
- Polycarbonate Panes: frosted, clear or tinted polycarbonate



### CUSTOM OPTIONS:

- Tracks: high lift for high ceilings, low headroom for low ceilings
- Color Options



- Custom Selection Handles: available upon request
- Insulated Garage Doors
  - ▶ Insulated tempered glass panes: clear, frosted or tinted
  - ▶ Insulated extrusions
- To give your FrenchPorte® garage door a carriage house look; add a raised panel at the bottom of the door
  1. For a 7 foot door; use one raised panel as the bottom section
  2. For an 8 foot door; use two raised panels as the bottom section
- Walk-Thru option is available in any style



*The raised panel option available in any FrenchPorte® Style*

**For a full selection of colors visit [www.ralcolor.com](http://www.ralcolor.com)**



*French Porte*<sup>®</sup>

*Overhead French Garage Doors*



*French Porte*<sup>®</sup> *Up-close and Personal*



STRENGTH ♦ SAFETY ♦ SECURITY  
[WWW.FRENCHPORTE.COM](http://WWW.FRENCHPORTE.COM)





# *French Porte®*

*Overhead French Garage Doors*



*Jennifer Style Double Garage Door*



*Jennifer Style Single Garage Doors*





### Limited Lifetime Warranty Our Warranty to You

FrenchPorte, LLC is the manufacturer of an Aluminum faux French style overhead garage doors. FrenchPorte, LLC promises that the overhead garage door is made of the finest material available at the time of manufacturing and assembled with the best workmanship. This warranty is extended to the original purchaser/homeowner where the garage door was originally installed to be free of defects.

**To make a claim under this warranty, contact us immediately in writing or by phone at the address listed below:**

FrenchPorte, LLC  
C/O Warranty Claims  
4015 Oliver St. • Chevy Chase, MD 20815  
Ph: 301-230-7125 • info@frenchporte.com

Please provide the following info: 1. Date & location of purchase, 2. How to contact warrantee, 3. Where the door was installed, 4. Detailed explanation of problem with pictures if possible, 5. Who did the install.

#### Upon receiving your warranty claim

A FrenchPorte Representative will contact you concerning your warranty issue and let you know who will be out to inspect the problem. Once the inspection has been completed FrenchPorte, LLC will contact you informing you as to how the warranty issue will be corrected if covered.

#### What this warranty covers

We warrant our door free of defects when used properly, installed properly, and maintained accordingly.

**Paint-** We warrant the original baked enamel paint will be free of defects (chip, fade, and peeling) for the period of five years. Paint peeling, chipping, and fading will not be covered due to an improper install, unusual wear and tear, limited or no maintenance, or other uncontrollable environmental factors. Example of environmental factors: Areas subject to excessive salt atmosphere. This warranty does not warrant special painted doors.

**Polycarbonate Window Panes-** We warrant the polycarbonate panes used in the manufacturing of our overhead garage door to be free of defects, which includes fading, discoloration, or cracking for a period of 5-10 years. Polycarbonate should be cleaned and maintained with water to avoid the risk of damaging. Only use polycarbonate approved cleaning products.

**Aluminum-** We warrant the aluminum used in the manufacturing of the FrenchPorte, LLC overhead garage door for twenty years, and that it is made out of the best quality aluminum available to us. We recommend regular cleaning of your aluminum door to avoid damage caused by uncontrollable environmental factors. This warranty will not cover such dents and damages caused by foreign objects.

#### What this warranty does not cover

FrenchPorte, LLC does not cover garage door hardware (track, spring, etc...), installation of the garage door, or the garage door opener. FrenchPorte, LLC only warrants the garage door sections. Contact your garage door dealer for warranty issues concerning hardware and installation.

1. Over use of the garage door which caused abnormal wear and tear on the door, normal wear and tear, problems caused from misuse, abuse, failure to maintain the door, or a result caused by elements out of our control, such as a natural disaster.
2. Problems caused by additional painting or added hardware beyond the FrenchPorte, LLC standard.
3. Incidental or consequential damage.
4. Damage caused by a foreign object crashing into and damaging the garage door.
5. All hardware, track, wood, any additional hardware needed to install door, and springs.
6. Failure or poor performance due to install into an environment that exceeds the doors performance, standards, and specifications.

#### Legal Info

This warranty covers our maximum liability for our product. FrenchPorte, LLC is not liable for indirect, special, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damage resulting from any cause whatsoever shall be specified herein. FrenchPorte, LLC makes no other guarantees, warranties, either expressed or implied including implied warranties except what was expressed herein. In the event state laws do not allow the exclusion or limitations of incidental or consequential damages, the above limitations or exclusions may not apply to you.

Name Install Company \_\_\_\_\_ Date of install \_\_\_\_\_

Address of install \_\_\_\_\_ Date of purchase \_\_\_\_\_





### SPRING INFO

	WGT. LB BEFORE PACKAGE	WGT. LB AFTER PACKAGE	HARDWARE WGT LB	TOTAL WGT. LB	I.D.	WIRE	LENGTH 12" RADIUS	LENGTH 15" RADIUS	LENGTH LHR RADIUS	TURNS 15" RADIUS	TURNS 12" RADIUS	TURNS LHR RADIUS	WGT 15" RADIUS	WGT 13" RADIUS	WGT LHR RADIUS
8' x 7'	166.67	226.19	16.375	183.05	2	.2070	19.5	20.25	18.5	7.9	7.6	7.2	6.51	6.27	5.91
					1.75	.2070	22	22.75	20.75	7.9	7.6	7.2	6.47	6.23	5.88
8' x 8'	188.94	248.46	19.438	208.38	2	.2187	25	25.75	23.75	8.8	8.5	8.1	8.77	8.5	8.08
					1.75	.2187	28	29	26.75	8.8	8.5	8.1	8.73	8.45	8.03
9' x 7'	175.93	239.86	16.375	192.31	2	.2187	24.25	25.25	23	7.9	7.6	7.2	8.56	8.24	7.77
					1.75	.2187	27.25	28.25	25.75	7.9	7.6	7.2	8.51	8.2	7.73
9' x 8'	204.08	268.02	19.438	223.52	2	.2253	26.75	27.75	25.5	8.8	8.5	8.1	9.72	9.41	8.95
					1.75	.2253	30	31	28.5	8.8	8.5	8.1	9.67	9.37	8.9
10' x 7'	185.19	255.74	16.375	201.57	2	.2187	23.25	24	21.75	7.9	7.6	7.2	8.15	7.85	7.41
					1.75	.2187	26	27	24.5	7.9	7.6	7.2	8.11	7.81	7.37
10' x 8'	219.21	289.75	19.438	238.65	2	.2343	30.25	31.25	28.75	8.8	8.5	8.1	11.48	11.12	10.57
					1.75	.2343	34	35.25	32.25	8.8	8.5	8.1	11.43	11.07	10.52
12' x 7'	203.71	287.48	19.813	223.52	2	.2253	24	25	22.75	7.9	7.6	7.2	8.78	8.46	7.98
					1.75	.2253	27	28	25.5	7.9	7.6	7.2	8.74	8.42	7.93
12' x 8'	244.56	328.33	23.5	268.06	2	.2437	32.75	33.75	31.25	8.8	8.5	8.1	12.95	12.54	11.92
					1.75	.2437	36.75	38	35	8.8	8.5	8.1	12.89	12.49	11.86
14' x 7'	222.23	315.92	19.813	242.04	2	.2343	27	28	25.5	7.9	7.6	7.2	10.25	9.87	9.31
					1.75	.2343	30.25	31.25	28.5	7.9	7.6	7.2	10.2	9.83	9.26
14' x 8'	274.83	368.52	23.5	298.33	2	.2500	33.5	34.5	31.75	8.8	8.5	8.1	13.57	13.5	12.49
					1.75	.2500	37.5	38.75	35.5	8.8	8.5	8.1	13.52	13.09	12.44
15' x 7'	280.43	384.05	19.813	300.24	2	.2500	29.75	31	28	7.9	7.6	7.2	12.18	11.73	11.06
					1.75	.2500	33.5	34.75	31.5	7.9	7.6	7.2	12.13	11.68	11.01
15' x 8'	321.87	425.49	23.5	345.37	2	.2625	36.5	37.75	34.75	8.8	8.5	8.1	15.69	15.19	14.44
					1.75	.2625	41	42.25	39	8.8	8.5	8.1	15.63	15.13	14.38
16' x 7'	291.01	401.24	19.813	310.82	2	.2500	28.75	30	27.25	7.9	7.6	7.2	11.77	11.34	10.69
					1.75	.2500	32.25	33.5	30.5	7.9	7.6	7.2	11.71	11.28	10.63
16' x 8'	335.1	445.33	23.5	358.6	2	.2625	35.25	36.25	33.5	8.8	8.5	8.1	15.1	14.62	13.89
					1.75	.2625	39.5	40.75	37.5	8.8	8.5	8.1	15.04	14.56	13.83
18' x 7'	317.02	440.48	19.813	336.83	2	.2625	33.5	34.75	31.75	7.9	7.6	7.2	14.49	13.96	13.16
					1.75	.2625	37.5	39	35.5	7.9	7.6	7.2	14.43	13.9	13.1
18' x 8'	386.91	510.37	23.5	410.41	2	.2830	44.25	45.75	42	8.8	8.5	8.1	20.64	19.99	18.99
					1.75	.2830	49.5	51	47	8.8	8.5	8.1	20.57	19.92	18.92

### PARTS LIST

	WGT. LB BEFORE PACKAGE	WGT. LB AFTER PACKAGE	HARDWARE WGT LB	TOTAL WGT. LB	HINGES	TS/HINGES	SCREW/NUT/LW	BTC PAIR	TS/BTC	RC1 PAIR	RC2 PAIR	RC3 PAIR	RC4 PAIR	TS/RC	TRC PAIR	TS/TRC
8' x 7'	166.67	226.19	16.375	183.05	15	30	30	✓	6	✓	✓	✓		18	✓	8
8' x 8'	188.94	248.46	19.438	208.38	20	40	40	✓	6	✓	✓	✓	✓	24	✓	8
9' x 7'	175.93	239.86	16.375	192.31	15	30	30	✓	6	✓	✓	✓		18	✓	8
9' x 8'	204.08	268.02	19.438	223.52	20	40	40	✓	6	✓	✓	✓	✓	24	✓	8
10' x 7'	185.19	255.74	16.375	201.57	15	30	30	✓	6	✓	✓	✓		18	✓	8
10' x 8'	219.21	289.75	19.438	238.65	20	40	40	✓	6	✓	✓	✓	✓	24	✓	8
12' x 7'	203.71	287.48	19.813	223.52	21	42	42	✓	6	✓	✓	✓		18	✓	8
12' x 8'	244.56	328.33	23.5	268.06	28	56	56	✓	6	✓	✓	✓	✓	24	✓	8
14' x 7'	222.23	315.92	19.813	242.04	21	42	42	✓	6	✓	✓	✓		18	✓	8
14' x 8'	274.83	368.52	23.5	298.33	28	56	56	✓	6	✓	✓	✓	✓	24	✓	8
15' x 7'	280.43	384.05	19.813	300.24	21	42	42	✓	6	✓	✓	✓		18	✓	8
15' x 8'	321.87	425.49	23.5	345.37	28	56	56	✓	6	✓	✓	✓	✓	24	✓	8
16' x 7'	291.01	401.24	19.813	310.82	21	42	42	✓	6	✓	✓	✓		18	✓	8
16' x 8'	335.1	445.33	23.5	358.6	28	56	56	✓	6	✓	✓	✓	✓	24	✓	8
18' x 7'	317.02	440.48	19.813	336.83	21	42	42	✓	6	✓	✓	✓		18	✓	8
18' x 8'	386.91	510.37	23.5	410.41	28	56	56	✓	6	✓	✓	✓	✓	24	✓	8

TS Tap Screw

BTC Bottom Roller Carrier

RC Roller Carrier

TRC Top Roller Carrier





**SPRING INFO**

	WGT. LB BEFORE PACKAGE	WGT. LB AFTER PACKAGE	HARDWARE WGT LB	TOTAL WGT. LB	I.D.	WIRE	LENGTH 12" RADIUS	LENGTH 15" RADIUS	LENGTH LHR RADIUS	TURNS 15" RADIUS	TURNS 12" RADIUS	TURNS LHR RADIUS	WGT 15" RADIUS	WGT 13" RADIUS	WGT LHR RADIUS
8' x 7'	160.72	220.24	13.875	174.595	2	.2070	20.05	21.25	19.25	7.9	7.6	7.2	6.79	6.54	6.17
					1.75	.2070	23	23.75	21.75	7.9	7.6	7.2	6.75	6.5	6.13
8' x 8'	187.83	247.36	16.625	204.455	2	.2180	52.5	26.25	24.25	8.8	8.5	8.1	8.94	8.66	8.23
					1.75	.2187	28.5	29.5	27.25	8.8	8.5	8.1	8.89	8.61	8.19
9' x 7'	167.55	231.49	13.875	181.425	2	.2070	19.75	20.5	18.75	7.9	7.6	7.2	6.57	6.34	5.98
					1.75	.2070	22.25	23	21	7.9	7.6	7.2	6.54	6.3	5.94
9' x 8'	203.71	267.64	16.625	220.335	2	.2253	27.25	28.25	26	8.8	8.5	8.1	9.89	9.58	9.1
					1.75	.2253	30.5	31.5	29	8.8	8.5	8.1	9.84	9.53	9.06
10' x 7'	175.49	246.04	13.875	189.365	2	.2187	24.75	25.5	23.25	7.9	7.6	7.2	8.69	8.37	7.89
					1.75	.2187	27.75	28.75	26	7.9	7.6	7.2	8.64	8.33	7.85
10' x 8'	216.05	286.6	16.625	232.675	2	.2253	25.75	26.75	24.5	8.8	8.5	8.1	9.36	9.06	8.62
					1.75	.2253	29	30	27.5	8.8	8.5	8.1	9.31	9.02	8.57
12' x 7'	190.26	274.03	17.313	207.573	2	.2187	22.5	23.25	21.25	7.9	7.6	7.2	7.93	7.64	7.2
					1.75	.2187	25.25	26.25	23.75	7.9	7.6	7.2	7.89	7.6	7.16
12' x 8'	244.27	328.05	20.688	264.958	2	.2343	27.5	28.5	26.25	8.8	8.5	8.1	10.4	10.07	9.57
					1.75	.2343	30.75	31.75	29.25	8.8	8.5	8.1	10.35	10.02	9.53
14' x 7'	205.03	298.73	17.313	222.343	2	.2253	24.25	25.25	23	7.9	7.6	7.2	8.86	8.53	8.05
					1.75	.2253	27.25	28.25	25.75	7.9	7.6	7.2	8.81	8.49	8
14' x 8'	272.49	366.19	20.688	293.178	2	.2437	30	31	28.5	8.8	8.5	8.1	11.88	11.51	10.94
					1.75	.2437	33.75	34.75	32	8.8	8.5	8.1	11.83	11.46	10.89
15' x 7'	285.85	389.47	17.313	303.163	2	.2500	29.5	30.75	27.75	7.9	7.6	7.2	12.06	11.62	10.96
					1.75	.2500	33	34.25	31.25	7.9	7.6	7.2	12.01	11.57	10.9
15' x 8'	332.39	436.01	20.688	353.078	2	.2625	35.75	37	34	8.8	8.5	8.1	15.34	14.86	14.12
					1.75	.2625	40	41.25	38	8.8	8.5	8.1	15.28	14.8	14.06
16' x 7'	298.15	408.38	17.313	315.463	2	.2500	28.5	29.5	26.75	7.9	7.6	7.2	11.62	11.2	10.56
					1.75	.2500	31.75	33	30	7.9	7.6	7.2	11.57	11.14	10.5
16' x 8'	371.63	495.09	20.688	392.318	2	.2730	39	40.25	37	8.8	8.5	8.1	17.45	16.9	16.06
					1.75	.2730	43.5	45	41.5	8.8	8.5	8.1	17.39	16.84	16
18' x 7'	322.76	446.22	17.313	340.073	2	.2625	33.25	34.5	31.5	7.9	7.6	7.2	14.37	13.84	13.04
					1.75	.2625	37.25	38.75	35	7.9	7.6	7.2	14.31	13.78	12.98
18' x 8'	377.48	500.93	20.688	398.168	2	.2730	38.25	39.5	36.5	8.8	8.5	8.1	17.2	16.66	15.83
					1.75	.2730	43	44.25	40.75	8.8	8.5	8.1	17.13	16.59	15.76

**PARTS LIST**

	WGT. LB BEFORE PACKAGE	WGT. LB AFTER PACKAGE	HARDWARE WGT LB	TOTAL WGT. LB	HINGES	TS/HINGES	SCREW/NUT/LW	BTC PAIR	TS/BTC	RC1 PAIR	RC2 PAIR	RC3 PAIR	RC4 PAIR	TS/RC	TRC PAIR	TS/TRC
8' x 7'	160.72	220.24	13.875	174.6	12	24	24	✓	6	✓	✓	✓		18	✓	8
8' x 8'	187.83	247.36	16.625	204.46	16	32	32	✓	6	✓	✓	✓	✓	24	✓	8
9' x 7'	167.55	231.49	13.875	181.43	12	24	24	✓	6	✓	✓	✓		18	✓	8
9' x 8'	203.71	267.64	16.625	220.34	16	32	32	✓	6	✓	✓	✓	✓	24	✓	8
10' x 7'	175.49	246.04	13.875	189.37	12	24	24	✓	6	✓	✓	✓		18	✓	8
10' x 8'	216.05	286.6	16.625	232.68	16	32	32	✓	6	✓	✓	✓	✓	24	✓	8
12' x 7'	190.26	274.03	17.313	207.57	18	36	36	✓	6	✓	✓	✓		18	✓	8
12' x 8'	244.27	328.05	20.688	264.96	24	48	48	✓	6	✓	✓	✓	✓	24	✓	8
14' x 7'	205.03	298.73	17.313	222.34	18	36	36	✓	6	✓	✓	✓		18	✓	8
14' x 8'	272.49	366.19	20.688	293.18	24	48	48	✓	6	✓	✓	✓	✓	24	✓	8
15' x 7'	285.85	389.47	17.313	303.16	18	36	36	✓	6	✓	✓	✓		18	✓	8
15' x 8'	332.39	436.01	20.688	353.08	24	48	48	✓	6	✓	✓	✓	✓	24	✓	8
16' x 7'	298.15	408.38	17.313	315.46	18	36	36	✓	6	✓	✓	✓		18	✓	8
16' x 8'	371.63	495.09	20.688	392.32	24	48	48	✓	6	✓	✓	✓	✓	24	✓	8
18' x 7'	322.76	446.22	17.313	340.07	18	36	36	✓	6	✓	✓	✓		18	✓	8
18' x 8'	377.48	500.93	20.688	398.17	24	48	48	✓	6	✓	✓	✓	✓	24	✓	8

TS Tap Screw

BTC Bottom Roller Carrier

RC Roller Carrier

TRC Top Roller Carrier





# FrenchPorte®

Overhead French Garage Doors

Jennifer

## SPRING INFO

	WGT. LB BEFORE PACKAGE	WGT. LB AFTER PACKAGE	HARDWARE WGT LB	TOTAL WGT. LB	I.D.	WIRE	LENGTH 12" RADIUS	LENGTH 15" RADIUS	LENGTH LHR RADIUS	TURNS 15" RADIUS	TURNS 12" RADIUS	TURNS LHR RADIUS	WGT 15" RADIUS	WGT 13" RADIUS	WGT LHR RADIUS
8' x 7'	148.59	208.12	12.938	161.53	2	.2070	22	22.75	20.75	7.9	7.6	7.2	7.31	7.04	6.64
					1.75	.2070	24.75	25.75	23.25	7.9	7.6	7.2	7.27	7	6.6
8' x 8'	172.84	232.37	15.375	188.22	2	.2187	27.5	28.5	26.25	8.8	8.5	8.1	9.66	9.36	8.9
					1.75	.2187	31	32	29.5	8.8	8.5	8.1	9.62	9.32	8.85
9' x 7'	162.26	226.19	12.938	175.2	2	.2070	20.5	21.25	19.25	7.9	7.6	7.2	6.79	6.54	6.17
					1.75	.2070	23	23.75	21.75	7.9	7.6	7.2	6.75	6.5	6.13
9' x 8'	187.39	251.33	15.375	202.77	2	.2187	25.5	26.5	24.25	8.8	8.5	8.1	8.98	8.7	8.27
					1.75	.2187	28.75	29.75	27.25	8.8	8.5	8.1	8.94	8.65	8.22
10' x 7'	185.3	255.85	12.938	198.24	2	.2187	23.5	24.5	22.25	7.9	7.6	7.2	8.31	8.01	7.55
					1.75	.2187	26.5	27.5	25	7.9	7.6	7.2	8.27	7.96	7.51
10' x 8'	197.97	268.52	15.375	213.35	2	.2187	24.5	25.5	23.25	8.8	8.5	8.1	8.57	8.31	7.9
					1.75	.2187	27.5	28.25	26	8.8	8.5	8.1	8.53	8.26	7.85
12' x 7'	222.01	305.78	16.375	238.39	2	.2343	27.5	28.5	25.75	7.9	7.6	7.2	10.41	10.03	9.46
					1.75	.2343	30.75	31.75	29	7.9	7.6	7.2	10.37	9.98	9.41
12' x 8'	257.72	341.5	19.438	277.16	2	.2437	31.75	32.75	30.25	8.8	8.5	8.1	12.54	12.15	11.54
					1.75	.2437	35.5	36.75	33.75	8.8	8.5	8.1	12.49	12.09	11.49
14' x 7'	258.71	352.41	16.375	275.09	2	.2437	28.75	29.75	27	7.9	7.6	7.2	11.41	10.99	10.36
					1.75	.2437	32.25	33.5	30.25	7.9	7.6	7.2	11.35	10.94	10.31
14' x 8'	317.47	411.16	19.438	336.91	2	.2625	37.5	38.5	35.5	8.8	8.5	8.1	16.05	15.54	14.77
					1.75	.2625	41.75	43.25	39.75	8.8	8.5	8.1	15.99	15.48	14.71
15' x 7'	312.7	416.32	16.375	329.08	2	.2625	34.25	35.75	32.5	7.9	7.6	7.2	14.83	14.28	13.46
					1.75	.2625	38.5	40	36.25	7.9	7.6	7.2	14.77	14.22	13.4
15' x 8'	332.9	436.52	19.438	352.34	2	.2625	35.75	37	34	8.8	8.5	8.1	15.39	14.9	14.16
					1.75	.2625	40.25	41.5	38.25	8.8	8.5	8.1	15.33	14.84	14.1
16' x 7'	300.58	410.81	16.375	316.96	2	.2500	28.25	29.5	26.75	7.9	7.6	7.2	11.55	11.13	10.5
					1.75	.2500	31.75	32.75	29.75	7.9	7.6	7.2	11.5	11.08	10.44
16' x 8'	348.33	458.56	19.438	367.77	2	.2730	41.5	42.75	39.25	8.8	8.5	8.1	18.55	17.97	17.07
					1.75	.2730	46.25	47.75	44	8.8	8.5	8.1	18.49	17.9	17.01
18' x 7'	324.96	448.42	16.375	341.34	2	.2625	33.25	34.5	31.25	7.9	7.6	7.2	14.33	13.8	13.01
					1.75	.2625	37.25	38.5	35	7.9	7.6	7.2	14.27	13.74	12.95
18' x 8'	379.19	502.65	19.438	398.63	2	.2950	44.25	45.75	42	8.8	8.5	8.1	21.62	20.94	19.89
					1.75	.2950	49.5	51	47	8.8	8.5	8.1	21.54	20.86	19.82

## PARTS LIST

	WGT. LB BEFORE PACKAGE	WGT. LB AFTER PACKAGE	HARDWARE WGT LB	TOTAL WGT. LB	HINGES	TS/HINGES	SCREW/NUT/LW	BTC PAIR	TS/BTC	RC1 PAIR	RC2 PAIR	RC3 PAIR	RC4 PAIR	TS/RC	TRC PAIR	TS/TRC
8' x 7'	148.59	208.12	12.938	161.53	9	18	18	✓	6	✓	✓	✓		18	✓	8
8' x 8'	172.84	232.37	15.375	188.22	12	24	24	✓	6	✓	✓	✓	✓	24	✓	8
9' x 7'	162.26	226.19	12.938	175.2	9	18	18	✓	6	✓	✓	✓		18	✓	8
9' x 8'	187.39	251.33	15.375	202.77	12	24	24	✓	6	✓	✓	✓	✓	24	✓	8
10' x 7'	185.3	255.85	12.938	198.24	9	18	18	✓	6	✓	✓	✓		18	✓	8
10' x 8'	197.97	268.52	15.375	213.35	12	24	24	✓	6	✓	✓	✓	✓	24	✓	8
12' x 7'	222.01	305.78	16.375	238.39	15	30	30	✓	6	✓	✓	✓		18	✓	8
12' x 8'	257.72	341.5	19.438	277.16	20	40	40	✓	6	✓	✓	✓	✓	24	✓	8
14' x 7'	258.71	352.41	16.375	275.09	15	30	30	✓	6	✓	✓	✓		18	✓	8
14' x 8'	317.47	411.16	19.438	336.91	20	40	40	✓	6	✓	✓	✓	✓	24	✓	8
15' x 7'	312.7	416.32	16.375	329.08	15	30	30	✓	6	✓	✓	✓		18	✓	8
15' x 8'	332.9	436.52	19.438	352.34	20	40	40	✓	6	✓	✓	✓	✓	24	✓	8
16' x 7'	300.58	410.81	16.375	316.96	15	30	30	✓	6	✓	✓	✓		18	✓	8
16' x 8'	348.33	458.56	19.438	367.77	20	40	40	✓	6	✓	✓	✓	✓	24	✓	8
18' x 7'	324.96	448.42	16.375	341.34	15	30	30	✓	6	✓	✓	✓		18	✓	8
18' x 8'	379.19	502.65	19.438	398.63	20	40	40	✓	6	✓	✓	✓	✓	24	✓	8

TS Tap Screw

BTC Bottom Roller Carrier

RC Roller Carrier

TRC Top Roller Carrier





### SPRING INFO

	WGT. LB BEFORE PACKAGE	WGT. LB AFTER PACKAGE	HARDWARE WGT LB	TOTAL WGT. LB	I.D.	WIRE	LENGTH 12" RADIUS	LENGTH 15" RADIUS	LENGTH LHR RADIUS	TURNS 15" RADIUS	TURNS 12" RADIUS	TURNS LHR RADIUS	WGT RADIUS 15"	WGT RADIUS 13"	WGT LHR RADIUS
8' x 7'	166.67	226.19	16.375	183.05	2	.2070	19.5	20.25	18.5	7.9	7.6	7.2	6.51	6.27	5.91
					1.75	.2070	22	22.75	20.75	7.9	7.6	7.2	6.47	6.23	5.88
8' x 8'	188.94	248.46	19.438	208.38	2	.2187	25	25.75	23.75	8.8	8.5	8.1	8.77	8.5	8.08
					1.75	.2187	28	29	26.75	8.8	8.5	8.1	8.73	8.45	8.03
9' x 7'	175.93	239.86	16.375	192.31	2	.2187	24.25	25.25	23	7.9	7.6	7.2	8.56	8.24	7.77
					1.75	.2187	27.25	28.25	25.75	7.9	7.6	7.2	8.51	8.2	7.73
9' x 8'	204.08	268.02	19.438	223.52	2	.2253	26.75	27.75	25.5	8.8	8.5	8.1	9.72	9.41	8.95
					1.75	.2253	30	31	28.5	8.8	8.5	8.1	9.67	9.37	8.9
10' x 7'	185.19	255.74	16.375	201.57	2	.2187	23.25	24	21.75	7.9	7.6	7.2	8.15	7.85	7.41
					1.75	.2187	26	27	24.5	7.9	7.6	7.2	8.11	7.81	7.37
10' x 8'	219.21	289.75	19.438	238.65	2	.2343	30.25	31.25	28.75	8.8	8.5	8.1	11.48	11.12	10.57
					1.75	.2343	34	35.25	32.25	8.8	8.5	8.1	11.43	11.07	10.52
12' x 7'	203.71	287.48	19.813	223.52	2	.2253	24	25	22.75	7.9	7.6	7.2	8.78	8.46	7.98
					1.75	.2253	27	28	25.5	7.9	7.6	7.2	8.74	8.42	7.93
12' x 8'	244.56	328.33	23.5	268.06	2	.2437	32.75	33.75	31.25	8.8	8.5	8.1	12.95	12.54	11.92
					1.75	.2437	36.75	38	35	8.8	8.5	8.1	12.89	12.49	11.86
14' x 7'	222.23	315.92	19.813	242.04	2	.2343	27	28	25.5	7.9	7.6	7.2	10.25	9.87	9.31
					1.75	.2343	30.25	31.25	28.5	7.9	7.6	7.2	10.2	9.83	9.26
14' x 8'	274.83	368.52	23.5	298.33	2	.2500	33.5	34.5	31.75	8.8	8.5	8.1	13.57	13.5	12.49
					1.75	.2500	37.5	38.75	35.5	8.8	8.5	8.1	13.52	13.09	12.44
15' x 7'	280.43	384.05	19.813	300.24	2	.2500	29.75	31	28	7.9	7.6	7.2	12.18	11.73	11.06
					1.75	.2500	33.5	34.75	31.5	7.9	7.6	7.2	12.13	11.68	11.01
15' x 8'	321.87	425.49	23.5	345.37	2	.2625	36.5	37.75	34.75	8.8	8.5	8.1	15.69	15.19	14.44
					1.75	.2625	41	42.25	39	8.8	8.5	8.1	15.63	15.13	14.38
16' x 7'	291.01	401.24	19.813	310.82	2	.2500	28.75	30	27.25	7.9	7.6	7.2	11.77	11.34	10.69
					1.75	.2500	32.25	33.5	30.5	7.9	7.6	7.2	11.71	11.28	10.63
16' x 8'	335.1	445.33	23.5	358.6	2	.2625	35.25	36.25	33.5	8.8	8.5	8.1	15.1	14.62	13.89
					1.75	.2625	39.5	40.75	37.5	8.8	8.5	8.1	15.04	14.56	13.83
18' x 7'	317.02	440.48	19.813	336.83	2	.2625	33.5	34.75	31.75	7.9	7.6	7.2	14.49	13.96	13.16
					1.75	.2625	37.5	39	35.5	7.9	7.6	7.2	14.43	13.9	13.1
18' x 8'	386.91	510.37	23.5	410.41	2	.2830	44.25	45.75	42	8.8	8.5	8.1	20.64	19.99	18.99
					1.75	.2830	49.5	51	47	8.8	8.5	8.1	20.57	19.92	18.92

### PARTS LIST

	WGT. LB BEFORE PACKAGE	WGT. LB AFTER PACKAGE	HARDWARE WGT LB	TOTAL WGT. LB	HINGES	TS/HINGES	SCREW/NUT/LW	BTC PAIR	TS/BTC	RC1 PAIR	RC2 PAIR	RC3 PAIR	RC4 PAIR	TS/RC	TRC PAIR	TS/TRC
8' x 7'	166.67	226.19	16.375	183.05	15	30	30	✓	6	✓	✓	✓		18	✓	8
8' x 8'	188.94	248.46	19.438	208.38	20	40	40	✓	6	✓	✓	✓	✓	24	✓	8
9' x 7'	175.93	239.86	16.375	192.31	15	30	30	✓	6	✓	✓	✓		18	✓	8
9' x 8'	204.08	268.02	19.438	223.52	20	40	40	✓	6	✓	✓	✓	✓	24	✓	8
10' x 7'	185.19	255.74	16.375	201.57	15	30	30	✓	6	✓	✓	✓		18	✓	8
10' x 8'	219.21	289.75	19.438	238.65	20	40	40	✓	6	✓	✓	✓	✓	24	✓	8
12' x 7'	203.71	287.48	19.813	223.52	21	42	42	✓	6	✓	✓	✓		18	✓	8
12' x 8'	244.56	328.33	23.5	268.06	28	56	56	✓	6	✓	✓	✓	✓	24	✓	8
14' x 7'	222.23	315.92	19.813	242.04	21	42	42	✓	6	✓	✓	✓		18	✓	8
14' x 8'	274.83	368.52	23.5	298.33	28	56	56	✓	6	✓	✓	✓	✓	24	✓	8
15' x 7'	280.43	384.05	19.813	300.24	21	42	42	✓	6	✓	✓	✓		18	✓	8
15' x 8'	321.87	425.49	23.5	345.37	28	56	56	✓	6	✓	✓	✓	✓	24	✓	8
16' x 7'	291.01	401.24	19.813	310.82	21	42	42	✓	6	✓	✓	✓		18	✓	8
16' x 8'	335.1	445.33	23.5	358.6	28	56	56	✓	6	✓	✓	✓	✓	24	✓	8
18' x 7'	317.02	440.48	19.813	336.83	21	42	42	✓	6	✓	✓	✓		18	✓	8
18' x 8'	386.91	510.37	23.5	410.41	28	56	56	✓	6	✓	✓	✓	✓	24	✓	8

TS Tap Screw

BTC Bottom Roller Carrier

RC Roller Carrier

TRC Top Roller Carrier







# French Porte®

## Overhead French Garage Doors


*Jennifer*




*Kendra*



*Madeleine*



*Christina*



*Walk-Thru Option*



### Standard Options

*Panels:*

Clear Polycarbonate  
Frosted Polycarbonate  
Tinted Polycarbonate

*Handles:*

Polished Brass  
Brushed Nickel  
Oil Rubbed Bronze  
Satin Nickel

*Tracking:*

12"  
15"

### Custom Options

Upgraded Doors (Custom): Any non standard size or commercial selection

Pane Options: Clear Tempered Insulated Glass or Frosted Tempered Insulated Glass or Tinted Tempered Insulated Glass

Color Options: Color Ring

Special Tracking: High Lift and Low Head Room

Insulated Extrusions

Custom Faux Handles

Raised Panel or Raised Double Panel

#### Handle Options



FrenchPorte® Garage Doors are covered by one or more United States Patents: 6,948,547; D452979; D464,142; D464,736; D464,143; D486,585; D486,241; D488,870; D488,234; D490,537; D505,495 and/or by United States and foreign patents pending.