

**BORAL ROOFING**  
Build something great™



# Clay Roof Tiles

**STANDARD WEIGHT COLLECTION**



# Clay Roof Tiles

- Cool Roof and Energy Star Rated
- Lifetime Warranty\*
- No-Fade\*
- Class "A" Fire Rated
- Cradle to Cradle - Gold Certified
- 100% Recyclable

Nation's Leading  
Sustainable Roof Tile  
Manufacturer



Natural  
& Extensive  
Color Offering



Cover: Monarch Mission Custom Blend

\*Please refer to the Transferable, Lifetime Limited Warranty with Fade and Labor Coverage; details found on our website at [www.boralna.com](http://www.boralna.com).



## Why Clay?

### Design Style

Boral Roofing has the most extensive choice of profiles and styles of clay roofing tiles in the nation, ranging from traditional mission style barrel tiles to flat tiles that deliver the aesthetics of natural slate and wood shake. The unique design of our tile products allow for a wide variety of installation options including staggering, boosting, serpentine patterns and much more.

### Durability

Clay tile is known for its long-term durability and longevity by being wind, hail and fire resistant. For Instance: it can still be seen at the Coliseum in Rome over 2,000 years after installation. Boral Roofing's modern manufacturing techniques enhance this durability giving customers a roofing product that's sure to last.

### Performance

Boral Roofing clay tile products outperform virtually any roofing product on the market today. Clay tiles can withstand an array of extreme weather conditions without losing its beauty over time.

### Sustainability

Boral Roofing is the only roof tile manufacturer to receive the prestigious Cradle to Cradle Gold sustainability certification. Our products are truly sustainable and do not cause harm to the environment for the life of the product. Our clay roofing products are made with up to 59% recycled raw materials and are 100% recyclable.

### Value

Clay tile has proven its durability, longevity and aesthetic appeal over thousands of years. Boral Roofing offers a wide range of clay roofing products to fit any budget: from traditional mission tile designs to slate and shake flat profiles, Boral Roofing has a clay tile roofing product to meet any project's style and budget.


### The Right Roof for the Right Climate

If you live in a climate that experiences full winter weather, consider our All Weather products that meet Grade 1 freeze/thaw standards per ASTM C1167. If you live in a warmer climate, choose any of our standard weight or lightweight products.



Choose from one of our many cool roof rated tiles that will improve the energy efficiency by reflecting sunlight and heat away from your roof. When these are combined with our Elevated Batten System, they will provide reduced cooling costs and they may even qualify for local rebates. The Cool Roof Rating Council (CRRC) measures the "coolness" of a roof by determining a roof's solar reflectance (SR) and thermal emittance (TE). Both properties are rated on a scale from 0 to 1, where 1 is the most reflective or emissive. The CRRC measures these two properties for roofing products, both for the product's initial values and after three years of weather exposure. Boral Roofing manufactures products that meet CRRC guidelines, allowing homeowners in some regions to receive utility rebates. Boral Roofing's CRRC rated products help reduce the heat island effect found in urban areas and in general, increases the overall energy efficiency of the building. For current product ratings please visit our website at [www.boralna.com](http://www.boralna.com) and click on CRRC logo on the home page.

## 2-Piece Mission




First appearing in the bronze-age on the temple roofs of kings, and refined through fire-baking by the ancient Greeks, 2-piece clay tiles have been the ultimate roofing product for millennia.

Our highly refined modern manufacturing techniques have enabled Boral to improve on the ageless tradition and style of traditional 2-Piece clay tile design, and deliver color fast, durable products that last a lifetime.

Coverage	Installed Weight / Square
At 3" minimum headlap, 172 field tiles will cover approx. 100 square feet of roof area.	Approx.: Mission - 1,000 lbs.



**Madera Blend**  59%

tops: 1UADU3107 / pans: 1UBDU6078



CRRC ID# – 0906-0008  
Reflectance: 0.29 / Emittance: 0.86 / SRI: 29

**Red**  59%

tops: 1UADU7025 / pans: 1UBDU7025



CRRC ID# – 0906-0001  
Reflectance: 0.42 / Emittance: 0.85 / SRI: 46

**El Camino Blend**  59%

tops: 1UADU6073 / pans: 1UBDU7025




CRRC ID# – 0906-0010  
Reflectance: 0.33 / Emittance: 0.82 / SRI: 32

**Carmel Blend**  49%


tops: 1UADU0075 / pans: 1UBDU0073



CRRC ID# – 0906-0012  
Reflectance: 0.42 / Emittance: 0.84 / SRI: 45

**Tuscany**  59%

tops: 1UADU6075 / pans: 1UBDU6075



CRRC ID# – 0906-0028  
Reflectance: 0.23 / Emittance: 0.85 / SRI: 20

**Palermo Blend**  59%

tops: 1UADU6081 / pans: 1UBDU7025



CRRC ID# – 0906-0034  
Reflectance: 0.24 / Emittance: 0.85 / SRI: 22

**Mallorca**  49%

tops: 1UADU6080 / pans: 1UBDU6080



CRRC ID# – 0906-0002  
Reflectance: 0.53 / Emittance: 0.86 / SRI: 61

**Fire Flash**  59%

tops: 1UADU6074 / pans: 1UBDU7025



CRRC ID# – 0906-0029  
Reflectance: 0.30 / Emittance: 0.92 / SRI: 33

**Newport Blend**  59%

tops: 1UADU7040 / pans: 1UBDU6075



CRRC ID# – 0906-0032  
Reflectance: 0.19 / Emittance: 0.84 / SRI: 15

## 2-Piece Mission

### Old World #1



tops: 1UADU0073 / pans: 1UBDU6078



CRRC ID# – 0906-0030  
Reflectance: 0.46 / Emittance: 0.82 / SRI: 50

### Bermuda Blend



tops: 1UADU0074 / pans: 1UBDU6080



CRRC ID# – 0906-0003a  
Reflectance: 0.46 / Emittance: 0.78 / SRI: 49

### Rustic Newport



tops: 1UADI7040 / pans: 1UBDU6075



CRRC ID# – 0906-0026  
Reflectance: 0.22 / Emittance: 0.86 / SRI: 20

### Old World #2



tops: 1UADU6078 / pans: 1UBDU6078



CRRC ID# – 0906-0033  
Reflectance: 0.34 / Emittance: 0.86 / SRI: 35

### Turino Blend



tops: 1UADU6082 / pans: 1UADU6080



CRRC ID# – 0906-0013  
Reflectance: 0.43 / Emittance: 0.84 / SRI: 47

### Rustic Palermo



tops: 1UADI6081 / pans: 1UBDU7025



CRRC ID# – 0906-0004  
Reflectance: 0.31 / Emittance: 0.81 / SRI: 29

### Old World #3



tops: 1UADU3114 / pans: 1UBDU6078



CRRC ID# – 0906-0031  
Reflectance: 0.33 / Emittance: 0.81 / SRI: 32

### Rustic Carmel



tops: 1UADI0075 / pans: 1UBDU0073



CRRC ID# – 0906-0027  
Reflectance: 0.31 / Emittance: 0.84 / SRI: 31

### Rustic Madera



tops: 1UADI3107 / pans: 1UBDU6078



CRRC ID# – 0906-0025  
Reflectance: 0.25 / Emittance: 0.85 / SRI: 23



Old World Custom Blends



All Boral Roofing clay products meet or exceed Energy Star requirements.




For current product ratings please visit our website at [www.boralna.com](http://www.boralna.com) and click on CRRC logo on the home page.



Recycled Content – percentage of pre-industrial content.



## 2-Piece Monarch



Capturing the aesthetics of traditional, small barrel, high-arch clay tile, Monarch 2-Piece Mission tile incorporates the modern manufacturing techniques perfected by Boral.

Monarch is designed for discriminating designers who want the beauty of a traditional Old World style combined with the strength, durability and consistency of modern manufacturing techniques that only Boral can deliver.

Coverage	Installed Weight / Square
At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area.	Approx.: Monarch - 1,070 lbs.



*Monarch tile delivers superior durability and consistency without compromising true, kiln-fired looks.*





### Madera Blend

♻️ 59%

tops: 1UCDU3107 / pans: 1UDDU3107



CRRC ID# – 0906-0008  
Reflectance: 0.29 / Emittance: 0.86 / SRI: 29

### Newport Blend

♻️ 59%

tops: 1UCDU7040 / pans: 1UDDU7040



CRRC ID# – 0906-0032  
Reflectance: 0.19 / Emittance: 0.84 / SRI: 15

### Turino Blend

♻️ 49%

tops: 1UCDU6082 / pans: 1UDDU6081



CRRC ID# – 0906-0013  
Reflectance: 0.43 / Emittance: 0.84 / SRI: 47

### Carmel Blend

♻️ 49%

tops: 1UCDU0075 / pans: 1UDDU3107



CRRC ID# – 0906-0012  
Reflectance: 0.42 / Emittance: 0.84 / SRI: 45

### Palermo Blend

♻️ 59%

tops: 1UCDU6081 / pans: 1UDDU6081



CRRC ID# – 0906-0004  
Reflectance: 0.31 / Emittance: 0.81 / SRI: 29

*Monarch's small barrel  
2-Piece profile captures  
the aesthetics of traditional  
European styling.*



All Boral Roofing clay products meet or exceed Energy Star requirements.



For current product ratings please visit our website at [www.boralna.com](http://www.boralna.com) and click on CRRC logo on the home page.



Recycled Content – percentage of pre-industrial content.





Imported, handmade aesthetics set Cielo tile apart from any domestically produced product on the market today.

Manufactured exclusively and to exacting standards for Boral Roofing Products by CIT in Tecate, Mexico, Cielo tile delivers true hand tooled aesthetics handed down through the ages. All Cielo tile is made to the same standards as domestically produced tile and even uses the same quality clays Boral Roofing is famous for.

Coverage	Installed Weight / Square
At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area.	Approx.: Cielo -1,070 lbs.



*Cielo tile features a small barrel that is compatible with Boral Roofing Monarch profiles, hand slurry texture coating and thumb-butt leading edges to complete the traditional handmade look.*



### Anejo Gold

tops: 1UEDK0078 / pans: 1UDDU6081



CRRC ID# – 0906-0022  
Reflectance: 0.60 / Emittance: 0.78 / SRI: 69

### Canela

tops: 1UEDK3104 / pans: 1UDDU3107



CRRC ID# – 0906-0023  
Reflectance: 0.24 / Emittance: 0.79 / SRI: 19

### Sangria

tops: 1UEDK6071 / pans: 1UDDU7040



CRRC ID# – 0906-0024  
Reflectance: 0.37 / Emittance: 0.79 / SRI: 37

### Fuego

tops: 1UEDK6089 / pans: 1UDDU6081



CRRC ID# – 0906-0020  
Reflectance: 0.40 / Emittance: 0.80 / SRI: 41

### Tierra

tops: 1UEDK0081 / pans: 1UDDU3107



CRRC ID# – 0906-0021  
Reflectance: 0.29 / Emittance: 0.78 / SRI: 25



Custom Blend




All Boral Roofing clay products meet or exceed Energy Star requirements.



For current product ratings please visit our website at [www.boralna.com](http://www.boralna.com) and click on CRRC logo on the home page.

# 1-Piece "S" Tile




The modern design of our one-piece "S" Tile combines the cap and pan of a two-piece system into a single piece, delivering the same traditional aesthetics using fewer tiles, saving cost and installation time.


Made from the same natural clays and kiln-fired colors, our "S" Tile products are true to their roots, allowing custom roofscape options such as boosting, while maintaining the rich beauty and durability of clay at a substantially lower price.

Coverage	Installed Weight / Square
At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	Approx.: "S" Tile - 800 lbs.



 All Boral Roofing clay products meet or exceed Energy Star requirements.


 For current product ratings please visit our website at [www.boralna.com](http://www.boralna.com) and click on CRRC logo on the home page.


 Recycled Content – percentage of pre-industrial content.

**Turino Blend**  
1USDU6082  49%





CRRC ID# – 0906-0013  
Reflectance: 0.43 / Emittance: 0.84 / SRI: 47

**El Camino Blend**  
1USDU6073  59%





CRRC ID# – 0906-0010  
Reflectance: 0.33 / Emittance: 0.82 / SRI: 32

**Mallorca**  
1USDU6080  49%



CRRC ID# – 0906-0002  
Reflectance: 0.53 / Emittance: 0.86 / SRI: 61

**Carmel Blend**  
1USDU0075  49%





CRRC ID# – 0906-0012  
Reflectance: 0.42 / Emittance: 0.84 / SRI: 45

**Newport Blend**  
1USDU7040  59%




CRRC ID# – 0906-0032  
Reflectance: 0.19 / Emittance: 0.84 / SRI: 15

**Red**  
1USDU7025  59%





CRRC ID# – 0906-0001  
Reflectance: 0.42 / Emittance: 0.85 / SRI: 46

**Madera Blend**  
1USDU3107  59%





CRRC ID# – 0906-0008  
Reflectance: 0.29 / Emittance: 0.86 / SRI: 29

**Palermo Blend**  
1USDU6081  59%



CRRC ID# – 0906-0004  
Reflectance: 0.31 / Emittance: 0.81 / SRI: 29

**Fire Flash**  
1USDU6074  59%



CRRC ID# – 0906-0029  
Reflectance: 0.30 / Emittance: 0.92 / SRI: 33

# 1-Piece "S" Tile

## Old World #1

1USDU0073

49%



CRRC ID# - 0906-0030  
Reflectance: 0.46 / Emittance: 0.82 / SRI: 50

## Bermuda Blend

1USDU0074

59%



CRRC ID# - 0906-003a  
Reflectance: 0.46 / Emittance: 0.78 / SRI: 49

## Rustic Madera

1USDI3107

59%



CRRC ID# - 0906-0025  
Reflectance: 0.25 / Emittance: 0.85 / SRI: 23

## Old World # 2

1USDU6078

59%



CRRC ID# - 0906-0033  
Reflectance: 0.34 / Emittance: 0.86 / SRI: 35

## Tuscany

1USDU6075

59%



CRRC ID# - 0906-0028  
Reflectance: 0.23 / Emittance: 0.85 / SRI: 20

## Rustic Newport

1USDI7040

59%



CRRC ID# - 0906-0026  
Reflectance: 0.22 / Emittance: 0.86 / SRI: 20

## Old World #3

1USDU3114

59%



CRRC ID# - 0906-0031  
Reflectance: 0.33 / Emittance: 0.81 / SRI: 32

## Rustic Carmel

1USDI0075

49%




CRRC ID# - 0906-0027  
Reflectance: 0.31 / Emittance: 0.84 / SRI: 31

## Rustic Palermo

1USDI6081


59%



CRRC ID# - 0906-0034  
Reflectance: 0.24 / Emittance: 0.85 / SRI: 22



# Romano Pans





Romano Pans were one of the earliest profiles of clay tile used for roofing by the ancient Greeks. Featuring a flat bottom pan with raised sides that are capped with traditional clay tile tops, Romano Pans represent classical European aesthetics and style and allow for design flexibility.

Romano Pans also come in cool roof colors and are backed by Boral Roofing Products Transferable, Lifetime Limited Warranty\* with fade and labor coverage. Romano Pans can be used with any of Boral Roofing Products 2- Piece Mission, Monarch or Cielo Tops.


Coverage	Installed Weight / Square
At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area.	Approx.: Romano Pans - 990 lbs.




**Red**  
1URDU7025  59%



CRRC ID# – 0906-0001  
Reflectance: 0.42 / Emittance: 0.85 / SRI: 46

**El Camino Blend**  
1URDU6073  59%



CRRC ID# – 0906-0010  
Reflectance: 0.33 / Emittance: 0.82 / SRI: 32



All Boral Roofing clay products meet or exceed Energy Star requirements.



For current product ratings please visit our website at [www.boralna.com](http://www.boralna.com) and click on CRRC logo on the home page.



Recycled Content – percentage of pre-industrial content.









## Corporate Office

### **Boral Roofing**

200 Mansell Court East, Suite 310  
Roswell, GA 30076

## Western Office

### **Boral Roofing**

7575 Irvine Center Drive, Ste. #100  
Irvine, CA 92618  
949 756 1605

## Customer Service

800 669 TILE (8453)

### ABOUT BORAL ROOFING

Boral Roofing is a subsidiary of Boral USA, the country's largest premium provider of complete roofing and re-roofing solutions for architects as well as commercial and residential builders. Boral Roofing operates 15 clay and concrete tile manufacturing plants throughout the U.S. and Mexico.

### ABOUT BORAL USA

Headquartered in Roswell, Georgia, Boral USA through its subsidiaries employs approximately 1,500 individuals at more than 140 operating and distribution sites across the United States. The U.S. operations include the country's largest brick manufacturer and the largest clay and concrete roof tile manufacturer.



## Sales Offices

**Phoenix, ARIZONA**

**Corona, CALIFORNIA**

**Gilroy, CALIFORNIA**

**Lathrop, CALIFORNIA**

**Stockton, CALIFORNIA**

**Rialto, CALIFORNIA**

**Denver, COLORADO**

**Pompano Beach, FLORIDA**

**Lake Wales, FLORIDA**

**Atlanta, GEORGIA**

**Kapolei, HAWAII**

**Kansas City, MISSOURI**

**Henderson, NEVADA**

**Katy, TEXAS**

**Tacoma, WASHINGTON**

[www.boralna.com](http://www.boralna.com)



Download a QR Code reader app for your smartphone, then take a photo to visit our website.



The Boral Logo is a trade mark of Boral Limited or its affiliates and may be registered in many jurisdictions worldwide.

