
CSacrovyn° Wall Protection



With Acrovyn® 3000 you can protect your walls and the environment at the same time.

Acrovyn Affiliations & Certifications







QUALITY MANAGEMENT SYSTEM
CERTIFIED BY DNV

ISO 9001:2000

Many of America's leading architects and healthcare corporations asked C/S to develop a **PVC-free Acrovyn** for use in their sustainable buildings. After exhaustively testing numerous formulations worldwide, C/S Engineers found a product that is PVC-free, completely recyclable, and **contains no**

Acrovyn 3000 has the same design, impact strength, integral colors, and UL Classified Class 1 fire rating as traditional Acrovyn.

Acrovyn 3000 meets the CA 01350 protocol for good indoor air quality and it comes in our most popular profiles and colors.

halogenated or brominated fire retardants.



Our patented formulation is PVC-free and contains no halogenated fire retardants.

Table of Contents	
General Information	2-5
Corner Guards	6-9
Handrails	10-17
Crash Rails	18-23
Wall Covering & Panels	24-33
Doors & Door Covering	34-37
Acrovyn Finishes	38-43



The Cradle to Cradle Story

Construction Specialties, Inc. is proud to have achieved MBDC Cradle to Cradle: Silver Certification for Acrovyn 3000 most popular colors. This certification gives us a way to tangibly and credibly demonstrate our ongoing efforts in responsible and eco-intelligent design. Cradle to Cradle is a third-party sustainability label that verifies commitment to strategies for corporate social responsibility both in product design and operations. These strategies include use of materials that are safe for human health and the environment across their life cycles, product and system design for reutilization, use of renewable energy, efficient use of water and community environmental stewardship.



Acrovyn 3000 is available in our most popular models

Corner Guards

SM Series • pg. 6

SSM-20E • pg. 6

FS Series • pg. 8

SFS-20E • pg. 9

FSC-25E • pg. 8

Handrails

HRB-35E • pg. 10

HRB-4CE • pg. 11

HR-6CE • pg. 10

HR-8CE • pg. 10

HRB-20E • pg. 11

... --- 1-3. . .

HRB-10CE • pg. 11

HRBW-20E • pg. 12

HRBW-10CE • pg. 12

P-OAAE • pg. 14

P-RAWVE • pg. 14

P-OAWVE • pg. 15

P-OAME • pg. 15

P-OWAE • pg. 15

P-RASE • pg. 16

Crash Rails

SCR-50E • pg. 18

SCR-80E • pg. 18

BG-10E • pg. 19

SCR-40E • pg. 18

SCR-48E • pg. 18

SCR-64E • pg. 19

BL-100E • pg. 20

Rubstrips • pg. 22

Wall Covering

.040E/.060E Rigid Sheet • pg. 32

D1 Door Frame Protector • pg. 36

Acrovyn Doors • pg. 34

Refer to the specific product sections for additional models also available.





"We insist on a patient environment totally free from PVC. That's why we chose Acrovyn® 3000."

—Suzen L. Heeley, Director, Design and Construction

he Sarkis and Siran Gabrellian Women's and Children's
Pavilion at Hackensack University Medical Center (HUMC)
was one of the first environmentally responsible hospitals
in the United States. Suzen L. Heeley, HUMC's Director,
Design and Construction, had specified original C/S
Acrovyn® for many years and was very happy with its
superior wall protection performance. When Heeley became
aware of new PVC-free C/S Acrovyn 3000, it became an
obvious choice for this ground-breaking project. According
to Heeley, every material used in the facility was evaluated for
its aesthetic and environmental qualities. PVC-free Acrovyn
3000 fit all of Heeley's product parameters including being a
durable, cleanable, 100% recyclable product. Added benefits



Impact tests prove C/S Acrovyn 3000 profiles are comparable to the original Acrovyn.



Acrovyn 3000 is completely recyclable and contains no halogenated fire retardants.

for Heeley are that Acrovyn 3000 is

Class 1 Fire Rated and looks exactly
like original Acrovyn. The end result—
Hackensack University Medical
Center is an energy efficient,
sustainable hospital that looks like
an upscale hotel and functions as a
world-class medical care provider.



3" wide corner guards snap on continuous retainers Optional horizontal accent

for SM-20 End caps included









SM-20 square nose profile * SM-10 (500 LF min.)

For selection charts see pgs. 38-40



bullnose profile

SSM Series SSM-20E and SSM-25E available in PVC-free Acrovyn 3000

Product features

2" wide corner guards snap on continuous retainers

For end walls, SSM-25 is supplied with (2) SSM-20's and a sheet backer cut to size

Optional horizontal accents for SSM-20/25 End caps included

Available in:









SSM-20

For selection charts see pgs. 38-40





SSM-20 & SSM-25 only

SSM-10

bullnose profile

Acrovyn' Corner Guards

Product features

Wood/stainless combination bullnose corner guard

1" x 1" recessed stainless guard in 2-3/4" wood legs

Stainless steel caps standard, wood caps optional Stainless steel can be powder coated, optional

Available in:





For selection charts see pgs. 42-43



Product features

Sharp nose wood/stainless corner guard

1-3/4" x 1-3/4" recessed stainless guard in 2-3/4" wood legs

Stainless steel caps standard, wood caps optional Stainless steel can be powder coated, optional

Available in:










3" corner guard for 135° corner conditions, other angles available

Includes two-piece aluminum retainer











For selection charts see pgs. 38-40



Product features

Lower cost Acrovyn corner guards Installs with self adhesive tape Three models: VA-034 (3/4"),

VA-200 (1-1/2") and VA-250 (2-1/2")

Available in:




For selection charts see pgs. 38-40

⊘ For comprehensive information on these products visit www.c-sgroup.com/cornerguards

45° - 160° range

Product features CO-8 features 3-1/2" legs, custom sizes available, mounts with screws or adhesive 304 stainless alloy 16 GA features a #4 satin finish Stainless steel can be powder coated, optional SCO-8 supplied to specified dimension for end wall conditions **Available in:** For selection chart see pg. 43





Clear, scratch resistant polycarbonate corner guards

Six models LG-034 (3/4"), LG-118 (1-1/8"), LG-150 (1-1/2"), LG-200 (2"), LG-250 (2-1/2") and LG-300 (3")

Chrome plated sheet metal screws

Available in:





3" flush mounted corner guards for new construction

Designed as a sharp nose profile 4" or 6" aluminum base supplied

Available in:







For selection charts see pgs. 38-40

varies -



Product features

3" flush mounted corner guards for new construction

Designed as a bullnose profile Odd angles, specify FS-10M 4" or 6" aluminum base supplied

Available in:







* 500 LF min. For selection charts see pgs. 38-40

Acrovyn' Flush & Fire Rated Corner Guards

Product features

Designed for custom corner/ wall conditions with 2" legs

Manufactured to finished wall dimension In heights to 9'-6". Specify face dimension Supplied with 4" or 6" aluminum base

Available in:



For selection charts see pgs. 38-39



Product features

3" square nose fire rated corner guard for new construction

Includes UL/ULC tested and labeled fire barriers

Specify 1HR or 2HR fire rating

4" or 6" aluminum base supplied

Available in:













2" flush mounted guards for new construction

Designed as a sharp nose profile 4" or 6" aluminum base supplied









For selection charts see pgs. 38-40



Product features

2" flush mounted corner guards for new construction

Designed as a bullnose profile

4" or 6" aluminum base supplied

Available in:







* 500 LF min. For selection charts see pgs. 38-40

⊘ For comprehensive information on these products visit www.c-sgroup.com/cornerguards

Product features

3" bullnose fire rated corner guards Includes UL/ULC tested and labeled fire barrier


Specify 1HR or 2HR fire rating Odd angles, specify FS-10MR

Available in:















Product features

2" fire rated guard for new construction Model SFS-20R is a sharp nose profile Model SFS-10R is a bullnose profile Specify 1HR or 2HR fire rating

Available in:








* SFS-10R (500 LF min.) For selection charts see pgs. 38-40

Fire Rated





For selection charts see pgs. 38-39



Acrovyn[®] Handrails



All Acrovyn Handrails meet ADA 1-1/2" grip width and have a 3" handrail offset unless specified. All handrails shown except HRO-6 can be radiused.



5-1/2" high handrail Features a 3-1/2" horizontal

accent strip

Featuring Quick Lock brackets Psychiatric bracket enclosures available

Available in:











Product features

Classic 5-1/2" high handrail

Optional vertical accents available, pgs. 38-39

Featuring Quick Lock brackets

Psychiatric bracket enclosures available

Available in:









For selection charts see pgs. 38-40

6

> For comprehensive information on these products visit www.c-sgroup.com/handrails





Product features

6-1/4" high round handrail/bumper guard, integrates up to 3 different colors/patterns

Solid or chameleon patterned horizontal accent available

Psychiatric bracket enclosures available

Available in:







For selection charts see pgs. 38-40

6-1/4"





5-1/4" high wood handrail with stainless steel end caps and brackets, stainless can be powder coated, optional. Wall offset is 3'

Rail's diameter is 1-1/2", wood end caps available

Optional stainless steel insert (Model HRWS-6CS) and splices available

Available in:





For selection charts see pgs. 42-43



Product features

A wood pipe rail for patient mobility Total height 4-3/32"

Mounting brackets manufactured from Acrovyn



Available in:



For selection charts see pgs. 38-39, 42-43

Acrovyn[®] Renaissance Handrails





Product features

This 6-1/4" model combines a round wood handrail with a protective Acrovyn

Solid or chameleon patterned horizontal accent available

Psychiatric bracket enclosures available


Available in:

HRBW-10C











All Acrovyn Handrails meet ADA 1-1/2" grip width and have a 3" handrail offset unless specified. All handrails shown can be radiused.



A 5-1/4" high stainless steel handrail with stainless steel end caps and brackets

Optional powder coating available for all stainless components



Available in:



For selection chart see pg. 43

Product features

HRW-35

3-1/2" high wooden version of HRB-35 Mitered end caps

Featuring Quick Lock brackets

Psychiatric bracket enclosures available



For selection charts see pgs. 42-43

> For comprehensive information on these products visit www.c-sgroup.com/renaissancehandrails






Product features

A 5-1/2" high solid wood handrail Vinyl insert protects rail's face; see pg. 43 Model AW-10C features a plain face Featuring Quick Lock brackets











P-OAA is a 6" high combination oval Acrovyn handrail/crash rail

For a round handrail specify model P-RAA 6-3/8" high

Available in:









For selection charts see pgs. 38-40



Product features

P-RAWV is a 6-3/8" high round Acrovyn handrail with a real wood crash rail and vinyl inserts; see pg. 43

Model P-RAW features a plain wood face

Model P-RAWG features a crash rail with finished grooves

Available in:











For selection charts see pgs. 38-40, 42-43

Acrovyn[®] Platform Handrails

Product features

P-OWM is a 6" high rail combining an oval wood handrail with a 4" powder coated aluminum crash rail

6-3/8" high P-RWM features a round wood handrail with a 4" powder coated aluminum crash rail

Available in:





For selection charts see pgs. 42-43



Product features

This 6-3/8" high model features a round real wood handrail/crash rail combination with vinyl inserts; see pg. 43

Model P-RWW's crash rail features a plain face

Model P-RWWG's crash rail includes finished grooves

Available in:







All Acrovyn Handrails meet ADA 1-1/2" grip width and have a 3" handrail offset unless specified. Consult factory for radius options. Note: All aluminum components (brackets and rails) for Platform Handrails supplied in 1 of 8 powder coat finishes, see page 43.



Product features

P-OAWV is a 6" high combination oval Acrovyn handrail with a wood crash rail and vinyl inserts; see pg. 43

Model P-OAW features a plain wood face

Model P-OAWG features a crash rail with grooves

Available in:











For selection charts see pgs. 38-40, 42-43

Product features

P-OAM is a 6" high combination oval Acrovyn handrail with a 4" powder coated aluminum crash rail

6-3/8" high Model P-RAM features a round Acrovyn handrail and a powder coated aluminum crash rail

Rails attach by dual cantilevered brackets

Available in:











> For comprehensive information on these products visit www.c-sgroup.com/platformhandrails

Product features

A 6" high rail that combines an oval wood rail with a plain faced wood crash rail

Model P-OWWG's crash rail includes finished grooves

Model P-OWWV's crash rail includes vinyl inserts; see pg. 43

Available in:



P-OWW

For selection charts see pgs. 42-43



Product features

The 6" high P-OWA combines an oval wood handrail with Acrovyn crash rail

Model P-RWA 6-3/8" high combines a round wood handrail with an Acrovyn crash rail

Model P-OMA combines an oval powder coated metal handrail with an Acrovyn crash rail

Available in:











For selection charts see pgs. 38-40, 42-43





This 6-3/8" high rail combines a stainless steel crash rail with a round wood handrail*

6" high Model P-OWS combines an oval wood handrail with a stainless crash rail*

Brackets to be powder coated; optional for stainless rail

Available in:





For selection charts see pgs. 42-43





Product features

6-3/8" high model P-RAS combines a round Acrovyn handrail with a stainless steel crash rail*

6" high P-OAS features an oval Acrovyn handrail with a stainless steel crash rail*

Brackets to be powder coated; optional for stainless rail

Available in:









6-3/8'



Acrovyn[®] Platform Handrails

Product features

A 6-3/8" high rail that combines a round stainless steel handrail with a variety of crash rail options*

P-RSS = stainless crash rail P-RSA = Acrovyn crash rail P-RSW = plain wood crash rail

P-RSWG = grooved wood crash rail

Available in:











6-3/8'





Product features

An all metal 6" high profile that combines an oval aluminum handrail with a stainless

Aluminum components are powder coated

Stainless crash rail can also be powder coated

Available in:









All Acrovyn Handrails meet ADA 1-1/2" grip width and have a 3" handrail offset unless specified. Consult factory for radius options. *Field verified dimensions required. Note: All aluminum components (brackets and rails) for Platform Handrails supplied in 1 of 8 powder coat finishes, see page 43.



P-RS is a single round stainless steel rail 5-7/8" high*

P-OA is an oval Acrovyn pipe rail 5-1/2" high P-RA is a round Acrovyn design 5-7/8" high

P-OM is an oval metal rail 5-1/2" high with powder coat

Available in:









For selection charts see pgs. 38-40, 43

5-1/2"



Product features

P-OW is a single line oval real wood handrail 5-1/2" high

Oval design offers 335° grip surface Metal brackets are powder coated Model P-RW round rail design is 5-7/8" high



Available in:



For selection charts see pgs. 42-43



> For comprehensive information on these products visit www.c-sgroup.com/platformhandrails

Product features

An all aluminum handrail/crash rail profile 6" high

All metal components are powder coated

Contrast handrail and crash rail

Available in:



For selection charts see pg. 43



Product features

P-OMW is a 6" high handrail featuring an oval metal handrail with a plain wood crash rail

Model P-OMWG features finished grooves

Model P-OMWV features vinyl inserts on the face rail; see pg. 43

Available in:













SCR-50 is a 5" high crash rail surface mounted with 1" aluminum clips standard; continuous aluminum retainer available (SCR-50M)

Bumper model BCR-50 includes continuous aluminum retainer

Optional vertical accents available; see pgs. 38-39

Available in:







For selection charts see pgs. 38-40



| 13/16"



Product features

8" high SCR-80's retainer attaches to 1-1/2" aluminum clips; continuous aluminum retainer available (SCR-80M)

Bumper model BCR-80 includes continuous aluminum retainer

Optional vertical accents available; see pgs. 38-39

Available in:







For selection charts see pgs. 38-40



1-1/4"

Acrovyn[®] Crash Rails

Product features

SCR-40 is a 4" high surface mounted crash rail

Model BCR-40 features bumper cushions behind retainer

Extended profile model ECR-40

All models include a continuous aluminum retainer

Available in:







For selection charts see pgs. 38-40



Product features

SCR-48 is a 6" high crash rail mounted with 1-1/2" aluminum clips; continuous aluminum retainer available (SCR-48M)

Bumper mounted BCR-48 and extended mount ECR-48 include a continuous aluminum retainer

Available in:





2 * Faux Metals

* 500 LF min. For selection charts see pgs. 38-40





BG-30

A bullnose bumper designed to keep carts away from walls

4-1/4" high profile features a continuous aluminum retainer mounted on 1/2" bumper cushions



Available in:







* 500 LF min. For selection charts see pgs. 38-40

Product features

2-3/4" high bumper guard for chair rail applications

Profile mounts on 1/4" bumper cushions for shock absorbency

Includes a continuous aluminum retainer



Available in:







* 500 LF min. For selection charts see pgs. 38-40

⊘ For comprehensive information on these products visit www.c-sgroup.com/crashrails

1-1/4"

Product features

SCR-48S is a handsome 6" high surface mounted crash rail with linear serrations

SCR-48S' retainer attaches to 1-1/2" aluminum clips; continuous aluminum retainer available (SCR-48SM)

Bumper mounted BCR-48S and extended mount ECR-48S include a continuous aluminum retainer

Available in:



For selection charts see pgs. 38-39



Product features

8" high surface mounted SCR-64 crash rail provides serious wall protection

SCR-64's retainer attaches to 1-1/2" aluminum clips; continuous aluminum retainer available (SCR-64M)

Bumper mounted BCR-64 and extended mount ECR-64 include a continuous aluminum retainer

Available in:





2 * Faux Metals

* 500 LF min. For selection charts see pgs. 38-40







4-1/4" high bed locators keep beds away from wall. Specify bed width. Model BL-100 bumper mount keeps beds 2-3/8" from wall Model BL-200 extended mount keeps bed up to 8-1/4" from wall



Available in:



For selection charts see pgs. 38-39

Product features


SCR-95

This 11-7/8" high model offers the ultimate in wall protection featuring a continuous galvanized retainer

Bumper mount model BCR-95 and extended mount ECR-95 also available

Available in:

7 Solid Acrovyn colors: Eggshell, Doeskin, Mission White, Folkstone, Pearl Gray, Desert Sand and Oyster Gray




Acrovyn[®] Crash Rails

Product features

A handsome 5-1/2" high crash rail features flush stainless steel accents and a real wood face*

Stainless caps standard, wood caps available

Cut to size rail mounts on 1" wide stainless steel clips



Available in:





For selection charts see pgs. 42-43



Product features

5-1/2" high real wood rail incorporates three 1/8" wide stainless inserts*

Stainless caps standard, wood caps available

Cut to size rail mounts on 1" wide stainless steel clips

Available in:



CRWS-2





All Acrovyn Handrails meet ADA 1-1/2" grip width and have a 3" handrail offset unless specified. All handrails shown can be radiused. *Field verified dimensions required.



Model ECR-32A is a 4" aluminum rail, Model ECR-32S is a 4" stainless rail, ECR-60A is a 6" aluminum crash rail

2" radius cut ends, rail supplied cut to size only* Tube brackets standard; other brackets optional Non-exposed fastener for ECR-32S available Optional powder coat finishes available



Available in:




For selection charts see pg. 43



A 5-1/2" stainless steel profile with a V-groove face and factory installed end plates

Manufactured from 16-gauge stainless steel, cut to size only*; mounts on 2" stainless clips Model SCR-16SSP has a plain face




Available in:



For selection charts see pg. 43


○ For comprehensive information on these products visit www.c-sgroup.com/crashrails



A 5-1/2" high real wood rail incorporates a flush stainless steel face framed with wood accents*

Stainless caps standard, wood caps available

Cut to size rail mounts on 1" wide stainless steel clips



Available in:





For selection charts see pgs. 42-43



Product features

wood plugs conceal fasteners

Model AW-CR has a plain face


A 5-1/2" high solid wood crash rail that

includes vinyl insert for protection; see pg. 55

Rail can be ordered cut to size with mitered ends;









2" high colonial style chair rail

Stainless accent; real wood face

Stainless caps standard, wood caps available

Cut to size rail mounts on 1" wide stainless steel clips

2"

Available in:





For selection charts see pgs. 42-43

Acrovyn[®] Crash Rails



1-1/8" high accent rail

Acrovyn guard snaps on recycled vinyl retainer

End cap and outside corner available

1-1/8"

Available in:

60 Acrovyn Colors

For selection charts see pgs. 38-39



Product features

2-1/4" high colonial style chair rail is 1-1/8" deep

Recycled vinyl retainer

Vinyl inserts available

Angled end cap closure

Available in:

60 Acrovyn Colors

For selection charts see pgs. 38-39

Product features

2-1/4" high real wood chair rail is 1-1/16" deep

Vinyl inserts

Concealed fasteners

Field mitered ends

Available in:







A classic real wood chair rail 2" high with two 1/8" wide stainless steel inserts

Stainless caps standard, wood caps available

Cut to size rail mounts on 1" wide stainless steel clips



Available in:





For selection charts see pgs. 42-43

Product features

NEW FRWS-3

2" high crescent shaped chair rail with flush stainless steel and wood accents

Stainless caps standard, wood caps available

Cut to size rail mounts on 1" wide stainless steel clips1



Available in:





For selection charts see pgs. 42-43

⊘ For comprehensive information on these products visit www.c-sgroup.com/crashrails

Product features

2-1/4" high by 3/4" deep crescent shaped chair rail

Continuous aluminum retainer

Edge-style end caps

Optional vertical accents; see pgs. 38-39









Product features

2-1/4" high by 3/4" deep real wood chair rail

Installs on 1" wide mounting clips

Field mitered ends



Available in:



For selection charts see pgs. 42-43

Product features

2" high by 1" deep half round chair rail

Mounts on recycled vinyl retainer

End caps and outside corners available









Product features

2" high half round Acrovyn rail protects real wood crash rail and wall surface

Recycled vinyl retainer Total height 3-3/4

Available in:













Acrovyn' High-Impact Wall Panels

An unbeatable combination of looks and performance.



Acrovyn® High-Impact Wall Panels provide **the ultimate in wall protection.** Highly versatile, Acrovyn panels can be installed over any substrate, including ceramic tile or block. Acrovyn

Beveled and Square-Edge Panels are 3/8" thick and are U.L. and ULC Classified, Class 1 fire-rated. Acrovyn Wall Panels can be manufactured in any size or shape and in a wide variety of finish options. Standard beveled edge panels are available up to 43" x 114" and standard square edge panels up to 46" x 118".



Acrovyn Beveled Edge Panels (front) offer maximum protection and many aesthetic options. Square Edge Panels provide the same protection at a lower cost.



Chameleon Simulated Wood and Metal Wall Panels

The beauty of natural materials with the durability of Acrovyn.



Acrovyn Chameleon Faux Metal Panels offer a high-tech appearance

Acrovyn Chameleon simulated wood and metal patterns are so realistic there's no need to sacrifice durability for aesthetics. Chameleon patterned material withstands the abuse that real wood or metal can't handle and it is perfect for almost any interior environment. Beveled edge panels are available in custom sizes up to 43" x 114", square edges available up to 46" x 118". Acrovyn Chameleon panels are U.L. and ULC Classified, Class 1 fire-rated and are offered in 14 simulated woodgrains and 2 metal patterns.





Renaissance[®] Real Wood and Metal Wall Panels





Saratoga^{*} Series Wall System

Traditional aesthetics with the protection of Acrovyn.



Outside Corner

areas. Key to the system is our rugged Acrovyn .040" sheet, available in 60 solid colors, 16 Chameleon patterns and 11 textures. By incorporating matching or contrasting vertical or horizontal moldings, a variety of panelized designs can be achieved. Permanently mounted, this system can be used in full height or wainscot applications, and is U.L. and ULC Classified, Class 1 fire rated. The vertical and horizontal moldings are supplied in 2", 4", 6" or 8" widths, in lengths to 8'.

The new Saratoga™ Series wall system is ideal for high traffic



Inside Corner

Easily installed, the Saratoga Wall System is perfect for lobbies, dining halls and waiting areas.



Acrovyn' High-Impact Wall Covering


Heavy-duty protection against wall abuse.





Acrovyn Rigid Sheet is available in a vast array of colors, textures and patterns.

Acrovyn® Rigid Sheet is the perfect wall covering **for interiors subjected to daily abuse.** Offered in .040" and .060" thicknesses as well as **PVC-free Acrovyn 3000**, Acrovyn Rigid Sheet is U.L. and ULC Classified, Class 1 fire rated. Acrovyn .040" sheet is **available in 60 colors, 16 patterns and 15 textures.** Matching trim available. Acrovyn Wall Covering is available in sizes up to 48" x 120" in Pebblette, Suede and Matte textures. 4' x 22' rolls in .040", also available. Mounts with water-based mastic primer and adhesive.


Rugged Acronyn sheet
offers beauty and
protection for
any interior







Acrovyn Door Protection





Edge protectors shield door edges from damage

Available in "U" or "L" shapes from .040" Acrovyn with 1" legs

Installs over 1-3/4" doors with clearance

Available in:







For selection charts see pgs. 38-40



Product features

Standard 32" to 40" high kick plates typical; supplied with 1" clearance at both jambs

Custom kick plates are manufactured from .040" and .060" Acrovyn in nearly any size or shape

Create your own graphic patterns

Stainless steel plates available

Available in:









For selection charts see pgs. 38-40 & 43

Acrovyn[®] Door & Frame Protection



Product features

Acrovyn door knob protectors keep knobs intact

Nine knob protectors for right and left hand lock sets

Latch Protectors help prevent lock sets from being knocked off

Two Models fits all ADA lock sets without obstruction of the lever

See all designs at c-sgroup.com/acrovyn/door-covering



Product features

Heavy-duty protector mounts over two lead-in frame edges

Fits recessed frames having 2-1/4" recess from face of door frame to door stop

Available in 48" height



Available in:



For selection charts see pgs. 38-39





Available in:









Rugged two-piece standard formed frame protectors

.040" Acrovyn sections fit 80% of common doors

Standard 48", full or other heights available

Model A1 for 1-3/8" doors consists of part 1600 (1-15/16") and part 1500 (1-9/16")

Model A2 for 1-3/4" doors consists of part 1600 (1-15/16") and part 2000 (1-15/16")



Part 1600

Part 1500 or Part 2000

Available in:







For selection charts see pgs. 38-40



Product features

Custom formed one-piece protectors

Manufactured to strict field or frame manufacturers' dimensions from contractor

One free sizing sample supplied

Model B1 for extended frame model with returns to wall

Model B2 for flush frame to wall configurations

Optional hospital stops available



Available in:







For selection charts see pgs. 38-40

○ For comprehensive information on these products visit www.c-sgroup.com/acrovyn/door-covering



Product features

Same profile as D1, but also provides protection to rear of door frame

Rear portion of protector is .040" Acrovyn rigid sheet

Supplied in 48" height

For 1-3/8" doors select part 1500 (1-9/16")

For 1-3/4" doors select part 2000 (1-15/16")



Part 1500 or Part 2000

Available in:







For selection charts see pgs. 38-40



Product features

.040" thick guards are custom formed to the radius of elevator door frames

Supplied in standard 48" height (full or other heights available)

Field applied with adhesive



Available in:







Acrovyn Solid Colors





^{*} Optional Vertical Accent Colors include: Beige, Black, Charcoal, Chinchilla, Cordovan, Mission White and Nile and are available for specific Acrovyn profiles. Due to limitations of the printing process, colors above may vary. When specifying, obtain color samples by calling factory.

Lifetime Warranty (Call factory for details)



Available for select profiles, .040" sheet and wall panels. Minimum order requirements may apply; refer to specific model for details. Inside corners are not available with Chameleon Patterns. These patterns are not available in PVC-free Acrovyn 3000.

Acrovyn Texture Collection



Acrovyn .040" and square edge wall panels are available in all 15 textures. Acrovyn beveled edge wall panels are available in 12 textures as noted(*).

.060" sheet is available in Pebblette, Suede and Matte textures only. PVC-free Acrovyn 3000 and all Acrovyn profiles are available in Pebblette texture only. Specify direction of pattern for full or wainscot height. Suede and Matte textures are subject to quantity minimums(**). Check our website for textured sheet and panel sizes. *Beadboard available in nominal 1" or 2-3/8" texture widths. New Saratoga series not available in Dado, Single Tread, Pindot and Quatro textures.



Acrovyn Renaissance Collection Real Wood & Metal






Custom wood species and finishes also available. Wood rail products are finished with waterborne finishes. *FSC certified wood available upon specification (not applicable to Bamboo).

054 Cherry


053 Honey

450 Walnut



Powder Coat


199 Natural



202 Cherry

Metal

452 Walnut



Vinyl Inserts



*Optional powder coat finishes are available on all models with visible stainless steel and aluminum components except CRWS-2. All aluminum components for the Platform Handrails will be supplied with a powder coat finish.

Note: The products shown in this catalog may be covered by one or more of the following U.S. or Canadian patents: 5,165,643; 5,170,603; 5,288,048; 5,427,359; 6,270,058 B1; 6,386,518 B1; D447,821; D448,494; D455,216; D462,259 S; D463,042 S; D454,207; D469,882 S; 6,557,832 B2; 6,508,458 B1; D476,089 S; 6,601,355 B2; D479,004 S; 2,064,167; 2,136,593; 2,057,476; 96871; 96872; 96873; 97164; 97165; 97166; D480,820 S; 6,932,328 B2. Other U.S. and International Patents Pending.



6696 Route 405 Highway, Muncy, Pennsylvania 17756 U.S.A., 570-546-5941 895 Lakefront Promenade, Mississauga, Ontario L5E 2C2 Canada, 905-274-3611 • www.c-sgroup.com



The C/S Family of Products

For more than 60 years, Construction Specialties has been a leader in architectural specialty products, including: Acrovyn Wall and Door Protection, Pedisystems: Entrance Flooring, Expansion Joint Covers, Cubicle Track and Curtains, Smoke and Explosion Venting Systems, Architectural Grilles, Architectural Louvers and Sun Controls.

We have operations throughout the world and can provide C/S Products virtually anywhere. For a complete list of our international locations, visit www.c-sgroup.com.

For the nearest C/S representative, or literature and samples, call toll free 800-233-8493 in U.S.A. and 888-895-8955 in Canada, or visit www.c-sgroup.com

