


RAIN GUARD[®]
www.rainguard.com



*Thinking Green...
We've Got You Covered!*



**PROFESSIONAL
CONCRETE COATINGS**



About Us

Rainguard International is a family run manufacturer of products that are designed to “wrap” the exterior of buildings and structures. This focus has allowed us to provide coatings solutions on projects throughout the world, ranging from Wal-Marts, to large infrastructure facilities, to the Athens Olympics structures, to multi-family and single family residences. We have developed scientifically proven formulations for both horizontal and vertical substrate applications; including an extensive line of masonry water repellents and sealers, elastomeric coatings, masonry stains and anti-graffiti products.

Vision

Our vision and focus is clear... to manufacture environmentally friendly, value-engineered products that protect structures from weather and graffiti damage. In addition, we have committed a significant amount of capital toward the development of new and innovative products that meet ever-changing construction demands.


Our mission is to

- Develop innovative solution-based products.
- Deliver products quickly and efficiently through a network of professional paint and construction supply dealers and distributors.
- Provide superior levels of customer and field service.
- Exceed customer expectations for value

Customer Orientation

Customer service is the cornerstone of Rainguard. Our dedicated professionals are trained to focus on your needs and expectations, whether you are an architect, building owner, contractor or distributor. The staff at Rainguard is ready to meet the many challenges of your unique construction needs.

1079 Culpepper Drive, Conyers GA 30094
 Toll-Free: 1-866-989-5159 | Fax: (949) 675-3450
www.rainguard.com



*Thinking Green...
 We've Got You Covered!*

Green Policy

At Rainguard we have long adopted strict environmental standards in all the products we make as well as in our everyday operations.

None of our products produce volatile organic compounds (VOC's) that exceed the strictest air emission standards in the country – the South Coast Air Quality Management District. Further, we strive to manufacture products which do not contain any known cancer causing chemicals or hazardous by products.

Many of our products were used as an example of how high performance coatings can produce uncompromising results while lowering air emissions. See AQMD board notes <http://www.aqmd.gov/hb/2003/0312min.html>. Over the past year we have moved aggressively to ensure our products meet LEED credit requirements.

As a business, we have partnered with suppliers that also share the same concern for a GREEN environment. In all of our facilities we employ multiple “paper-less” practices such as online forms and electronic funds transfers. We also ensure that our entire product line can be part of a green specification. This is why you will see each of our products listed in the CSI Green Format.

Working together we can achieve our business goals and at the same time succeed in improving human and environmental health: sustainable site development, water savings, energy efficiency, materials selection and indoor environmental quality.



Products

<p>Water Repellents & Curing Aids</p> <p>4</p>	<p>Masonry & Wood Sealers</p> <p>7</p>	<p>Masonry Stains</p> <p>9</p>	<p>Acrylic Concrete Coating Systems</p> <p>12</p>	<p>Anti-Graffiti Systems</p> <p>15</p>

Water Repellents & Curing Aids



- 100% Penetrating for Long Lasting Performance
- For Vertical & Horizontal Surfaces
- Exclusive MICRO-LOK™ formulation
- Mold and Mildew Inhibitor
- Protection not affected by weathering or UV light
- V.O.C. compliant <15 g/L
- Breathable – does not trap moisture
- Can be used in cold temperature applications
- Material and Labor Warranties up to 20 Years

Find Technical Data Sheet / Application Guide / Spec Guide / MSDS at www.rainguard.com/penetrants.html

Rainguard Water Repellents & Curing Aids provide a deep penetrating, protective layer to concrete and masonry surfaces. These silane/siloxane blends will block the capillaries in concrete, brick and mortar to create a water repellent barrier while still allowing water vapor to escape from beneath the surface. These are non-film forming products that do not create a sheen on the substrate. These products may also act as curing aids to freshly poured concrete or stucco. They allow the substrate to cure in as little as 48 hours thereby making the substrate ready for a top-coat if desired.

Applications

Any new masonry surface for protection against water.

Where to Find

Commercial buildings, Infrastructure, DOT

CSI Division

3, 7, 9 specifications



Micro-Seal™

MICRO-SEAL with MICRO-LOK Clear Water Repellent is a deep penetrating, premium water repellent. Available in both Ready-to-Use and Concentrate formulas, MICRO-SEAL offers premium protection to concrete and masonry surfaces. When applied, MICRO-SEAL forms a short-chain water repellent barrier deep within the masonry surface. This hydrophobic barrier displaces water yet remains highly vapor permeable and allows moisture to escape. MICRO-SEAL performance is not affected by weathering, UV light or wind driven rain.

- Meets Master Painters Institute (MPI) #34 & #117 - Water Repellent
- Meets ASTM C309, Type 1 Class A & B for curing compounds
- Up to 20 Year Warranty

Blok-Lok™

Rainguard BLOK-LOK with MICRO-LOK Clear Water Repellent is a water base, silane/siloxane repellent composed of high quality chemical solids, blended to create a clear, deep penetrating and non-film forming chemically reactive masonry water repellent that contains no silicone oils, paraffin wax or urethanes. Helps prevent spalling and cracking caused by freeze thaw cycles as well as chloride ion intrusion and efflorescence.

- Meets Master Painters Institute (MPI) #34 - Water Repellent
- Apply to fresh concrete after only 48 hours

Floor-Lok™

Rainguard FLOOR-LOK Sealer Concentrate with MICRO-LOK is a water based clear silane/siloxane that will aid in curing, sealing, hardening and dustproofing interior and exterior horizontal surfaces including concrete floors, parking structures, concrete decks, building ramps, sidewalks, lightweight concrete floors.


Masonry & Wood Sealers

Super Stucco™ Primer/Sealer

Rainguard SUPER STUCCO PRIMER/SEALER Concentrate with MICRO-LOK Clear Water Repellent is a water base, modified polysilane/siloxane repellent composed of high quality chemical solids, blended to create a clear, deep penetrating and non-film forming chemically reactive masonry water repellent that contains no silicone oils, paraffin wax or urethanes. This product is ideal for sealing hot stucco or used as a primer for hot stucco prior to applying a top coat.



Rainguard Masonry & Wood Sealers are clear sealers that seal and protect substrates from premature wear and weathering. These products may be applied to a variety of painted or unpainted substrates to add protection, water repellency or a glossy, cleanable surface. These sealers come in two different varieties; siliconized acrylics and urethane acrylics. They are available in a variety of sheens and varying levels of protection to the substrates.



Applications

Protects and seals coated or uncoated masonry and wood. Some products can provide a glossy look, if desired.

Where to Find

Commercial buildings, Infrastructure, DOT
CSI Division
3, 7, 9 specifications

Pluggger 10™ and Pluggger 25™

PLUGGER 10 and PLUGGER 25 are modified silicone acrylic sealers which will form a protective surface film over a variety of substrates. This film, while still vapor permeable, provides water repellency and protection from weathering, efflorescence and other damaging effects. PLUGGER 10 and PLUGGER 25 have a flat sheen after one coat but the sheen may increase with multiple coats.

- PLUGGER 10 – 10% solids, 3 year warranty
- PLUGGER 25 – 25% solids, 5 year warranty

CR-1501



- Helps prevent efflorescence
- Protects wood from swelling, shrinking or grain raising
- For Vertical & Horizontal Surfaces
- Exclusive MICRO-LOK® formulation
- Mold and Mildew Inhibitor
- Protection not affected by weathering or UV light
- Breathable – does not trap moisture
- Can be used in cold temperature applications
- Material and Labor Warranties up to 10 Years

Find Technical Data Sheet / Application Guide / Spec Guide / MSDS at
www.rainguard.com/masonry_sealers.html

Penetrating Water Repellents

USA Code	International Code	Product Name	Size
Ready To Use Formulas			
CR-0356	CR-0356-CA	MicroSeal Ready to Use	1 Gal
CR-0357	CR-0357-CA	MicroSeal Ready to Use	5 Gal
CR-0201	CR-0201-CA	Blok-Lok Liquid Water Repellent	1 Gal
CR-0205	CR-0205-CA	Blok-Lok Liquid Water Repellent	5 Gal
Concentrate Formulas			
CR-0701	CR-0701-CA	Micro-Seal Premium Concentrate	1 Gal
CR-0601	CR-0601-CA	Blok-Lok Concentrate	1 Gal
CR-1600	CR-1600-CA	Floor-Lok Sealer Concentrate	1 Gal
CR-0300	CR-0300-CA	Super Stucco Primer Sealer Concentrate	1 Gal

Masonry Stains



CR-1401

Satin-Lok™

SATIN-LOK is a modified silicone acrylic sealer similar to PLUGGER 25 but with a “wet-look” appearance. This glossy acrylic sealer also forms a protective surface film over a variety of substrates. SATIN-LOK may be used to enhance the natural beauty of walkways, decks, paver stones or any number of painted substrates. Increasing the number of coats of SATIN-LOK will also increase the gloss level of the product.

- Meets Master Painters Institute (MPI) #99 – Sealer, water based for concrete floors
- 25% solids, available 5 year warranty

Clear-Seal™ Heavy Traffic Sealers

CLEAR-SEAL Low and High Gloss Acrylic Urethane Sealers are single-component, self cross-linking urethane/acrylic sealers that may be used as a finish coat for decorative concrete, stone and other masonry surfaces. CLEAR-SEAL sealers are water based, low VOC, low odor coatings which can protect substrates against chemical spills and staining agents, UV light and wear due to heavy foot and vehicular tire traffic. CLEAR-SEAL is formulated for use on horizontal or vertical painted or unpainted concrete and wood surfaces. It may be used as a clear sealer on commercial warehouse or industrial floors, commercial or residential garage spaces, brick pavers or other masonry surfaces.

- No pot life issues – one component self-cross linking system
- Less than 50 g/L VOC



CR-0105

CR-0201-CA



Rainguard offers a variety of staining products to meet the specific needs of the customer. The COLOR-LOK™ stain program comes in two different levels of durability; Siliconized Stains and Heavy Traffic Urethane Stains. Siliconized stains are great for low traffic areas or vertical substrates and can provide decorative color and protection and water repellency. Heavy Traffic Urethane Stains are built tough for vehicular traffic, heavy pedestrian traffic or heavy weathering but still provide the same decorative colors. Both levels of durability are available as solid color stains or as semi-transparent stains. COLOR-LOK deep penetrating stains provide a rich uniform finish without changing the character or integrity of the concrete.

Applications

Protect and beautify masonry substrates

Where to Find

Commercial buildings, Infrastructure, DOT

CSI Division

9, 7 specifications

- For Vertical & Horizontal Surfaces
- Exclusive MICRO-LOK™ formulation
- Mold and Mildew Inhibitor
- Dries to a flat finish
- Solid Color or Semi-Transparent
- Breathable – does not trap moisture
- Most may be applied in cold temperatures
- Material and Labor Warranties up to 10 Years

Find Technical Data Sheet / Application Guide / Spec Guide / MSDS at www.rainguard.com/masonry_stains.html

Masonry & Wood Sealers

USA Code	International Code	Product Name	Size
CR-1501	CR-1501-CA	Pluggger 10% Solids	1 Gal
CR-1505	CR-1505-CA	Pluggger 10% Solids	5 Gal
CR-1525	CR-1525-CA	Pluggger 25% Solids	1 Gal
CR-1526	CR-1526-CA	Pluggger 25% Solids	5 Gal
CR-1401	CR-1401-CA	Satin-Lok Wet Look Sealer	1 Gal
CR-1405	CR-1405-CA	Satin-Lok Wet Look Sealer	5 Gal

Clear Urethane Sealers

CU-0101	CU-0101-CA	Clear-Seal 1 part High Gloss Acrylic Urethane Sealer	1 Gal
CU-0105	CU-0105-CA	Clear-Seal 1 part High Gloss Acrylic Urethane Sealer	5 Gal
CU-0201	CU-0201-CA	Clear-Seal 1 part Low Gloss Acrylic Urethane Sealer	1 Gal
CU-0205	CU-0205-CA	Clear-Seal 1 part Low Gloss Acrylic Urethane Sealer	5 Gal



CT-0225



Color-Lok™ Heavy Traffic Urethane Stain

Solid Color or Semi-Transparent

COLOR-LOK Heavy Traffic Urethane Stains for Masonry are premium quality, modified acrylic stains fortified with urethane for use on exterior and interior masonry surfaces. These deep penetrating stains allow the natural character of the masonry surface to show through the coating while maintaining the depth and intensity of the color. COLOR-LOK combines permanent non-fading pigments with top quality, tough, flexible resins. The addition of ultraviolet light absorbers, color stabilizers and penetrating agents ensure long lasting performance. This combination protects the surface while allowing moisture vapor to escape, preventing flaking and peeling. Single component urethane formulations also provide extreme durability against excessive wear caused by heavy vehicular or pedestrian traffic.

- Meets Master Painters Institute (MPI) #58—Stain, Interior Concrete Floors
- Low VOC < 50 g/L
- Available 5 and 10 year warranties when used in the appropriate system

Color-Lok Silicone Stains

Solid Color or Semi-Transparent

COLOR-LOK Silicone Stains for Masonry are premium quality, modified acrylic stain fortified with silicone for use on exterior and interior masonry surfaces. These deep penetrating stains provide a rich uniform finish without changing the character or integrity of the concrete thus avoiding that “painted” look. COLOR-LOK combines permanent non-fading pigments with top quality, tough, flexible resins. The addition of ultraviolet light absorbers, color stabilizers and penetrating agents ensure long lasting performance. This combination protects the surface while allowing moisture vapor to escape, preventing flaking and peeling.

- Meets Master Painters Institute (MPI) #58—Stain, Interior Concrete Floors
- Low VOC < 45 g/L
- Available 5 and 10 year warranties when used in the appropriate system



CT-0105-CA



SS-0201-CA

SS-0101

Surface Seal™ Penetrating Masonry Primers

SURFACE-SEAL I and SURFACE-SEAL II are high performance modified silicone acrylic sealers designed to work with various top coats to provide maximum adhesion and surface protection. SURFACE-SEAL primers may be applied to painted or unpainted surfaces prior to top-coating those surfaces with TEC-TOP™ Elastomeric, HYDRO-LOK™ Waterproof or COLOR-LOK™ Stains.

SURFACE-SEAL primers achieve impeccable adhesion and penetration with the aid of our exclusive MICRO-LOK™ Technology which creates a micro-molecular chemical and mechanical bond between the coating and the surface promoting adhesion with topcoat. This means longer life for the coating and better protection for the substrate.

- Available in both Concentrate and Ready-to-Use formulas
- Dilute concentrate versions 9 to 1 for an economical primer solution
- Surface Seal I may yield a 5 year warranty when used in the proper system
- Surface Seal II may yield a 10 year warranty when used in the proper system

Masonry Stains

USA Code	International Code	Product Name	Size
Solid Color Stains			
CS-0105	CS-0105-CA	Color-Lok Solid Color Silicone Stain WTB	5 Gal
CS-0107	CS-0107-CA	Color-Lok Solid Color Silicone Stain DTB	5 Gal
CS-0205	CS-0205-CA	Color-Lok Solid Color Silicone Stain ATB	5 Gal
CS-0335	CS-0335-CA	Color-Lok Solid Color Heavy Traffic Urethane Stain WTB	5 Gal
CS-0325	CS-0325-CA	Color-Lok Solid Color Heavy Traffic Urethane Stain DTB	5 Gal
CS-0315	CS-0315-CA	Color-Lok Solid Color Heavy Traffic Urethane Stain ATB	5 Gal

Semi-Transparent Stains

CT-0105	CT-0105-CA	Color-Lok Semi-Transparent Silicone Stain WTB	5 Gal
CT-0125	CT-0125-CA	Color-Lok Semi-Transparent Silicone Stain DTB	5 Gal
CT-0115	CT-0115-CA	Color-Lok Semi-Transparent Silicone Stain ATB	5 Gal
CT-0205	CT-0205-CA	Color-Lok Semi-Transparent Heavy Traffic Urethane Stain WTB	5 Gal
CT-0225	CT-0225-CA	Color-Lok Semi-Transparent Heavy Traffic Urethane Stain DTB	5 Gal
CT-0215	CT-0215-CA	Color-Lok Semi-Transparent Heavy Traffic Urethane Stain ATB	5 Gal

Primers

SS-0101	SS-0101-CA	Surface-Seal I 1 Gal Pail Concentrate	1 Gal
SS-0105	SS-0105-CA	Surface-Seal I 5 Gal Pail Ready to Use	5 Gal
SS-0201	SS-0201-CA	Surface-Seal II 1 Gal Pail Concentrate	1 Gal
SS-0205	SS-0205-CA	Surface-Seal II 5 Gal Pail Ready to Use	5 Gal

WTB, DTB, ATB = White, Deep or Accent Tint Bases

Acrylic Concrete Coating Systems



- Backed by the best warranty available in the market
- Application down to 35°F
- V.O.C. compliant - less than 55 g/L
- Great for high mold & mildew environments
- Available in a wide variety of colors
- Available in Smooth, Fine, Medium and Coarse texture (elastomerics)
- High UV and fade resistance

Find Technical Data Sheet / Application Guide / Spec Guide / MSDS at www.rainguard.com/elastomeric.html



Rainguard offers a variety of long-lasting acrylic and elastomeric coatings for weatherproofing concrete and masonry surfaces. These coatings are made to withstand the elements in a wide range of climates. A variety of systems are available to provide labor and material warranties up to ten years. These products are recommended for application to new or existing vertical masonry surfaces such as block, brick, stucco, cement, concrete as well as wood and EFIS surfaces. HYDRO-LOK XP™ and TEC-TOP™ are 100% water-based silicone elastomeric coatings provide a long lasting and flexible waterproof coating for exterior surfaces with one to two high build coats of the product. HYDRO-LOK PH+™ is an acrylic coating designed specifically for the needs of masonry substrates.

Applications
Above grade waterproofing protection against wind driven rain. Color or texture appearance to beautify concrete structures

Where to Find
Commercial buildings, Residential Stucco
CSI Division
9 specifications



TS-2001



HL-0125



PH-0111

Tec-Top™ Elastomeric Waterproofing

TEC-TOP is our premium elastomeric coating. Systems are available to provide up to 10 years labor and material warranty. TEC-TOP features up to 500% elongation with excellent recovery strength to bridge hairline cracks and is vapor permeable yet resists the effects of wind driven rain. TEC-TOP also meets the Master Painter's Institute (MPI) #42 spec for textured coatings. TEC-TOP may be applied at temperatures above 35°F.

- Three Year Labor & Material Warranty: Apply One Coat of TEC-TOP per instructions
- Five Year Labor & Material Warranty: Apply One Coat of SURFACE-SEAL I™ (new concrete) or One Coat of PLUGGER 10™ (repaint or wood) then one coat of TEC-TOP per instructions
- Ten Year Labor & Material Warranty: Apply One Coat of SURFACE-SEAL II™ (new concrete) or One Coat of PLUGGER 25™ (repaint or wood) then Two Coats of TEC-TOP per instructions

Hydro-Lok XP™ Elastomeric Waterproofing

HYDRO-LOK XP is designed to weatherproof and protect masonry surfaces without the need to prime. Systems are available to provide up to 10 years labor and material warranty. HYDRO-LOK XP features up to 350% elongation with excellent recovery strength to bridge hairline cracks and is vapor permeable yet resists the effects of wind driven rain. HYDRO-LOK XP is available in a full range of textures – fine, medium and coarse as well as a full range of colors. HYDRO-LOK XP may be applied at temperatures above 35°F.

- Five Year Labor & Material Warranty: Apply Two Coats of HYDRO-LOK XP per instructions
- Ten Year Labor & Material Warranty: Apply One Coat of SURFACE-SEAL II (new concrete) or One Coat of PLUGGER 25 (repaint or wood) then Two Coats of HYDRO-LOK XP per instructions

Hydro-Lok PH+™ Acrylic Masonry Coating

HYDRO-LO PH+ is uniquely designed for application over concrete and masonry substrates. Systems are available to provide up to 10 years labor and material warranty. HYDRO-LOK PH+ may be applied to new masonry after only 5 days and may be applied to concrete with PH levels as high as 13. HYDRO-LOK XP may be applied at temperatures above 35°F.

- Five Year Labor & Material Warranty: Apply One Coat of SURFACE-SEAL I (new concrete) or One Coat of PLUGGER 10 (repaint or wood) then one coat of HYDRO-LOK PH+ per instructions
- Ten Year Labor & Material Warranty: Apply One Coat of SURFACE-SEAL II (new concrete) or One Coat of PLUGGER 25 (repaint or wood) then Two Coats of HYDRO-LOK PH+ per instructions

Anti-Graffiti Systems

Acrylic Concrete Coating Systems

USA Code	International Code	Product Name	Size
Elastomeric System			
TS-0115	TS-0115-CA	Tec-Top Elastomeric Smooth Texture Pastel Base	5 Gal
TS-1115	TS-1115-CA	Tec-Top Elastomeric Smooth Texture Deep Base	5 Gal
TS-1117	TS-1117-CA	Tec-Top Elastomeric Smooth Texture Accent Base	5 Gal
TS-2011	TS-2011-CA	Tec-Top Elastomeric Fine Texture Pastel Base	5 Gal
TS-2013	TS-2013-CA	Tec-Top Elastomeric Fine Texture Deep Base	5 Gal
TS-2012	TS-2012-CA	Tec-Top Elastomeric Fine Texture Accent Base	5 Gal
TS-2021	TS-2021-CA	Tec-Top Elastomeric Medium Texture Pastel Base	5 Gal
TS-2023	TS-2023-CA	Tec-Top Elastomeric Medium Texture Deep Base	5 Gal
TS-2022	TS-2022-CA	Tec-Top Elastomeric Medium Texture Accent Base	5 Gal
TS-2001	TS-2001-CA	Tec-Top Elastomeric Coarse Texture Pastel Base	5 Gal
TS-2003	TS-2003-CA	Tec-Top Elastomeric Coarse Texture Deep Base	5 Gal
TS-2002	TS-2002-CA	Tec-Top Elastomeric Coarse Texture Accent Base	5 Gal
Waterproofing System			
HL-0105	HL-0105-CA	Hydro Lok XP Smooth Texture Pastel Base	5 Gal
HL-0125	HL-0125-CA	Hydro Lok XP Smooth Texture Deep Base	5 Gal
HL-0115	HL-0115-CA	Hydro Lok XP Smooth Texture Accent Base	5 Gal
HL-0205	HL-0205-CA	Hydro-Lok XP Fine Texture Pastel Base	5 Gal
HL-0225	HL-0225-CA	Hydro-Lok XP Fine Texture Deep Base	5 Gal
HL-0215	HL-0215-CA	Hydro-Lok XP Fine Texture Accent Base	5 Gal
HL-0305	HL-0305-CA	Hydro-Lok XP Medium Texture Pastel Base	5 Gal
HL-0325	HL-0325-CA	Hydro-Lok XP Medium Texture Deep Base	5 Gal
HL-0315	HL-0315-CA	Hydro-Lok XP Medium Texture Accent Base	5 Gal
HL-0405	HL-0405-CA	Hydro-Lok XP Coarse Texture Pastel Base	5 Gal
HL-0425	HL-0425-CA	Hydro-Lok XP Coarse Texture Deep Base	5 Gal
HL-0415	HL-0415-CA	Hydro-Lok XP Coarse Texture Accent Base	5 Gal
Acrylic Coatings			
PH-0101	PH-0101-CA	Hydro-Lok PH+ White Tint Base	1 Gal
PH-0105	PH-0105-CA	Hydro-Lok PH+ White Tint Base	5 Gal
PH-0111	PH-0111-CA	Hydro-Lok PH+ Deep Tint Base	1 Gal
PH-0115	PH-0115-CA	Hydro-Lok PH+ Deep Tint Base	5 Gal
Primers			
TS-4000	TS-4000-CA	Tec-Seal Primer For Dense Surfaces	5 Gal
TS-4100	TS-4100-CA	Tec-Seal II Blockfiller For Porous Surfaces	5 Gal
SS-0101	SS-0101-CA	Surface-Seal I 1 Gal Pail Concentrate	1 Gal
SS-0105	SS-0105-CA	Surface-Seal I 5 Gal Pail Ready to Use	5 Gal
SS-0201	SS-0201-CA	Surface-Seal II 1 Gal Pail Concentrate	1 Gal
SS-0205	SS-0205-CA	Surface-Seal II 5 Gal Pail Ready to Use	5 Gal

Rainguard VANDLSYSTEM™ products offer a wide range of anti-graffiti solutions to meet varying levels of graffiti protection. VANDLSYSTEM products include both sacrificial and non-sacrificial solutions. Our sacrificial system, VANDLTOP™, allows for a single incident of graffiti damage to occur then the coating must be re-applied to that area. Our non-sacrificial systems under the VANDLGuard™ brand offer repeated protection against graffiti incidents and is available in one, five and ten year warranted systems. Our world-class anti-graffiti systems can offer warranties up to ten years for labor and materials. VANDLSYSTEM products can be ordered complete with our environmentally safe graffiti removers, VANDLclean™. These systems are easy to apply and are all single component applications.

Applications

Protection against graffiti damage for a variety of different substrates

Where to Find

Commercial buildings, Schools, DOT

CSI Division

9 specifications



- Backed by the best warranty available in the market
- Supplied ready to use - no mixing needed
- V.O.C. compliant – less than 20 g/L
- Treated surfaces will sustain unlimited graffiti removals for a period up to ten years
- Will retard the growth of mildew, mold, fungus or bacteria
- No expensive sand blasting needed.
- Meets Master Painters institute (MPI) #105 - Graffiti-Protection, Top Coat

Find Technical Data Sheet / Application Guide / Spec Guide / MSDS at www.rainguard.com/anti-graffiti.html



VandlGuard™ Non-Sacrificial Anti-Graffiti Systems

VANDLGUARD Non-Sacrificial Anti-Graffiti Coatings provide a tough and durable graffiti resistant finish. These cross-linking co-polymer material coatings dry clear (non-yellowing) with a low luster sheen. VANDLGUARD systems protect a variety of interior and exterior vertical surfaces from permanent graffiti staining and damage. They will protect your surface from repeated graffiti defacement caused by commercially available spray paints. For application to new masonry, stucco or concrete surfaces, a first coat of Rainguard water repellent(s) protection is required.

VANDLGUARD - Material Only Warranty

One Year Warranty: Apply one coat of VANDLGUARD
 Five Year Warranty: Apply two coats of VANDLGUARD
 Ten Year Warranty: Apply three coats of VANDLGUARD

VANDLGUARD ONE - Material & Labor Warranty

One Year Warranty: Apply one Coat of VANDLGUARD ONE™

VANDLGUARD FIVE - Material & Labor Warranty

Five Year Warranty: Apply one coat of VANDLGUARD FIVE™ then one coat of VANDLGUARD FINISH COAT™

VANDLGUARD TEN - Material & Labor Warranty

Ten Year Warranty: Apply one Coat of VANDLGUARD TEN™ then two coats of VANDLGUARD FINISH COAT



VG-7004

VG-7006

VandlTop™ Sacrificial Anti-Graffiti Coating

Rainguard VANDLTOP Sacrificial Anti-Graffiti Coating is a water base emulsion that dries to a clear and non-yellowing matte finish that provides a temporary or sacrificial protective shield against graffiti damage caused by most spray paints and markers. Rainguard VANDLTOP may be used to protect interior or exterior painted and unpainted surfaces, such as masonry, stucco and concrete. For application to new masonry, stucco or concrete surfaces, a first coat of Rainguard water repellent(s) protection is required.



VandlSystem Anti-Graffiti Products

USA Code	International Code	Product Name	Size
Non-Sacrificial			
VG-7001	VG-7001-CA	VandlGuard Permanent Anti-Graffiti Coating	1 Gal
VG-7000	VG-7000-CA	VandlGuard Permanent Anti-Graffiti Coating	5 Gal
VG-7003	VG-7003-CA	VandlGuard ONE Permanent Anti-Graffiti Coating	1 Gal
VG-7002	VG-7002-CA	VandlGuard ONE Permanent Anti-Graffiti Coating	5 Gal
VG-7005	VG-7005-CA	VandlGuard FIVE Permanent Anti-Graffiti Coating	1 Gal
VG-7004	VG-7004-CA	VandlGuard FIVE Permanent Anti-Graffiti Coating	5 Gal
VG-7007	VG-7007-CA	VandlGuard TEN Permanent Anti-Graffiti Coating	1 Gal
VG-7006	VG-7006-CA	VandlGuard TEN Permanent Anti-Graffiti Coating	5 Gal
VG-7009	VG-7009-CA	VandlGuard Finish Coat Graffiti Barrier	1 Gal
VG-7008	VG-7008-CA	VandlGuard Finish Coat Graffiti Barrier	5 Gal
Sacrificial			
VG-7101	VG-7101-CA	Vandl-Top Sacrificial Anti-Graffiti Coating	1 Gal
VG-7100	VG-7100-CA	Vandl-Top Sacrificial Anti-Graffiti Coating	5 Gal
Removal Agents			
VG-7200	VG-7200-CA	Vandl-Clean Super Graffiti Cleaner	1 Gal
VG-7700	VG-7700-CA	Graffiti Remover Spray	16 Oz.

The Best and Longest Warranty

All Rainguard products are backed by the best warranties available, not only for the length of the period of time, but also by what the warranty covers. A no-excuse warranty that will provide security for your project.

Material and Labor Warranties

Water repellents & Curing Aids and Masonry & Wood Sealers

Up to 20 year protection against water penetration and efflorescence.

Will not alter surface appearance or texture.
Meets local air emission rules and guidelines.

Anti-Graffiti Coatings

Up to 10 year protection for graffiti removal – simply put – if it doesn't come off we will take it off and leave the surface protected.

Low-Sheen – one of the lowest in the industry after chemical cure.

Will not turn yellow and will not peel or flake.

Masonry Stains

Up to 10 year water penetration protection.

Will not peel or flake.

Elastomeric Waterproofing

Up to 10 year water penetration protection.

Will not prematurely fade or peel/flake.

For more information about the industry's leading warranty, please call Rainguard's Resource Center at 1-866-989-5159.

Rainguard's Key Principals:

Value Engineered Product Systems
Our coatings offer a wide range of warranties depending on the needs of the customer.

- Low up-front costs - one-coat systems with standard material warranties
- Long term savings - our systems provide up to 10 year warranties for labor and materials
- Industry leading warranties offer your clients the flexibility they desire in protecting their investments

Internationally Supplied, Locally Supported

Rainguard has a wide network of distributors to ensure that the sub contractor and general contractor will have no issues locating supplies for the project.

- On-site support and service from one of our many distributors' sales representatives
- Easy availability to product
- Color formulas that are consistently reproduced around the world

Products	Description	CSI Codes	MPI	APPLICATIONS		Warranty
				Vertical	Horizontal	
Water Repellents & Curing Aids						
Micro-Seal (Silane/Siloxane)	Highest Performance Clear Water Repellent in Concentrate or Ready to Use	03390,07190,07180,09980,09930,09960	#34, #117	✓	✓	Up to 20 years
Biok-Lok (Silane/Siloxane)	Highest Performance Clear Water Repellent in Concentrate or Ready to Use	03390,07190,07180,09980,09930,09960	#34	✓	✓	5 Years
Floor-Lok Sealer	Dust-proofer and curing aid sealer in Concentrated formula	03390,07190,07180,09980,09930,09960		✓	✓	5 Years
Super Stucco Sealer/Primer	Seals and protects Stucco	07180,07190,09970,09980,09960,09930		✓	✓	
Masonry & Wood Sealers						
Pluggin' 25	High Performance – Low Sheen	07180,07190,09970,09980,09960,09930		✓	✓	5 Years
Pluggin' 10	High Performance – Low Sheen	07180,07190,09970,09980,09960,09930		✓	✓	3 Years
Satin-Lok	High Performance – Wet Look Gloss	07180,07190,09970,09980,09960,09930	#99	✓	✓	5 Years
Acrylic Urethane Sealers						
Clear-Seal Low Gloss	Single Component Cross-linking low gloss sheen	07180,07190,09970,09980,09960		✓	✓	Up to 10 years
Clear-Seal High Gloss	Single Component Cross-linking high gloss sheen	07180,07190,09970,09980,09960		✓	✓	Up to 10 years
Masonry Stains						
Color-Lok Solid Color Silicone Stain	Solid Stain	07180,07190,09900,09300,09960,09930,09980		✓	✓	Up to 10 years
Color-Lok Solid Color Heavy Traffic Urethane Stain	Solid Stain for Heavy Traffic	07180,07190,09900,09300,09960,09930,09980		✓	✓	Up to 10 years
Color-Lok Semi-Transparent Silicone	Semi-Transparent Stain	07180,07190,09900,09300,09960,09930,09980	#58	✓	✓	Up to 10 years
Color-Lok Semi-Transparent Heavy Traffic Urethane	Semi-Transparent Stain for Heavy Traffic	07180,07190,09900,09300,09960,09930,09980	#58	✓	✓	Up to 10 years
Concrete Acrylic Coatings						
Tec-Top	Smooth, Fine, Medium & Coarse Textures – High Performance Elastomeric	09900,09980,09960,09660,09940	#42	✓	✓	1, 5, 10 years (Labor & Materials)
Hydro-Lok XP	Smooth, Fine, Medium & Coarse Textures – Waterproofing System	09900,09980,09960,09660,09940		✓	✓	1, 5, 10 years (Labor & Materials)
Primers	Acrylic protective coating for high PH masonry	09980, 09960, 09930		✓	✓	5 Years
Tec-Seal	Opaque Acrylic Primer	07190,09960,09980		✓	✓	1, 5, 10 Year Systems
Surface Seal II	Block Filler/Surfacer	07190,09960,09980		✓	✓	1, 5, 10 Year Systems
Surface Seal I	Clear, Adhesion Promoter	07190,09960,09980		✓	✓	5 Year Systems
Anti-Graffiti Systems	Clear, Adhesion Promoter	07190,09960,09980		✓	✓	10 Year Systems
VandGuard	Non-Sacrificial	09970, 09980, 09960	#105	✓	✓	1.5,10 Year (Material)
VandGuardONE	Non-Sacrificial	09970, 09980, 09960	#105	✓	✓	1 Year (Labor & Material)
VandGuardFIVE	Non-Sacrificial	09970, 09980, 09960	#105	✓	✓	5 Year (Labor & Material)
VandGuardTEN	Non-Sacrificial	09970, 09980, 09960	#105	✓	✓	10 Year (Labor & Material)
VandTop	Sacrificial	09970, 09980, 09960		✓	✓	1 Year (Material)
VandClean Graffiti Remover	Graffiti Cleaner			✓	✓	

Manufacturing

Rainguard International
1079 Culpepper Drive
Conyers, GA 30094

Technology Center

Rainguard Technology Center
553 Queen Street East Sault Ste Marie ON Canada
P6A 2A3

West Coast Distribution

Rainguard International
5100 District Blvd
Los Angeles, CA 90058

Australian/Pacific Rim

Rainguard Australia
Unit 2, 4 Cunneen St McGraths Hills
NSW 2756 Australia

www.rainguard.com t. 1-866-989-5159 f. 949-675-3450



LISTED ON 
GreenFormat™
www.greenformat.com

 **PRINTED WITH
SOY INK™**

 **100%**
From well-managed forests
www.fsc.org Cert no.
© 1996 Forest Stewardship Council