



















www.ambaproducts.com

















Tel: +1(404)350-9738 Fax: +1(404)355-0166



APPLICATIONS



Bathrooms

By using Towel warmers to dry towels, you will reduce your laundry loads. Towel Warmers not only warm and dry damp bath towels but add a sense of comfort and luxury to your bathroom experience. A towel warmer provides an alternative source of heat in the bathroom and helps prevent mold.



Laundry Rooms

Electric towel warmers are great for drying damp clothes. The digital heat controller allows you to safely dry more delicate items. As an added bonus you can hang dry pants to un-wrinkle.



Spas and Pools

Pool or spa owners can benefit from a towel warmer. They are wonderful for keeping towels and bathing suits dry. Towel warmers also help reduce the humidity that is present in enclosed pool areas, especially with the large custom sizes that Amba offers.



Garages

Most Amba Towel Warmers can also function as space heaters, keeping garages warm and mildew free. In colder climates this application is a real asset. A towel warmer may also be used in warehouse/workshop applications.



Mud Rooms

Mud rooms are a great location to add a towel warmer as it not only provides a warm welcome, but is also great for kid's damp clothes and for drying/warming ski equipment and jackets.



Hotels

Amba Towel Warmers are an incredible luxury and major asset to any hotel bathroom. Guests can enjoy the comfort of a warm dry towel, while the hotel and environment benefit from reduced laundry loads. Who wants to reuse a towel that is wet or damp?



Basement

An appropriate sized towel warmer installed in a basement can remove dampness and provide radiant heat, keeping your basement dry and warm, replacing central heating. Amba Towel Warmers offers an extensive selection of Custom towel warmers ensuring that the optimal size towel warmer for this purpose can be obtained.

- Made from high-quality environmentally friendly stainless steel (NOT plated)
- Available in various quality finishes
- Multiple sizes available to fit any need
- Award-winning Italian designs
- Install easily
- All units are either UL or ETL approved for safety in Canada and the USA

- Most can be controlled by an optional timer, digital heat controller and/or a simple switch
- Models consume minimal power some equivalent to just one or two light bulbs.
- Custom sizes and Hydronic models are available by special order
- Accessories available for most models
- Some models are plug in





JEEVES




ELORY



SOLO



ANTUS



SWIVEL




VEGA



SIRIO



Traditional



QUADRO



ACCESSORIES



JEEVES

- Classic towel bar with straight bars or a gentle curve
- Can be wired on left side for an extra cost on request
- Overall depth of Jeeves Towel Rails is 4 1/2" for the Straight models and 6 1/2" for the Curved models
- Hydronic models are available by special order
- Includes a built in thermostat and internal thermal cutout for optimal energy consumption and safety
- Average Temp. Range 145 °F- 154 °F
- Safety cut out temp of 158 °F
- Integrated security thermofuse, set at 242 °F, adds additional safety
- Standard voltage 110 volts
- Must be controlled by a simple on/off switch or a 24 hr / 7 day programmable timer
- · Optional double gang plate
- · Replaceable heating elements
- 5-year Limited Warranty*











FINISHES

BRUSHED
OIL
RUBBED
BRONZE
WHITE











MODEL H

BARS	7
WxH	20 1/2" x 18"
WATTS	60-80
AMPS	0.5 - 0.75

MODEL I

BARS	4
WxH	20 1/2" x 31"
WATTS	60-80
AMPS	0.5 - 0.75

MODEL J

BARS	6
WxH	20 1/2" x 31"
WATTS	60-80
AMPS	0.5 - 0.75

E-STRAIGHT







MODEL E

BARS	12
WxH	20 1/2" x 31"
WATTS	150 – 175
AMPS	1.35 – 1.6

MODEL F

BARS	7
W x H	20 1/2" x 41"
WATTS	135
AMPS	1.25



Bathrobe Hanger Excluding models I,J,F



Shelf Bar Excluding models I,J,F & curved models



Programmable Timer



Switch



Double Gang Plate for Timer or Switch





D-STRAIGHT D-CURVED



MODEL D

BARS	20
W x H	20 1/2" x 53"
WATTS	240
AMPS	2.2

MODEL C

BARS	13
W x H	20 1/2" x 36"
WATTS	150 – 175
AMPS	1.35 – 1.6







MODEL K

BARS	10
W x H	29 1/2" x 27"
WATTS	150 – 175
AMPS	1.35 – 1.6

MODEL L

BARS	10
WxH	39 3/8" x 27"
WATTS	200
AMPS	1.8

MODEL M SHELF

BARS	11
WxHxD	20 1/2" x 22" x 12"
WATTS	135
AMPS	1.25



JEEVES


















SOLO

- FREESTANDING towel warmer
- · Lightweight and portable
- Easy to assemble plug in
- Avant-garde design
- Ten Horizontal Bars spaced evenly for more surface area
- Made of 304 stainless steel
- Integrated ON/OFF switch with pilot light
- Anti slip pads for the feet included
- · No liquid in unit
- Span of feet 12 inches
- Temperature Heats up to 149 ° F
- Standard voltage 110 volts
- 5-Foot long cord included for plug
- Optional 7-day/24-hour plug-in programmable timer
- 2-year Limited Warranty











Integrated Switch

FINISHES

POLISHED



BRUSHED









MODEL SAFS-24

BARS	10
WxH	24" x 38"
WATTS	150
BTU's	512
AMPS	1.36

MODEL SAFS-33

BARS	10
WxH	33" x 38"
WATTS	150
BTU's	512
AMPS	1.36



Programmable plug-in timer





SWIVEL

- · Swivel hinge unit rotates 180 degrees
- Each arm moves independently
- · Plug-in units only
- Very simple to install
- Energy efficient. Using the power of one light bulbs
- High Quality 304 Stainless Steel
- No liquid in unit
- Temperature heats up to a 136 °F
- Standard voltage 110 volts
- Pigtail cord 17" to 32" long
- Integrated ON/OFF switch on unit with pilot light
- 2-year Limited Warranty













Integrated Switch


FINISHES

POLISHED









JACK





MODEL J-D004


BARS	4
WxH	22" x 22"
WATTS	40
BTU's	136
AMPS	0.36

MODEL J-D005

BARS	5
WxH	22" x 26"
WATTS	50
BTU's	171
AMPS	0.45

MODEL J-D006

BARS	6
WxH	22" x 30"
WATTS	60
BTU's	205
AMPS	0.55







MODEL J-B002

BARS	5
WxH	25" x 22"
WATTS	36
BTU's	123
AMPS	0.33

MODEL J-B003

BARS	6
WxH	25" x 30"
WATTS	54
BTU's	184
AMPS	0.49

MODEL J-B004

BARS	8
WxH	25" x 37
WATTS	72
BTU's	246
AMPS	0.65



Programmable plug-in timer





TRADITIONAL

- Rounded Bars with finials at each corner
- Suitable for draping large towels and bathrobes
- Expertly-crafted brass finials and pipes
- Can be wired on the left side for an extra cost on request
- The overall depth of the towel warmer is 5 3/8" the internal depth is 3 1/2"
- Unit has a built in thermostat for optimal energy consumption and safety
- Safety cut out temperature of 158 °F
- Integrated security thermofuse set at 242 °F for additional safety
- Average Temp. Range 140-158 °F
- Must be controlled by a simple on/off switch or a 24 hr / 7 day programmable timer
- Italian Heating Element Certified by UL
- 3-year Limited Warranty*



















MODEL T-2534

BARS	3
WxH	25 5/16" x 34 3/16"
WATTS	100
BTU's	341
AMPS	0.9

MODEL T-2536

8
25 1/4" x 35 3/4"
200
682
1.8







Switch







SIRIO

- Dual-purpose radiator functions as towel warmer and space heater
- Model S-2121 includes a Cover plate with integrated ON/OFF switch with pilot light
- All models, except the S-2121, come standard with a Digital Heat Controller, which acts as an ON/ OFF switch and regulates the temperature. Optional on the Model S-2121.
- Can be controlled by a 24 hr / 7 day programmable timer (Optional)
- Distance from the wall is adjustable from 4 to 4 ³/₄ inches
- Average temp. range 131°F 167°F
- Standard voltage 115 volts
- Innovative Italian heating system with no liquid
- Silent and energy efficient heats quickly and evenly
- Meets stringent European child safety standards
- Flexible design allows for unit to be installed vertically, horizontally, or upside down
- Custom sizes and Hydronic models are available by special order
- · 3-year Limited Warranty









FINISHES

POLISHED

BRUSHED

OIL RUBBED BRONZE


















MODEL S-2121

BARS	8
WxH	21 1/4" x 21 1/2"
WATTS	115
BTU's	392
AMPS	1.0

MODEL S-2133

BARS	12
WxH	21 1/4" x 33 1/4"
WATTS	172
BTU's	586
AMPS	1.5

MODEL S-2142

BARS	16
WxH	21 1/4" x 42 3/4"
WATTS	232
BTU's	791
AMPS	2.0

MODEL S-5721

BARS	12
WxH	56 3/4" x 20 3/4"
WATTS	370
BTU's	1262
AMPS	3.2







MODEL S-2921

BARS	8
WxH	29 1/8" x 21 1/2"
WATTS	148
BTU's	505
AMPS	1.3

MODEL S-2933

BARS	12
WxH	29 1/8" x 33 1/4"
WATTS	232
BTU's	791
AMPS	2.0

MODEL S-2942

BARS	16
WxH	29 1/8" x 42 3/4"
WATTS	296
BTU's	1009
AMPS	2.5









Bathrobe Hanger

Towel Bar

Shelf Bar

Comes Standard with all models excluding S-2121

Digital Heat Controller Programmable Timer





QUADRO

- Dual-purpose radiator functions as towel warmer and space heater
- Model Q-2016 includes a Cover plate with integrated ON/OFF switch with pilot light
- All models, except the Q-2016, come standard with a Digital Heat Controller, which acts as an ON/ OFF switch and regulates the temperature. Optional on the Model Q-2016
- Can be controlled by a 24 hr / 7 day programmable timer (Optional)
- Distance from the wall is adjustable from 4 to 4 ³/₄ inches
- Average temp. range 131°F 167°F
- Standard voltage 115 volts
- Innovative Italian heating system with no liquid
- Silent and energy efficient heats quickly and evenly
- Meets stringent European child safety standards
- Flexible design allows for unit to be installed vertically, horizontally, or upside down
- Custom sizes and Hydronic models are available by special order
- 3-year Limited Warranty*











FINISHES

POLISHED

BRUSHED

OIL RUBBEI BRONZE

















MODEL Q-2016

BARS	6
WxH	20 1/2" x 16 3/4"
WATTS	92
BTU's	314
AMPS	0.8

MODEL Q-2033

BARS	12
WxH	20 1/2" x 33 1/4"
WATTS	172
BTU's	586
AMPS	1.5

MODEL Q-2042

BARS	16
WxH	20 1/2" x 42 3/4"
WATTS	232
BTU's	791
AMPS	2.0

MODEL Q-2054

BARS	20
WxH	20 1/2" x 54 1/2"
WATTS	296
BTU's	1009
AMPS	2.6



Digital Heat Controller Standard for all models excluding Q-2016






MODEL & 2000	
BARS	12
WxH	28 3/8" x 33 1/4"
WATTS	232
BTU's	791
AMPS	2.0



MODEL Q-2842

BARS	16
WxH	28 3/8" x 42 3/4"
WATTS	296
BTU's	1009
AMPS	2.6







Programmable Timer



Towel Bar






ELORY

- Dual-purpose heating unit functions as a space heater and towel warmer
- Touch screen LED display panel with integrated digital heat controller – ability to regulate the temperature
- Can be controlled by a 24 hr / 7 day programmable timer (Optional)
- Distance from wall 3 inches
- Standard voltage 115 volts
- New patented Italian heating system with no liquid
- Innovative, discreet design complements a variety of contemporary bathroom styles
- Large, flat heating surface area is ideal for drying large, thick towels
- Silent and energy efficient heats quickly and evenly
- Meets stringent European child safety standards
- Custom sizes are available by special order
- 3-year Limited Warranty










FINISHES

POLISHED













MODEL E-2113

WxH	20 1/2" x 13 1/4"
WATTS	90
BTU's	307
AMPS	0.8

MODEL E-2130

WxH	20 1/2" x 30 3/8"
VV A 1 1	20 1/2 X 30 3/0
WATTS	180
BTU's	614
AMPS	1.6



ELORY won the Batilux Monaco (Monte Carlo) for best design and engineering. Prize presented by Prince Albert II of Monaco.









ANTUS

- Dual-purpose radiator functions as towel warmer and space heater
- Can be controlled by a 24 hr / 7 day programmable timer (Optional)
- All models come standard with a Digital Heat Controller, which acts as an ON/OFF switch and regulates the temperature.
- Distance from the wall is 4 3/8 inches
- Average temp. range 131°F 167°F
- Standard voltage 115 volts
- Innovative Italian heating system with no liquid
- Silent operation
- Flexible design allows for the unit to be installed vertically, horizontally or upside down
- High-quality stainless steel available in brushed or polished finishes
- Custom sizes and Hydronic models are available by special order
- 3-year Limited Warranty









FINISHES

POLISHED

BRUSHED











BARS	32
WxH	19 3/4" x 56 3/8"
WATTS	400
BTU's	1364
AMPS	3.5



MODEL A-2072

BARS	44		
W x H	19 3/4" x 72 3/8"		
WATTS	530		
BTU's	1807		
AMPS	4.6		



MODEL A-2856

BARS	32		
W x H	27 1/2" x 56 3/8"		
WATTS	530		
BTU's	1807		
AMPS	4.6		



Bathrobe Hanger



Programmable Timer



Digital Heat Controller Comes Standard with all models





- Dual-purpose radiator functions as towel warmer and space heater
- · All models come standard with a Digital Heat Controller, which acts as an ON/OFF switch and regulates the temperature
- Can be controlled by a 24 hr / 7 day programmable timer (Optional)
- Distance from the wall is adjustable from 4 to 4 ¾ inches
- Average temp. range 131°F 167°F
- Standard voltage 115 volts
- · Innovative Italian heating system with no liquid
- Broad, flat panels suitable for drying large, thick towels
- Silent operation
- · Flexible design allows for the unit to be installed vertically, horizontally or upside down
- High-quality stainless steel available in brushed or polished finishes
- Custom sizes and Hydronic models are available by special order
- 2-year Limited Warranty









FINISHES

POLISHED





BRUSHED











MODEL V-2322


PANELS	6		
W x H	22 7/8" x 22"		
WATTS	180		
BTU's	546		
AMPS	1.4		

MODEL V-2342

PANELS	11		
WxH	22 7/8" x 42 1/2"		
WATTS	296		
BTU's	1009		
AMPS	2.6		

MODEL V-2352

PANELS	13		
WxH	22 7/8" x 52 1/2"		
WATTS	370		
BTU's	1262		
AMPS	3.2		



Bathrobe Hanger



Towel Bar



Digital Heat Controller Comes Standard with all models



Programmable Timer





CUSTOM



SIRIO ONDA



SIRIO



QUADRO



ELORY



VEGA



SIRIO ONDA





CONFIGURE YOUR CUSTOM TOWEL WARMER

SELECT FROM THE FOLLOWING COLLECTIONS

ANTUS ELORY SIRIO SIRIO ONDA QUADRO VEGA

OPTIONS

- ✓ Size (Width x Height)
- Orientation
- ✓ Finish: Polished / Brushed / Oil-rubbed Bronze
- ✓ Hydronic or Electric
- Quantity
- ✓ If Hydronic, location of Water Source
 - Valves
- If Electric, location of Electrical Source
 - Voltage 110v or 220v
- Accessories

CALL NOW FOR SUPPORT AND PRICING: +1(404)350-9738

To view all custom towel warmer options and specifications visit: www.ambatowelwarmers.com/custom/pdf/custom.pdf

Lead times on custom orders are 12-14 weeks

Shipping and handling will be based on orders

Quotation for custom orders on request

All Custom Models are ETL Certified





PROGRAMMABLE TIMERS

These 24h / 7 day Programmable timers are installed to regulate when a towel warmer switches on and off. They also have a manual override on timer for use as an on/off switch. Faceplate not included.

AMBA Programmable Timers

	PLUG-IN	HARDWIRED
S.K.U	ATW-P24	ATW-T24
POWER	120 VAC	120 VAC
AMPS	15	20
LOAD	1875 w	2500 w
PRICE	\$40	\$60



SWITCHES

Amba offers single-pole Pilot light switches that work with towel warmers that require a switch. Faceplate not included.

AMBA Pilot Light Switch (Hardwired)

S.K.U	ATW-S-A	ATW-S-W
POWER	120 VAC	120 VAC
AMPS	20	20
LOAD	2400 w	2400 w
FINISHES	Almond	White
PRICE	\$30	\$30



HEAT CONTROLLER

The DHC provides the option of having 9 different temperature settings. For use with ANTUS, SIRIO, QUADRO, and VEGA models.

Digital Heat Controller DHC (Hardwired)

S.K.U	ATW-DHC-B	ATW-DHC-P	ATW-DHC-O
POWER	120 VAC	120 VAC	120 VAC
AMPS	8	8	8
LOAD	1000 w	1000 w	1000 w
FINISHES	Brushed	Polished	Oil-Rubbed Bronze
PRICE	\$180	\$180	\$180













Installation and instructions are included with units

Effective: April 1, 2013 ambaproducts.com



JEEVES Effective: April 1, 2013

PRODUCT	S.K.U	DIMENSIONS	FINISHES	PRICE
Bathrobe Hanger	AJ-BHB	D:2 1/2"	Brushed	\$90
Bathrobe Hanger	AJ-BHP	D:2 1/2"	Polished	\$90
Shelf Bar	AJ-SBB	W:17 1/2" D:7"	Brushed	\$150
Shelf Bar	AJ-SBP	W:17 1/2" D:7"	Polished	\$150
Double Gang Plate	AJ-DGP-S AJ-DGP-O	W:4 1/2" H:4 1/2"	Stainless Steel or Oil-Rubbed Bronze	\$15

QUADRO

PRODUCT	S.K.U	DIMENSIONS	FINISHES	PRICE
Bathrobe Hanger	AQ-BHB	D:2 1/2"	Brushed	\$105
Bathrobe Hanger	AQ-BHP	D:2 1/2"	Polished	\$105
Towel Bar	AV-TBB 14	W:14" H:2 1/3" D:2 1/2"	Brushed	\$260
Towel Bar	AV-TBP 14	W:14" H:2 1/3" D:2 1/2"	Polished	\$260
Towel Bar	AV-TBB 18	W:18" H:2 1/3" D:2 1/2"	Brushed	\$280
Towel Bar	AV-TBP 18	W:18" H:2 1/3" D:2 1/2"	Polished	\$280

SIRIO

PRODUCT	S.K.U	DIMENSIONS	FINISHES	PRICE
Bathrobe Hanger	AS-BHB	D:2 1/2"	Brushed	\$90
Bathrobe Hanger	AS-BHP	D:2 1/2"	Polished	\$90
Towel Bar	AS-TBB 14	W:14" D:2 1/2"	Brushed	\$130
Towel Bar	AS-TBP 14	W:14" D:2 1/2"	Polished	\$130
Towel Bar	AS-TBB 18	W:18" D:2 1/2"	Brushed	\$140
Towel Bar	AS-TBP 18	W:18" D:2 1/2"	Polished	\$140
Shelf Bar	AS-SBB	W:18" D:7"	Brushed	\$150
Shelf Bar	AS-SBP	W:18" D:7"	Polished	\$150

ANTUS

PRODUCT	S.K.U	DIMENSIONS	FINISHES	PRICE
Bathrobe Hanger	AA-BHB	D:2 1/2"	Brushed	\$60
Bathrobe Hanger	AA-BHP	D:2 1/2"	Polished	\$60

VEGA

PRODUCT	S.K.U	DIMENSIONS	FINISHES	PRICE
Bathrobe Hanger	AV-BHB	D:2 1/2"	Brushed	\$105
Bathrobe Hanger	AV-BHP	D:2 1/2"	Polished	\$105
Towel Bar	AV-TBB 14	W:14" H:2 1/3" D:2 1/2"	Brushed	\$260
Towel Bar	AV-TBP 14	W:14" H:2 1/3" D:2 1/2"	Polished	\$260
Towel Bar	AV-TBB 18	W:18" H:2 1/3" D:2 1/2"	Brushed	\$280
Towel Bar	AV-TBP 18	W:18" H:2 1/3" D:2 1/2"	Polished	\$280



MODEL	WIDTH x HEIGHT	BARS	S.K.U*		RETAIL LIST PRICE**	
JEEVES						
H STRAIGHT	20 1/2" x 18"	7	HSB-20 HSO-20	HSP-20 HSW-20	\$400	
H CURVED	20 1/2" x 18"	7	HCB-20 HCO-20	HCP-20 HCW-20	\$440	
I STRAIGHT	20 1/2" x 31"	4	ISB-20 ISO-20	ISP-20 ISW-20	\$490	
J STRAIGHT	20 1/2" x 31"	6	JSB-20 JSO-20	JSP-20 JSW-20	\$600	
F STRAIGHT	20 1/2" x 41"	7	FSB-20 FSO-20	FSP-20 FSW-20	\$670	
E STRAIGHT	20 1/2" x 31"	12	ESB-20 ESO-20	ESP-20 ESW-20	\$800	
E CURVED	20 1/2" x 31"	12	ECB-20 ECO-20	ECP-20 ECW-20	\$880	
K STRAIGHT	29 1/2" x 27"	10	KSB-30 KSO-30	KSP-30 KSW-30	\$910	
L STRAIGHT	39 1/2" x 27"	10	LSB-40 LSO-40	LSP-40 LSW-40	\$960	
C STRAIGHT	20 1/2" x 36"	13	CSB-20 CSO-20	CSP-20 CSW-20	\$980	
C CURVED	20 1/2" x 36"	13	CCB-20 CCO-20	CCP-20 CCW-20	\$1,050	
D STRAIGHT	20 1/2" x 53"	20	DSB-20 DSO-20	DSP-20 DSW-20	\$1,210	
D CURVED	20 1/2" x 53"	20	DCB-20 DCO-20	DCP-20 DCW-20	\$1,330	
M SHELF	20 1/2" x 22"	11	MSB-20 MSO-20	MSP-20 MSW-20	\$890	
SOLO FREESTANDING						
SOLO-24	24" x 38"	10	SAFSB-24	SAFSP-24	\$250	
SOLO-33	33" x 38"	10	SAFSB-33	SAFSP-33	\$300	
SWIVEL						
Jack D004	22" x 21"	4	J-D004B	J-D004P	\$220	
Jack D005	22" x 25"	5	J-D005B	J-D005P	\$260	
Jack D006	22" x 29"	6	J-D006B	J-D006P	\$300	
Jill B002	25" x 21"	4	J-B002B	J-B002P	\$210	
Jill B003	25" x 29"	6	J-B003B	J-B003P	\$270	
Jill B004	25" x 37"	8	J-B004B	J-B004P	\$350	
TRADITIONAL						
T-2534	25" x 34"	3	T-253	34 PN	\$600	
T-2536	25" x 36"	5	T-253	86 PN	\$800	

^{*}Last letter of S.K.U represents finish: (B) Brushed, (P) Polished, (O) Oil-rubbed bronze, (W) White, and (PN) Polished Nickel

^{**}Price is the same for all finishes

^{**}Price includes hardwire kit and coverplate for hardwired models.



MODEL	WIDTH x HEIGHT···	BARS	S.K.U*	RETAIL LIST PRICE**
SIRIO				
S-2121	21" x 21"	8	S-2121 B S-2121 P S-2121 O	\$620
S-2133	21" x 33"	12	S-2133 B S-2133 P S-2133 O	\$860
S-2142	21" x 42"	16	S-2142 B S-2142 P S-2142 O	\$1,020
S-2921	29" x 21"	8	S-2921 B S-2921 P S-2921 O	\$750
S-2933	29" x 33"	12	S-2933 B S-2933 P S-2933 O	\$960
S-2942	29" x 42"	16	S-2942 B S-2942 P S-2942 O	\$1,130
S-5721	57" x 21"	12	S-5721 B S-5721 P S-5721 O	\$1,650
QUADRO				
Q-2016	20" x 16"	6	Q-2016 B Q-2016 P Q-2016 O	\$540
Q-2033	20" x 33"	12	Q-2033 B Q-2033 P Q-2033 O	\$960
Q-2042	20" x 42"	16	Q-2042 B Q-2042 P Q-2042 O	\$1,130
Q-2054	20" x 54"	20	Q-2054 B Q-2054 P Q-2054 O	\$1,410
Q-2833	28" x 33"	12	Q-2833B Q-2833 P Q-2833 O	\$1,100
Q-2842	28" x 42"	16	Q-2842 B Q-2842 P Q-2842 O	\$1,320
ELORY				
E-2113	21" x 13"	Full Panel	E 2113 B E 2113 P	\$880
E-2130	21" x 30"	Full Panel	E 2130 B E 2130 P	\$1,330
ANTUS				
A-2056	20" x 56"	32	A 2056 B A 2056 P	\$1,790
A-2072	20" x 72"	44	A 2072 B A 2072 P	\$2,220
A-2856	28" x 56"	32	A 2856 B A 2856 P	\$1,970
VEGA		PANELS		
V-2322	23" x 22"	6	V 2322 B V 2322 P	\$1,380
V-2342	23" x 42"	11	V 2342 B V 2342 P	\$2,090
V-2352	23" x 52"	13	V 2352 B V 2352 P	\$2,390

^{*}Last letter of S.K.U represents finish: (B) Brushed, (P) Polished, (O) Oil-rubbed bronze, (W) White, and (PN) Polished Nickel

^{**}Price is the same for all finishes

^{**}Price includes hardwire kit and coverplate for hardwired models.

^{***} Width x Height does not take into account plate cover



MODEL	WIDTH x HEIGHT	BARS	S.K.U*		RETAIL LIST PRICE**	
JEEVES						
H STRAIGHT	20 1/2" x 18"	7	HSB-20 HSO-20	HSP-20 HSW-20	US\$540	
H CURVED	20 1/2" x 18"	7	HCB-20 HCO-20	HCP-20 HCW-20	US\$580	
I STRAIGHT	20 1/2" x 31"	4	ISB-20 ISO-20	ISP-20 ISW-20	US\$660	
J STRAIGHT	20 1/2" x 31"	6	JSB-20 JSO-20	JSP-20 JSW-20	US\$780	
F STRAIGHT	20 1/2" x 41"	7	FSB-20 FSO-20	FSP-20 FSW-20	US\$850	
E STRAIGHT	20 1/2" x 31"	12	ESB-20 ESO-20	ESP-20 ESW-20	US\$990	
E CURVED	20 1/2" x 31"	12	ECB-20 ECO-20	ECP-20 ECW-20	US\$1,070	
K STRAIGHT	29 1/2" x 27"	10	KSB-30 KSO-30	KSP-30 KSW-30	US\$1,130	
L STRAIGHT	39 1/2" x 27"	10	LSB-40 LSO-40	LSP-40 LSW-40	US\$1,180	
C STRAIGHT	20 1/2" x 36"	13	CSB-20 CSO-20	CSP-20 CSW-20	US\$1,200	
C CURVED	20 1/2" x 36"	13	CCB-20 CCO-20	CCP-20 CCW-20	US\$1,280	
D STRAIGHT	20 1/2" x 53"	20	DSB-20 DSO-20	DSP-20 DSW-20	US\$1,450	
D CURVED	20 1/2" x 53"	20	DCB-20 DCO-20	DCP-20 DCW-20	US\$1,580	
M SHELF	20 1/2" x 22"	11	MSB-20 MSO-20	MSP-20 MSW-20	US\$1,110	
SOLO FREESTANDING						
SOLO-24	24" x 38"	10	SAFSB-24	SAFSP-24	US\$310	
SOLO-33	33" x 38"	10	SAFSB-33	SAFSP-33	US\$360	
SWIVEL						
Jack D004	22" x 21"	4	J-D004B	J-D004P	US\$290	
Jack D005	22" x 25"	5	J-D005B	J-D005P	US\$330	
Jack D006	22" x 29"	6	J-D006B	J-D006P	US\$380	
Jill B002	25" x 21"	4	J-B002B	J-B002P	US\$280	
Jill B003	25" x 29"	6	J-B003B	J-B003P	US\$340	
Jill B004	25" x 37"	8	J-B004B	J-B004P	US\$440	
TRADITIONAL						
T-2534	25" x 34"	3	T-253	34 PN	US\$800	
T-2536	25" x 36"	5	T-253	36 PN	US\$1,000	

^{*}Last letter of S.K.U represents finish: (B) Brushed, (P) Polished, (O) Oil-rubbed bronze, (W) White, and (PN) Polished Nickel

^{**}Price is the same for all finishes

^{**}Price includes hardwire kit and coverplate for hardwired models

^{**}Price includes freight, customs, and duties

^{***} Width x Height does not take into account plate cover



MODEL	WIDTH x HEIGHT···	BARS	S.K.U*	RETAIL LIST PRICE**
SIRIO				
S-2121	21" x 21"	8	S-2121 B S-2121 P S-2121 O	US\$770
S-2133	21" x 33"	12	S-2133 B S-2133 P S-2133 O	US\$1,030
S-2142	21" x 42"	16	S-2142 B S-2142 P S-2142 O	US\$1,220
S-2921	29" x 21"	8	S-2921 B S-2921 P S-2921 O	US\$930
S-2933	29" x 33"	12	S-2933 B S-2933 P S-2933 O	US\$1,160
S-2942	29" x 42"	16	S-2942 B S-2942 P S-2942 O	US\$1,340
S-5721	57" x 21"	12	S-5721 B S-5721 P S-5721 O	US\$1,940
QUADRO				
Q-2016	20" x 16"	6	Q-2016 B Q-2016 P Q-2016 O	US\$640
Q-2033	20" x 33"	12	Q-2033 B Q-2033 P Q-2033 O	US\$1,130
Q-2042	20" x 42"	16	Q-2042 B Q-2042 P Q-2042 O	US\$1,340
Q-2054	20" x 54"	20	Q-2054 B Q-2054 P Q-2054 O	US\$1,640
Q-2833	28" x 33"	12	Q-2833B Q-2833 P Q-2833 O	US\$1,310
Q-2842	28" x 42"	16	Q-2842 B Q-2842 P Q-2842 O	US\$1,540
ELORY				
E-2113	21" x 13"	Full Panel	E 2113 B E 2113 P	US\$1,050
E-2130	21" x 30"	Full Panel	E 2130 B E 2130 P	US\$1,530
ANTUS				
A-2056	20" x 56"	32	A 2056 B A 2056 P	US\$2,070
A-2072	20" x 72"	44	A 2072 B A 2072 P	US\$2,550
A-2856	28" x 56"	32	A 2856 B A 2856 P	US\$2,280
VEGA		PANELS		
V-2322	23" x 22"	6	V 2322 B V 2322 P	US\$1,630
V-2342	23" x 42"	11	V 2342 B V 2342 P	US\$2,450
V-2352	23" x 52"	13	V 2352 B V 2352 P	US\$2,770

^{*}Last letter of S.K.U represents finish: (B) Brushed, (P) Polished, (O) Oil-rubbed bronze, (W) White, and (PN) Polished Nickel

^{**}Price is the same for all finishes

^{**}Price includes hardwire kit and coverplate for hardwired models

^{**}Price includes freight, customs, and duties

^{***} Width x Height does not take into account plate cover



Terms and Conditions of Sale

Terms and Conditions of Sale for Amba Products LLC ("Seller")

- 1. All products supplied are deemed to be free from manufacturing defects and in working order. Ownership is transferred on payment of the full purchase price as agreed and noted in the purchase order furnished by the buyer and confirmed by the seller.
- 2. Prices are quoted ex Atlanta, GA, USA and do not include shipping and handling costs (US Only). The shipping and handling costs will be agreed at time of order.
- 3. Net payment is due thirty (30) days from the date of shipment for credit qualifying customers. A charge will be added to the unpaid balance on all invoices not paid by the due date.
- 4. Seller's liability is limited to the cost of the product and does not include the cost of any other charges. Seller shall not be liable to or responsible for any consequential damages whatsoever, including but not limited to any damage or loss resulting from delay or default in delivery due to any cause.
- 5. Buyer expressly acknowledges and agrees that it waives any and all claims for consequential damages and/or any damages under Georgia General Laws. Seller's only liability hereunder shall be for replacement of defective goods. Replacement will be given only after Seller's inspection of the goods and its agreement to the claimed defective condition. Seller will replace product but will not accept any responsibility for installation or removal or any transport costs.
- All claims shall be deemed waived unless made in writing and delivered to Seller within sixty (60) days after receipt by Buyer. A Guideline for Product Returns is available and needs to be followed when returning defective or damaged product.

Product Warranty

The seller offers a warranty for products that have been installed according to the installation instructions supplied with the product. The duration of the warranty varies depending on the product. Proof of purchase must be supplied with claim. The warranty covers defects in workmanship and materials. This warranty is only valid for product purchased and used in the United States, Canada and Mexico.

Duration of Warranty:

Amba Towel Warmers

- a. JEEVES Collection 5 years.*
- b. SOLO Collection 2 years.
- c. SWIVEL Colection 3 years.
- d. SIRIO Collection 3 years.
- e. QUADRO Collection 3 years.
- f. ELORY Collection 3 years.
- g. ANTUS Collection 3 years.
- h. VEGA Collection 3 years.
- i. TRADITIONAL Collection 3 years.*

^{*}If the electric element in the Jeeves or Traditional towel warmer is faulty it will be replaced within the first 2 years for any reason. Thereafter, elements can be replaced at a cost which is available on application. Power surges affect all electrical appliances and we cannot be held responsible beyond this period.



Return/Warranty Policy

If you would like to return your item within thirty (30) days of your order ship date please contact the retailer you purchased the product from to receive an RGA (Return Goods Authorization). We will only accept a return if it is returned in the original manufacturer's packaging and has not been manipulated in any way. (The 16 AWG wire must not be damages or cut; all assembly fittings must be in the original packaging.)

Returns of incorrectly ordered products are subject to a restocking fee. If you have ordered incorrectly, wish to order the correct product and return the incorrect product, your restocking fee will be 15%. Once the product has been received at our warehouse, it will be inspected and you will be credited for the returned product less the applicable restocking fee and original shipping and processing charges

If you wish to return a product but do not place a reorder, the restocking fee will be 25%. Once the product has been received at our warehouse, it will be inspected and you will be credited for the returned product less the applicable restocking fee and original shipping and processing charges.

Warranty Issues

If within thirty (30) days of your order ship date, any product proves to be defective; please contact your retailer immediately. Please DO NOT ship the product back to us without contacting us first and receiving an RGA (Returned Goods Authorization) Number and return instructions. We will only accept a return if it is returned in the original manufacturer's packaging.

Any time after the thirty-one (31) days of your order ship date, if a product proves to be defective; please contact your retailer immediately. Please DO NOT ship the product back to us without contacting us first and receiving a RGA (Return Goods Authorization) Number and return instructions. It will be the customers' responsibility to get the product to and from Amba Products. This will be at the customer's expense. Please be sure to adequately package your product; Amba Products will not be held responsible for any damages that occurred during shipment. Once the product is received it will be properly inspected and tested.

Should we determine that the product is in fact defective, under warranty terms, it will be repaired and tested at our facility. You will be notified when your product will be ready for pickup or collection. If you choose to return the defective item, rather than replace it, we will charge a 15% restocking fee and your original shipping and processing charges will not be refunded. The return of the product is at your expense. This may only be done within the product warranty period. Items returned after 90 days are subject to a 40% restocking fee or may not be returnable at all (This applies to current versions only). We will let you know our decision once we respond to your request.