

Specifications and Ordering Information

Wall Racks -Wood with Steel

Part 1 General

- A. Description: Furnish and install wall mounted wood and steel coat racks.
- B. Related Work: (Specify section which applies to wall blocking for coat racks).

Part 2 Products

- A. Manufacturer: Rigid Rak 620 Series by Datum Filing Systems, Inc., Emigsville, PA.
- B. Materials:
 1. Brackets are 1 inch solid (specify Walnut, Maple or Red Oak) with concealed mounting system. (For red oak, specify natural oak, medium oak or mahogany finish) with double lacquer seal. Edges are (specify cove, pencil or radius).
 2. Shelf tubes are 3/4 inch round steel tube (specify finish).
 3. Hanger pole is 1" round nickel chrome-plated steel tube.
 4. Accessories:
 - Provide Rigid Rak model number (specify hangers or hangers and receptacles). 4 per foot.

Part 3 Execution

- Installation
 1. Locate wall blocking
 2. Install racks plum and level. Secure with mounting hardware provided by manufacturer.

Channel Mounted Wall Racks-Tubular Steel

Part 1 General

- A. Description: Furnish and install wall mounted tubular steel coat racks with channel mounting system.
- B. Related Work: (Specify section which applies to wall blocking for coat racks).

Part 2 Products

- A. Manufacturer: Rigid Rak (specify 200 Series shelf only or 210 Series single shelf with hooks or 220 Series double shelf with hooks or 250 Series single shelf with hanger pole or 260 Series double shelf with hanger pole) by Datum Filing Systems, Inc., Emigsville, PA.
- B. Materials:
 1. Mounting channels are 16 gauge formed steel with positive clamping inserts.
 2. Brackets are 1-1/8 inch square steel tubing with mitered angle and hidden weld (specify finish).
 3. Shelf tubes are 3/4 inch round steel tube (specify finish).
 4. (210 and 220 Series) Include Model 913P PVC coated double prong chrome butterfly hooks.
 5. (250 and 260 Series) Hanger pole is 1 inch round nickel chrome-plated steel tube.
 6. Accessories:
 - a. Provide Rigid Rak 120 Series Hook Bar mounted on longer wall channels with Model 913P PVC coated double prong chrome butterfly hooks. 2 per foot.
 - b. Provide Rigid Rak 200 Series boot shelf, finished to match coat rack.
 - c. (for 250 or 260 Series) Provide Rigid Rak model number (specify hangers or hangers and receptacles). 4 per foot.

Part 3 Execution

- Installation
 1. Locate wall blocking
 2. Install racks plum and level. Secure with mounting hardware provided by manufacturer.

Wall Racks-Tubular Steel

Part 1 General

- A. Description: Furnish and install wall mounted tubular steel coat racks.
- B. Related Work: (Specify section which applies to wall blocking for coat racks).

Part 2 Products

- A. Manufacturer: Wall racks are Rigid Rak (specify 300, 350, 360, 400, 450 or 460 Series) by Datum Filing Systems, Inc., Emigsville, PA.
- B. Materials:
 1. Brackets are 1-1/8 inch square steel tubing with mitered angle and hidden weld (specify finish).
 2. Shelf tubes are 3-4 inch round steel tube. (Specify finish).
 3. Hanger pole is 1 inch round nickel chrome-plated steel tube.
 4. Accessories: Provide Rigid Rak model number (specify hangers or hangers and receptacles). 4 per foot.
 5. (For low attrition hangers, specify 340 or 440 Series) hanger pole is 5/8" inch round nickel chrome-plated steel tube (specify hotel hook hanger).
 6. (For elementary schools, specify 310 or 410 Series, delete hanger pole) including Model 913P PVC coated double prong chrome butterfly hooks. Hooks mounted on alternate tubes. (Specify finish).

Part 3 Execution

- Installation
 1. Locate wall blocking
 2. Install racks plum and level. Secure with mounting hardware provided by manufacturer.

Hooks and Hook Panels

Part 1 General


- A. Description: Furnish and install wall mounted wood hook panels.
- B. Related Work: (Specify section which applies to wall blocking if applicable).

Part 2 Products

- A. Manufacturer: Rigid Rak (Specify 930 or 940) Series hook panel by Datum Filing Systems, Inc., Emigsville, PA.
- B. Material is 3/4 inch by (specify 4 inch or 6 inch) (specify Walnut, Maple or Red Oak), predrilled for (specify hook quantity per unit) (for red oak, specify natural oak, medium oak or mahogany finish) with double lacquer seal.
- C. Accessories: Provide Rigid Rak (specify model number) hooks, finished in (specify anodized color for aluminum hooks).

Part 3 Execution

- Installation
 1. Install panels and hooks plum and level.



Rigid Rak

Closet Accessories & Wardrobe Furniture

Paint Colors



Metallic Paint Colors



Wood Finishes



Anodized Finishes



For Laminate Finishes
Contact Sales
800-828-8018 ext. 3881



Datum Filing Systems, Inc.
89 Church Road, P.O. Box 355 / Emigsville, PA 17318-0355
National / 1-800-828-8018 ext.3881 FAX / 717-801-4717
sweets@rei-rigidrak.com / www.rei-rigidrak.com

Printed colors are for representative purposes only.
Contact the factory for actual samples.
More specs and cut sheets are available for
download at www.datumfiling.com/sweets

1-1/8" Square steel tubing wall mount brackets with mitered angle and hidden weld. 3/4" Round tubular steel shelf rails. SERIES 310 and 410 include #913P PVC coated double prong steel Butterfly Hooks. SERIES 150, 180, 350, 360, 450 and 460 include 1" round chrome-plated steel hanger poles. Hangers sold separately. Suggest 4 per foot. See page 7. SERIES 340 and 440 include low attrition 5/8" round chrome-plated steel hanger poles. Hangers sold separately. Suggest 4 per foot. See pg. 7. 3XX SERIES racks are finished in bright commercial nickel chrome only. 4XX SERIES racks are finished in bright commercial nickel chrome or Epoxy-Hybrid powder coat - see color chart on back cover. All racks available in cut sizes and in longer "Extend-A-Rak" sizes.

913P - 310 and 410 Series include PVC coated double prong steel Butterfly Hooks. Chrome with Black PVC only.




MODEL 201 Corner Shelves may be specified to finish inside or outside corners for any Tubular Steel Wall Rack.

	ALL SERIES	SERIES 310, 410	SERIES 340, 350, 360, 440, 450, 460	ALL SERIES
Length	Brackets	Hooks Included	Hanger Capacity	# of Splices*
2'	2	4	8	—
3'	2	6	12	—
4'	2	8	16	—
5'	3	12	20	—
6'	3	16	24	—
7'	3	18	28	—
8'	3	20	32	—
8' 1" - 10'	5	24	4 per foot	1
10' 1" - 12'	5	32	4 per foot	1
12' 1" - 14'	5	36	4 per foot	1
14' 1" - 16'	5	40	4 per foot	1
16' 1" - 18'	7	48	4 per foot	2
18' 1" - 21'	7	54	4 per foot	2
21' 1" - 24'	7	60	4 per foot	2
24' 1" - 28'	9	72	4 per foot	3
28' 1" - 32'	9	80	4 per foot	3
32' 1" - 35'	11	90	4 per foot	4

Extend-A-Raks are made up of equal length sections spliced together. Splice kit includes one intermediate bracket at each splice, one intermediate bracket between splices, and one intermediate bracket between splice and each end bracket.


Mounting centers 1" less than rack length.

Note: Solid blocking inside wall should be provided (by others) to assure secure mounting.



Sixteen gauge formed steel mounting channels with positive clamp inserts provide the convenience of adjustable shelf height. Mounting brackets 1-1/8" Square steel tubing. 3/4" Round tubular steel shelf rails. SERIES 120, 210 and 220 include #913P PVC coated double prong steel Butterfly Hooks. SERIES 250 and 260 include 1"

Round chrome-plated steel hanger poles. Hangers sold separately. Suggest 4 per foot (see page 7.) All channel mounted coat rack systems are available in bright commercial nickel chrome or Epoxy-Hybrid powder coat - see color chart on back cover. All racks available in cut sizes and in longer "Extend-A-Rak" sizes.





913P - 120, 210 and 220 Series include PVC coated double prong steel Butterfly Hooks. Chrome with Black PVC only.



	SERIES 120, 200, 210, 220, 250, 260	SERIES 210, 220	SERIES 120 ADD ON HOOK BAR	SERIES 250, 260	SERIES 120, 200, 210, 220, 250, 260
Length	Brackets	Hooks Included	Hooks Included	Hanger Capacity	# of Splices*
2' -1/8"	2	4	4	8	—
3' -1/8"	2	6	6	12	—
4' -1/8"	2	8	8	16	—
5' -1/8"	3	12	10	20	—
6' -1/8"	3	16	12	24	—
7' -1/8"	3	18	14	28	—
8' -1/8"	3	20	16	32	—
8' 1"-10' 1/8"	5	24	20	4 per foot	1
10' 1"-12' 1/8"	5	32	24	4 per foot	1
12' 1"-14' 1/8"	5	36	28	4 per foot	1
14' 1"-16' 1/8"	5	40	32	4 per foot	1
16' 1"-18' 1/8"	7	48	36	4 per foot	2
18' 1"-21' 1/8"	7	54	42	4 per foot	2
21' 1"-24' 1/8"	7	60	48	4 per foot	2
24' 1"-28' 1/8"	9	72	56	4 per foot	3
28' 1"-32' 1/8"	9	80	64	4 per foot	3
32' 1"-35' 1/8"	11	90	70	4 per foot	4

Extend-A-Raks are made up of equal length sections spliced together. Splice kit includes one intermediate bracket at each splice, one intermediate bracket between splices, and one intermediate bracket between splice and each end bracket.

Mounting centers 1" less than rack length. Note: Solid blocking inside wall should be provided (by others) to assure secure mounting.



MODEL 201 Corner Shelves may be specified to finish inside or outside corners for any Tubular Steel Wall Rack.

Hooks

Hook Dimensions
 H - Height
 W - Width
 P - Projection
 M - Material

Hook Material
 AL - Aluminum in black, bronze, gold, or clear anodized finish
 BR - Brass
 SC - Steel Chrome


Hook Panels

All panel styles available in Solid Red Oak (natural oak, medium oak, and dark mahogany), Solid Maple and Solid Walnut. Beautifully hand finished. Pre-drilled for the hooks of your choice. Pre-drilled for concealed wall mount.

Classic Panel



Contour Panel



Pencil edge only.




C Cove Edge
 P Pencil Edge
 R Radius Edge

For assistance call toll free 1-800-365-5770

MODEL	HEIGHT	LENGTH	*HOOK CAPACITY	CONTOUR EDGE	PENCIL, COVED, OR RADIUS EDGE
930	4"	6"	1		Specify
931	4"	12"	2		Specify
932	4"	24"	3		Specify
933	4"	34"	4		Specify
934	4"	48"	6		Specify
936	4"	**48+	8" O.C.		Specify
940	6"	6"	1		Specify
941	6"	12"	2		Specify
942	6"	24"	3		Specify
943	6"	34"	4		Specify
944	6"	48"	6		Specify
946	6"	**48+	8" O.C.		Specify
1020	3"	6"	1	X	
1021	3"	12"	2	X	
1022	3"	24"	3	X	
1023	3"	34"	4	X	
1024	3"	48"	6	X	
1026	3"	**48+	8" O.C.	X	
1030	4"	6"	1	X	
1031	4"	12"	2	X	
1032	4"	24"	3	X	
1033	4"	34"	4	X	
1034	4"	48"	6	X	
1036	4"	**48+	8" O.C.	X	

*All hooks sold separately.

**Use this model number for any size over 48". Specify length, hook quantity, and spacing. Sold by the linear foot. Hooks sold separately.



985
 H = 4-3/4"
 W = 3/4"
 P = 2-7/8"
 M = BR

995
 H = 5-3/4"
 W = 1"
 P = 2-3/4"
 M = BR

993
 H = 5"
 W = 3"
 P = 5"
 M = BR




925
 H = 3-1/4"
 W = 1/2"
 P = 1-7/8"
 M = SC




994
 H = 6-1/2"
 W = 3"
 P = 2-1/8"
 M = BR




990
 H = 5-1/2"
 W = 3/4"
 P = 3-3/8"
 M = BR




922
 H = 5-5/8"
 W = 1/2"
 P = 2-5/8"
 M = SC




900
 H = 3-7/8"
 W = 3/4"
 P = 2-7/8"
 M = AL




901
 H = 1-1/2"
 W = 1-1/2"
 P = 2-1/2"
 M = AL




902
 H = 5-1/8"
 W = 3"
 P = 3-1/4"
 M = AL




904
 H = 4-7/8"
 W = 2-3/4"
 P = 4-1/4"
 M = AL




921
 H = 5-5/8"
 W = 1/2"
 P = 2-3/4"
 M = AL




923
 H = 3-7/8"
 W = 3/4"
 P = 2-7/8"
 M = AL



980
 H = 6-1/8"
 W = 3/4"
 P = 3"
 M = AL



981
 H = 2-3/4"
 W = 1"
 P = 1-7/8"
 M = AL



982
 H = 2-1/2"
 W = 1/2"
 P = 1-7/8"
 M = AL




983
 H = 2-3/4"
 W = 3/4"
 P = 1-7/8"
 M = AL




984
 H = 6-3/4"
 W = 1"
 P = 3-7/8"
 M = AL



986
 H = 4-7/8"
 W = 2-1/8"
 P = 3"
 M = AL



987
 H = 6"
 W = 7/8"
 P = 3-7/8"
 M = AL




988
 H = 3-5/8"
 W = 7/8"
 P = 4-7/8"
 M = AL

Deluxe Wood Wall Racks

SOLID WOOD BRACKETS AND SHELVES

Brackets and shelf rails of solid maple, solid walnut or solid oak in (natural oak, medium oak and dark mahogany) finishes. – see color chart on back cover. Available in pencil edge profile only. 1" round chrome-plated steel hanger poles – hangers not included (see pg. 7). Concealed wall mounting. Specify length from 2' to 8'.



680 SERIES




Concealed wall mount for Classic and Deluxe series

Classic Wall Racks

10 57 13/REI
 BuyLine 3206

SOLID WOOD BRACKETS/ALUMINUM SHELF TUBES

Brackets of solid maple, solid walnut or solid oak in (natural oak, medium oak and dark mahogany) finishes. – see color chart on back cover. Available in pencil, radius and cove edge profiles. 3/4" Round tubular steel shelf rails available in bright commercial nickel chrome or Epoxy-Hybrid powder coat – see color chart on back cover. 1" round chrome-plated steel hanger poles – hangers not included (see pg. 7). Concealed wall mounting. Specify any length.



620 SERIES

620 SERIES


SIZE	# OF BRACKETS	HANGER CAPACITY	# OF SPLICES
2'	2	8	—
3'	2	12	—
4'	2	16	—
5'	3	20	—
6'	3	24	—
7'	3	28	—
8'	3	32	—
8' 1" - 10'	5	4 per ft	1
10' 1" - 12'	5	4 per ft	1
12' 1" - 14'	5	4 per ft	1
14' 1" - 16'	5	4 per ft	1
16' 1" - 18'	7	4 per ft	2
18' 1" - 21'	7	4 per ft	2
21' 1" - 24'	7	4 per ft	2
24' 1" - 28'	9	4 per ft	3
28' 1" - 32'	9	4 per ft	3
32' 1" - 35'	11	4 per ft	4

Classic Rack brackets available with Pencil, Cove or Radius Edge

Download specs and cut sheets at www.datumfiling.com/sweets

Chrome Utility Hook Strips

All steel chrome plated hook strips furnished with mounting screws. Chrome-plated hooks included as shown.



948 Classic Wall Costumer

Solid maple or solid oak (natural oak, medium oak and dark mahogany finishes). – see color chart on back cover. Complete with hooks and hangers. Convenient storage for restricted space. Predrilled for quick and easy installation. Concealed mounting. Specify wood finish, hook color, and edge profile.



Free Standing Racks

Matching Wall Racks

Shelves are 20 gauge steel rails with 16 gauge end plates. Free standing rack frames are 1" x 2" steel tubing. All brackets and bases are 1-1/8" square steel tubing. All racks available in Epoxy-Hybrid powder coat – see color chart on back cover. 1" round chrome-plated steel hanger poles – hangers not included (see pg. 7). For Free Standing Racks specify length from 3' to 12'. For Wall Mounted Racks specify any length.

Free Standing Racks



RACK STYLE	LENGTH	HANGER CAPACITY
Free Standing Single Face Single Shelf (800 SERIES)	36"	12
	48"	16
	60"	20
	71"	24
&	83"	28
	95"	32
Single Face Double Shelf (810 SERIES)	107"	36
	119"	40
	130"	44
	142"	48
Free Standing Double Face Single Shelf (830 SERIES)	36"	24
	48"	32
	60"	40
	71"	48
&	83"	56
	95"	64
Double Face Double Shelf (840 SERIES)	107"	72
	119"	80
	130"	88
	142"	96

Custom sizes also available.

Free Standing Rack Accessories




Laminated End Panels

Specify left, right, or both ends. Panels for single face racks are 19" wide. Panels for double face racks are 25" wide.




Umbrella Stand

Umbrella stands can be added to any free standing racks with or without a boot shelf.



Boot Shelf

Add a boot shelf to any free standing rack. Double face racks require 2 boot shelves.




Casters

For portable racks, add a set of 3 inch casters to any free standing rack.

Wall Mounted Racks

Designed to match our Free Standing Racks for use in coat rooms.



RACK STYLE	LENGTH	HANGER CAPACITY
Wall Mounted Single Shelf & Double Shelf	36"	12
	48"	16
	60"	20
	71"	24
	83"	28
	95"	32
	107"	36
	119"	40
	130"	44
	142"	48

Custom sizes also available.

Classroom Wardrobes

Sturdy all steel frames, support legs, shelves and hooks finished in Epoxy-Hybrid powder coat – see color chart on back cover. Hook shelf is height adjustable to accommodate different age groups. #913P PVC coated double prong steel Butterfly Hooks included. Order "Hardware Only" models for use with tack-board panels by others.



MODEL#	DESCRIPTION	PANEL SIZE W X H	OVERALL DIMENSION W X H
671LPR	Single unit w/laminated panel, right access.	24"X65"	24"X25"X70"
671LPL	Same as above, left access.		
671HOR	Single unit, hardware only, right access panel by others.	24"X65"	24"X25"X70"
671HOL	Same as above, left access, panel by others.		
672LP	Double unit w/laminated panel.	40"X65"	40"X25"X70"
672HO	Double unit, hardware only, panel by others	40"X65"	40"X25"X70"


Semi-Concealed Wardrobes

Wall mounted wardrobes designed for offices, conference rooms, and reception areas. Hardware in Epoxy-Hybrid powder coat, see color chart on back cover. Contact sales for laminate selection. Hangers included. Models 675, 676 & 677 include support legs. Model 677 includes door. Model 678 is cantilevered mounted 6" to 8" from floor.

Model 676



With support legs. Includes 8 hangers.



Hangers and Receptacles

Select from Solid Oak and Solid Maple, hotel hangers, leather simulated plastic hangers, and bright commercial nickel chrome heavy gauge wire hangers. Hangers available with open hook, ball top with compatible receptacles, hotel hook, and closed hook.

MATERIAL	HOOK	MODEL
Natural Oak	Ball Top	951-NO
Natural Oak	Open Hook	955-NO
Medium Oak	Ball Top	951-MO
Medium Oak	Open Hook	955-MO
Dark Mahogany	Ball Top	951-DM
Dark Mahogany	Open Hook	955-DM
Clear Maple	Ball Top	951-MA
Clear Maple	Open Hook	955-MA
Black Plastic	Ball Top	954
Black Plastic	Open Hook	958
Waxed Wood	Open Hook	960
Waxed Wood	Closed Hook	961
Waxed Wood	Ball Top	962
*Waxed Wood	Open Hook	963
*Waxed Wood	Closed Hook	964
*Waxed Wood	Ball Top	965
Chrome Wire	Open Hook	966
Chrome Wire	Closed Hook	967



Skirt Clips



969 Plated Steel
Use with ball or T-top hangers on any round tube up to 1-3/8" dia.



973 - For 3/4" pole
974 - For 1" pole
Plated steel. Use with ball top or T-top hangers.