



Form

F 7.3.29

MATERIAL SAFETY DATA SHEET

Rev: B
Page: 1 of 4
Date: 01/25/07

----- I. PRODUCT IDENTIFICATION -----

TRADE NAME (as labeled): Drytek 608 Sealer Part A

CHEMICAL FAMILY: Polyurethane dispersion in water

MANUFACTURER'S NAME: LATICRETE INTERNATIONAL, INC.
1 Laticrete Park, N.
Bethany, CT 06524-3423 USA

Phone number for additional information: (203) 393-0010 or website :www.laticrete.com

Date prepared or revised: 5/2011 Name of preparer: S.B. Fine

----- II. HAZARDOUS INGREDIENTS -----

CHEMICAL NAMES	CAS NUMBERS	PERCENT	ACGIH TLV	OSHA PEL	OTHER (SPECIFY)
N-Methyl-2-Pyrolidone	872-50-4	7-9	100 PPM	100 PPM	100 PPM (OSHA STEL)

N/A = Not applicable or available

----- III. HEALTH HAZARD INFORMATION -----

SYMPTOMS OF OVEREXPOSURE for each potential route of exposure.
PROLONGED OR REPEATED EXPOSURE MAY CAUSE ASTHMA AND SKIN SENSITIZATION OR OTHER ALLERGIC RESPONSES

Inhaled: HIGH CONCENTRATIONS OF VAPOR CAN CAUSE IRRITATION TO THE RESPIRATORY TRACT, NAUSEA, AND DIZZINESS.

Contact with skin or eyes: CORNEAL DAMAGE MAY OCCUR BUT THIS EFFECT IS USUALLY REVERSIBLE AS LONG AS TREATMENT IS ADMINISTERED. IRRITATION TO THE SKIN CAN OCCUR.

Absorbed through skin: N/A

Swallowed: INGESTION OF MATERIAL CAN CAUSE NAUSEA AND OTHER SIMILAR RESPONSES.

SUSPECTED CANCER AGENT?

NO: This product's ingredients are not found in the lists below.

YES: Federal OSHA NTP IARC

-----IV. FIRST AID: EMERGENCY PROCEDURES-----

Eye Contact: Irrigate immediately for at least 15 minutes. See a physician.

Skin Contact: Wash off in flowing water or shower. See a physician if irritation persists.



MATERIAL SAFETY DATA SHEET

Form

F 7.3.29

Rev: B
Page: 2 of 4
Date: 01/25/07

Inhaled: Remove to fresh air. Seek medical attention if necessary.
Swallowed: Seek immediate medical attention.

V. FIRE AND EXPLOSION

Flash Point method): >200°F

Auto ignition temperature, °F: N/A

Flammable limits in air, volume %:

Lower (LEL) N/A

Upper (UEL) N/A

Fire extinguishing materials:

 water spray

 x carbon dioxide

 x other: water fog

 x foam

 dry chemical

Special fire fighting procedures: TOXIC FUMES WILL BE EVOLVED WHEN THIS MATERIAL IS INVOLVED IN A FIRE. A SELF-CONTAINED BREATHING APPARATUS SHOULD BE AVAILABLE FOR FIRE FIGHTERS. COOL FIRE EXPOSED CONTAINERS WITH WATER.

Unusual fire and explosion hazards: None known

VI. SPILL, LEAK, AND DISPOSAL PROCEDURES

Spill response procedures (include employee protection measures): AVOID CONTACT WITH MATERIAL. WEAR THE APPROPRIATE SAFETY EQUIPMENT LISTED BELOW. STOP SPILL AT SOURCE, DYKE AREA TO PREVENT SPREADING. PUMP LIQUID TO SALVAGE TANK. TAKE UP REMAINDER WITH CLAY OR OTHER ABSORBANT AND PLACE IN DISPOSAL CONTAINERS.

Preparing wastes for disposal (container types, neutralization, etc.): N/A

NOTE: Dispose of all wastes in accordance with federal, state and local regulations.

VII. Handling and Storage

AVOID ALL SKIN CONTACT. AVOID BREATHING VAPORS. RESEAL PARTIALLY USED CONTAINERS. PROPERLY LABEL ALL CONTAINERS. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. OBSERVE CONDITIONS OF GOOD INDUSTRIAL HYGIENE AND SAFE WORKING PRACTICES.

MIXED MATERIALS CONTAIN THE HAZARDS OF ALL THE COMPONENTS, THEREFORE, READ THE MSDS OF ALL COMPONENTS TO BECOME FAMILIAR WITH ALL HAZARDS PRIOR TO USING THIS PRODUCT.

VIII. Exposure Controls and Personal Protection

Ventilation and engineering controls: AVOID BREATHING VAPORS, VENTILATION MUST BE SUFFICIENT TO CONTROL VAPORS.

Respiratory protection (type): NIOSH APPROVED RESPIRATOR PROTECTION REQUIRED IN THE ABSENCE OF PROPER ENVIRONMENTAL CONTROLS.

Eye protection (type): Safety glasses or goggles



MATERIAL SAFETY DATA SHEET

Form

F 7.3.29

Rev: **B**
Page: **3 of 4**
Date: **01/25/07**

Gloves (specify material): IMPERVIOUS GLOVES, NEOPRENE OR RUBBER.
Other clothing and equipment: CLEAN BODY COVERING CLOTHING AS WELL AS APRON FOOTWEAR OR OTHER EQUIPMENT SHOULD BE USED AS DEEMED NECESSARY TO AVOID CONTACT WITH THE MATERIAL.

Work practices, hygienic practices: Normal Good housekeeping

Other handling and storage requirements: N/A

Protective measures during maintenance of contaminated equipment: See above

----- IX. PHYSICAL PROPERTIES -----

Vapor density (air=1): N/A

Melting point or range, °F: N/A

Specific gravity: 1 g/cc

Boiling point or range, °F: 192-396

Solubility in water: dispersable

Evaporation rate (): N/A

Vapor pressure, mmHg at 20°C: N/A

Appearance and odor: LOW VISCOSITY LIQUID - CLEAR

HOW TO DETECT THIS SUBSTANCE (warning properties of substance as a gas, vapor, dust, or mist): N/A

----- X. REACTIVITY DATA -----

Stability: x Stable Unstable

Conditions to avoid: AVOID CONTACT WITH OPEN FLAMES AND ALL SOURCES OF IGNITIONS AND SPARKS. AVOID TEMPERATURES BELOW 35 DEGRES F.

Incompatibility (materials to avoid): AVOID CONTACT WITH STRONG OXIDIZING AGENTS, AND MINERAL ACIDS.

Hazardous decomposition products (including combustion products): CO, CO2, NOX

Hazardous polymerization: May occur x Will not occur

Conditions to avoid: N/A

-----XI. Toxicology Information-----

N/A

-----XII. Ecological Information-----

N/A

-----XIII. Disposal Information-----



Form

F 7.3.29

MATERIAL SAFETY DATA SHEET

Rev: **B**
Page: **4 of 4**
Date: **01/25/07**

Dispose in compliance with local, state, and federal regulations. Spilled product can be recovered and re-used.

-----XIV. Transport Information-----

Not Regulated

-----XV. Regulatory Information-----

All ingredients are listed on the U.S. EPA TSCA inventory of chemical substances.

Triethylamine (<0.06%), N-Methyl-2-Pyrrolidone (9%), Acrylonitrile (<0.005%), Formaldehyde (<0.005%), Styrene (0.5%) are subject to reporting requirements of section 313 of Title III and of 40 CFR 372.

HMIS

HEALTH: 2 FLAMMABILITY: 1 REACTIVITY: 0 PERSONAL PROTECTIVE
EQUIPMENT: G

This product contains a chemical known to the State of California to cause cancer or reproductive harm.

-----XVI Other Information-----

This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate.