

	Form	F 7.3.29
	MATERIAL SAFETY DATA SHEET	

Rev: **B**
Page: **1 of 4**
Date: **01/25/07**

----- I. PRODUCT IDENTIFICATION -----

TRADE NAME (as labeled): Drytek 608 Sealer Part B

CHEMICAL FAMILY: Urethane cross linker

MANUFACTURER'S NAME: LATICRETE INTERNATIONAL, INC.
1 Laticrete Park, N.
Bethany, CT 06524-3423 USA

Phone number for additional information: (203) 393-0010 or website :www.laticrete.com

Date prepared or revised: 5/2011 Name of preparer: S.B. Fine

----- II. HAZARDOUS INGREDIENTS -----

CHEMICAL NAMES	CAS NUMBERS	PERCENT	ACGIH TLV	OSHA PEL	OTHER (SPECIFY)
Polyfunctional Aziridine Crosslinker	64265-57-2	N/A	N/A	N/A	N/A

N/A = Not applicable or available

----- III. HEALTH HAZARD INFORMATION -----

SYMPTOMS OF OVEREXPOSURE for each potential route of exposure.
PROLONGED OR REPEATED EXPOSURE MAY CAUSE ASTHMA AND SKIN SENSITIZATION OR OTHER ALLERGIC RESPONSES. EFFECTS OF CHRONIC EXPOSURE HAS SHOWN IN TESTING, A MILDLY POSITIVE RESPONSE IN THE AMES MUTAGENICITY SCREENING TESTS (AMES SALMONELLA TEST).
Inhaled: HIGH CONCENTRATIONS OF VAPOR CAN CAUSE IRRITATION TO THE RESPIRATORY TRACT, NAUSEA, AND DIZZINESS.

Contact with skin or eyes: WILL CAUSE BURNS TO THE EYES. HIGH VAPOR CONCENTRATIONS CAN CAUSE SEVERE IRRITATION TO THE EYES AS WELL AS REDDENING OR TEARING. THIS PRODUCT IS A MILD SKIN IRRITANT THAT MAY CAUSE SKIN IRRITATION.
Absorbed through skin: N/A

Swallowed: LIQUID CAN CAUSE SEVERE DAMAGE TO MUCOUS MEMBRANES IF SWALLOWED.

SUSPECTED CANCER AGENT?

x NO: This product's ingredients are not found in the lists below.

YES: _____ Federal OSHA _____ NTP _____ IARC

----- IV. FIRST AID: EMERGENCY PROCEDURES -----

Eye Contact: Irrigate immediately for at least 15 minutes. See a physician.
Skin Contact: Wash off in flowing water or shower. See a physician if irritation persists.
Inhaled: Remove to fresh air. Seek medical attention if necessary.
Swallowed: Seek immediate medical attention.



Form

F 7.3.29**MATERIAL SAFETY DATA SHEET**Rev: **B**
Page: **2 of 4**
Date: **01/25/07**

----- V. FIRE AND EXPLOSION -----

Flash Point method): >267°F

Auto ignition temperature, °F: N/A

Flammable limits in air, volume %:

Lower (LEL) N/A

Upper (UEL) N/A

Fire extinguishing materials:

 water spray x foam x carbon dioxide dry chemical x other: water fog

Special fire fighting procedures: TOXIC FUMES WILL BE EVOLVED WHEN THIS MATERIAL IS INVOLVED IN A FIRE. A SELF-CONTAINED BREATHING APPARATUS SHOULD BE AVAILABLE FOR FIRE FIGHTING. COOL FIRE EXPOSED CONTAINERS WITH WATER.

Unusual fire and explosion hazards: None Known

----- VI. SPILL, LEAK, AND DISPOSAL PROCEDURES -----

Spill response procedures (include employee protection measures): WEAR THE APPROPRIATE SAFETY EQUIPMENT. SEE BELOW. STOP SPILL AT SOURCE, DYKE AREA TO PREVENT SPREADING. NEUTRALIZE WITH 5% ACETIC ACID. TAKE UP REMAINDER WITH CLAY OR OTHER ABSORBENT AND PLACE IN DISPOSAL CONTAINERS.

Preparing wastes for disposal (container types, neutralization, etc.): N/A

NOTE: Dispose of all wastes in accordance with federal, state and local regulations.

-----VII. Handling and Storage-----

AVOID ALL SKIN CONTACT. AVOID BREATHING VAPORS. RESEAL PARTIALLY USED CONTAINERS. PROPERLY LABEL ALL CONTAINERS. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING, OR USING TOILET FACILITIES. OBSERVE CONDITIONS OF GOOD INDUSTRIAL HYGIENE AND SAFE WORKING PRACTICES.

MIXED MATERIALS CONTAIN THE HAZARDS OF ALL THE COMPONENTS, THEREFORE, READ THE MSDS OF ALL COMPONENTS TO BECOME FAMILIAR WITH ALL HAZARDS PRIOR TO USING THIS PRODUCT.


----- VIII. Exposure Controls and Personal Protection -----

Ventilation and engineering controls: AVOID BREATHING VAPORS. VENTILATION MUST BE SUFFICIENT TO CONTROL VAPORS.

Respiratory protection (type): NIOSH APPROVED RESPIRATOR PROTECTION REQUIRED IN THE ABSENCE OF PROPER ENVIRONMENTAL CONTROLS. FOR EMERGENCIES A SELF-CONTAINED BREATHING APPARATUS OR A FULL FACE RESPIRATOR IS RECOMMENDED.

Eye protection (type): Safety glasses or goggles

Gloves (specify material): IMPERVIOUS GLOVES – NEOPRENE OR RUBBER

	Form	F 7.3.29
	MATERIAL SAFETY DATA SHEET	

Rev: **B**
Page: **3 of 4**
Date: **01/25/07**

Other clothing and equipment: WEAR BODY COVERING CLOTHING AND OTHER COVERINGS AS NECESSARY SUCH AS APRON AND APPROPRIATE FOOTWEAR TO AVOID CONTACT WITH MATERIAL.
Work practices, hygienic practices: Normal Good housekeeping

Other handling and storage requirements: N/A

Protective measures during maintenance of contaminated equipment: See above

----- IX. PHYSICAL PROPERTIES -----

Vapor density (air=1): N/A

Melting point or range, °F: N/A

Specific gravity: 1.1 g/cc

Boiling point or range, °F: N/A

Solubility in water: partially soluble

Evaporation rate (): N/A

Vapor pressure, mmHg at 20°C: N/A

Appearance and odor: AMBER CLEAR LIQUID

HOW TO DETECT THIS SUBSTANCE (warning properties of substance as a gas, vapor, dust, or mist): N/A

----- X. REACTIVITY DATA -----

Stability: x Stable Unstable

Conditions to avoid: AVOID CONTACT WITH OPEN FLAMES AND ALL SOURCES OF IGNITIONS AND SPARKS. AVOID CONTACT WITH MOISTURE OR ACIDIC MATERIALS.

Incompatibility (materials to avoid): Contact with acids.

Hazardous decomposition products (including combustion products): CO, CO₂, NO_x

Hazardous polymerization: May occur x Will not occur

Conditions to avoid: None Known

----- XI. Toxicology Information -----

N/A


----- XII. Ecological Information -----

N/A

----- XIII. Disposal Information -----

Dispose in compliance with local, state, and federal regulations. Spilled product can be recovered and re-used.

----- XIV. Transport Information -----

	Form	F 7.3.29
	MATERIAL SAFETY DATA SHEET	

Rev: **B**
 Page: **4 of 4**
 Date: **01/25/07**

Not Regulated

-----XV. Regulatory Information-----

All ingredients are listed on the U.S. EPA TSCA inventory of chemical substances.

-----XVI Other Information-----

This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate.