# GAFGLAS® Stratavent® Eliminator<sup>TM</sup> Nailable Base Sheet

**Data Sheet** 

Updated: 1/10





# Description

GAFGLAS® STRATAVENT®
Eliminator™ Nailable Base Sheet is a premium-grade roofing felt constructed around a strong glass fiber mat and high quality asphalt. The bottom of the sheet is granule-surfaced to provide positive venting of any trapped gases under the roof membrane

- GAFGLAS® STRATAVENT® Eliminator™ Nailable Base Sheet is available for nailable and non-nailable substrates.
- GAFGLAS® STRATAVENT® Eliminator™ Nailable Base Sheet is mechanically attached to wood, structural wood fiber, poured gypsum, and lightweight insulating concrete decks.

### **Uses**

GAFGLAS® STRATAVENT®
Eliminator™ Nailable Base
Sheet is a venting base
sheet designed to be used in
various GAFGLAS® built-up
and RUBEROID® modified
bitumen roofing systems. It
can be used over both nailable
and non-nailable substrates,
including certain existing old roof
surfaces and isocyanurate foams.

# **Advantages**

- Provides for venting of pressurized gases beneath the roofing membrane.
- Fire resistant—for use in UL Class A rated assemblies.
- In recover applications, provides an effective means for separating the new roofing membrane from the existing roof system.
- Wind uplift-resistant; FMRC Approved up to Class 1-345 (See FM Approval Guide for details).
- Meets requirements for application in all climate zones.
- System guarantees are available for up to 20 years.

## **Applicable Standards**

UL/ULc Listed

Meets ASTM D4897, Type II and D3672, Type II
FM Approved
Meets CGSB-37-GP-56M
ICC ESR#1274
Miami-Dade County Product Control Approval
State of Florida Product Approval
Texas Department of Insurance

### **Products Specifications (nominal)**

Roll Size	1.26 squares (133.4 gross sq.ft.) (12.4m²)
Roll Length	40.6' (9.9m)
Roll Width	39.375" (1.0m)
Approx. Roll Weight	73 lbs (33.1kg)

