

Thin Terrazzo Tile

WAUSAUTILE



Options in Designing



River Oaks Mall, IL



FW Olin College of Engineering, MA

Terrazzo Tile - The Ultimate Time Tested Hard Surface Flooring.

- Retains original beauty with minimum maintenance
- Multiple colors create pattern and design
- Durability in heavy traffic areas
- Seventy-nine standard colors
- Unlimited custom color capabilities

Available in: Traditional
Micro
Accent
Recycled Glass
Chamfered polished
Square honed
Rustic finish
Mother-of-Pearl



Buffalo Grove Bank, IL



Museum of Natural History, NY



JFK Int'l Airport, NY

Precast terrazzo amenities; base, stair treads, landing panels, wainscot, column covers or your custom requirements, in combination with terrazzo tile, add distinctive elements to your design.

Terrazzo Flooring Physical Properties

PROPERTY	VALUE	TEST METHOD
Compressive Strength	8,000 psi Average	ASTM C140
Water Absorption	4.5%	ASTM C140
Flexural Strength	950 psi Average	ASTM C293
Wedging	<1%	-----
Warpage (Along any edge)	+/- 1.5 %	-----
(Either diagonal)	+/- 1.5 %	-----
Static Coefficient of Friction	Dry Wet	ASTM C1028
Polished	0.6 0.5	
New Rustic	0.7 0.6	

NEW Single Layer Thin Terrazzo Tile



Wausau Tile is proud to introduce our new single layer thin terrazzo tile. Wausau Tile was the first to manufacture precast cementitious terrazzo tile in the U.S. - now Wausau Tile is the first to offer single layer thin precast cementitious terrazzo tile.

Wausau Tile's new terrazzo tile is available in 12"square at 1/2", 16"square at 5/8" thickness and 24"square at 7/8" thickness. Wausau Tile's new thin tile will continue to have the quality and strength you've come to expect from Wausau Tile. Our large standard color palette and custom color capabilities will continue to be one of the best in the industry, which includes our new recycled glass tile.



Terrazzo Flooring Product Summary

Style	Installation Method	Finish	Edges	Aggregate Size	Dimensions Tolerances	Weight Approx.	WT Colors	Custom Colors
Micro / WM	TGPM	• Honed (Not Factory Polished)	Square Edge	3/16" minus	11-13/16" x 11-13/16" x 1/2"	7 lbs.	14 WM	Yes
Accent / WA	TSM	• Factory Ground & Polished • Brushed	Chamfered Edge		11-13/16" x 11-13/16" x 5/8"	8.5 lbs.		Yes
					15-13/16" x 15-13/16" x 5/8"	13.5 lbs.		Yes
				23-13/16" x 23-13/16" x 7/8"	42 lbs.	Yes		
Traditional / WT	TGPM	• Honed (Not Factory Polished)	Square Edge	3/8" - 3/16" minus	11-13/16" x 11-13/16" x 1/2"	7 lbs.	40	Yes
	TSM	• Factory Ground & Polished • Brushed	Chamfered Edge		11-13/16" x 11-13/16" x 5/8"	8.5 lbs.		Yes
					15-13/16" x 15-13/16" x 5/8"	13.5 lbs.		Yes
				23-13/16" x 23-13/16" x 7/8"	42 lbs.	Yes		
Glass / TG	TSM	• Factory Ground & Polished	Chamfered Edge	3/8" - 1/4"	11-13/16" x 11-13/16" x 1/2"	7 lbs.	18	Yes
					11-13/16" x 11-13/16" x 5/8"	8.5 lbs.		Yes
					15-13/16" x 15-13/16" x 5/8"	13.5 lbs.		Yes
					23-13/16" x 23-13/16" x 7/8"	42 lbs.		Yes



Mother-of-Pearl Accent

Add sparkle to any terrazzo style with Mother-of-Pearl accent. The precise look you want is determined by the percentage of sea shell we add to the precast terrazzo tile.



PO Box 1520, Wausau, WI 54402-1520
 (800) 388-8728 (715) 359-3121
 Fax: (715) 359-7456
 E-mail: wtile@wausautile.com

www.wausautile.com

©2007, Wausau Tile, Inc.

All photos, text and actual products shown are the sole property of Wausau Tile, Inc., and may not be copied or duplicated without the express written permission of Wausau Tile, Inc.

06/07