

Gratings


Molded Fiberglass



Bar Grating



Pultruded Fiberglass



Grate-Locks Grating



ISO 9001:2000 Certified Worldwide Service




Same Day Stock Shipment Custom Fabrication

Swaged I-Bar Grating



Grip Struts Grating



Aluminum Grating



Perf-O Gripo Grating





McNICHOLS CO.

www.mcnichols.com

1-800-237-3820

e-mail: sales@mcnichols.com



Serving "You" is Our Number One Goal!

When you contact

McNICHOLS, you become our number one priority.

Whether your Grating and Flooring needs are large or small, our highly trained employees are committed to meeting your needs accurately and efficiently.

- Quick Quotes and Stock Checks accurately computed within moments with you on the line,
- Fast Order Processing through our state-of-the-art computerized system, along with
- Instant Order Confirmation
 and scheduling to the destination of
 your choice before the call is done.

Complete Inventories to Meet Your Needs!

Complete inventories are maintained at our service centers throughout North America, so you will have what you want—when you need it! **Same Day Stock Shipment**

We stock all styles of grating and flooring including Bar Grating, Grip Strut® Grating, Fiberglass Grating, Grate-Lock® Grating, Perf-O Grip® Grating, Expanded Grating & Catwalk, Flexmat™ Flooring, Traction Tread™ Flooring.

If your requirements are full panels, planks, cut pieces, stair treads, ladder rungs or accessories—we can accommodate you. We also offer custom fabrication!

Learn Online and Earn Free Credits

This course provides an overview of the characteristics and architectural applications of perforated metal, expanded metal and wire mesh products—including descriptions of

SEDUCATION AND SERVICE OF THE PROPERTY OF THE

metal types and mechanical finishes. We are ready to assist. mcnichols.com





Panels • Treads
Cut to Size • Custom

High strength to weight ratio, Easy installation, Minimum deflection, Full series in a variety of specifications and material types— ask us!



Panels • Cut to Size grit or non-grit surface

Maximum corrosion resistance, contains UV inhibitors, Fire retardant, One piece molded construction, Many resin systems available.



Planks • Treads
Cut to Size

Interlocking planks, Easy to install, Strong and lightweight, Maximum air and light passage, Available in smooth or traction grip surface.



Planks • Treads
Cut to Size

Lightweight aluminum, Corrosion resistant, Maintenance-free design, Locked by swaging.






Planks • Walkways • Treads Rungs • Cut to Size

Excellent slip resistant surface, High load capacity, Maintenance-free design, Self cleaning, Economical installation, Long life.




Panels • Treads I-Bar • Cut to Size

Superior strength and stiffness, High corrosion resistance, Gritted surface ensures safe footing, Fire retardant, contains UV inhibitors.



Panels • Cut to Size

Truss design handles wheel traffic, High stress capabilities, High strength and rigidity, Many patterns available.



Catwalks & Grating Styles
Treads • Cut to Size

High strength to weight ratio, Low cost, Easy to fabricate, Variety of widths and lengths.





Planks • Walkways Treads • Cut to Size

Safe, slip resistant surface allows fluids and debris to fall through, Easily installed, Versatile, Large open area, Long life.



Panels • Cut to Size

Skid resistant, Fire retardant, Corrosion resistant, Chemical resistant, 1/3 weight of steel, 1/8" to 3/4" plate heights.



Planks • Treads
Cut to Size

High strength to weight ratio, Maintenance-free design, Non-sparking surface, Easy installation, Corrosion resistant, Lightweight.



Panels • Cut to Size

Extruded aluminum, High strength and durability, Attractive sculptured appearance, Lightweight, Easy installation.

INTERNATIONAL 813-243-1800



Planks • Flooring • Treads Rungs • Cut to Size

One piece construction, Slip resistant in all directions, Long service life, Self draining design, ADA compliant.




Panels • Cut to Size

Pultruded fiberglass reinforced panel, Interlocking, Non-sparking, Corrosion resistant, Maintenance free, Lightweight, Easy installation, High Strength.



Panels • Cut to Size


Extruded T-bars with cross bars locked by swaging, High strength, Economical, Lightweight, Bottom flange fasteners available.



Floor Plate • Ladder Rungs

Non-sparking, Non-corrosive surface, Sure footing under slippery conditions.





Standard or Shell Types Panels

Prolongs life of castable refractory lining, Shock resistant, Erosion resistant.



Panels • Treads T-Bar • Cut to Size

Non-conductive, High strength to weight ratio, Corrosion resistant, Fire retardant, Non-skid surface.



Panels • Cut to Size

Press locked cross bars, Small openings that permit high heel shoe and foot traffic, Desirable for ventilation and easy access applications.



Panels • Cut to Size

Heavy duty welded steel grating, 1" to 2" heights X 3' length, 2-1/2" to 5" heights X 8' length, plain, painted or galvanized steel.






20' and 40' Run Kits Available

Presloped kit, High strength, Chemical resistant, Low absorption rate, Easy installation, Light to moderate frame.




Panels • Treads
Cut to Size

Corrosion resistant, Fire resistant, Low thermal conductivity, Easy fabrication, contains UV inhibitors.



Panels • Cut to Size

Cross bars are pressed into bearing bars flush top under tremendous pressure adding firm, rigid connections, 3/4" to 2-1/2" bar heights.



Panels • Cut to Size

Swage locked cross bars, High strength to weight ratio, Minimum deflection, Corrosion resistant, Easy installation.



Applications

- · Assembly Plant Flooring
- · Athletic Areas
- · Battery Racks
- · Billboard Walkways
- · Bridge Decking
- · Catwalks
- · Channel Grating
- · Containment Flooring
- · Curb Inlet Grates
- · Cvclone Units
- Dairy Floors
- Decks
- · Drainage Areas
- · Electrical Areas
- · Fifth Wheel Platforms
- Floor Plates
- · Fluid Storage
- Industrial Flooring
- · Laboratory Flooring
- Ladder Rungs
- · Loading Docks
- Machine Enclosures
- · Manhole Covers
- Mat Grating
- Matting
- · Marine Environments
- Mezzanines
- · Mining Operations
- Observation Decks
- Offshore Drilling Rigs
- Outdoor Platforms
- Overhead Storage Space
- Pedestrian Traffic Areas
- · Petroleum Processing
- Pipelines
- · Pit Grating
- Platforms
- · Pollution Control
- Racks
- Ramps
- · Refrigeration Decks
- · Rooftop Walkways
- Safety Steps
- Shelving
- Sidewalk Grating
- Sign Boards
- Skywalks
- Stair Treads
- Trench Covers
- Walkways
- Wash Racks
- · Work Surfaces
- · Many, Many More!

e-mail: sales@mcnichols.com


©2007 McNICHOLS CO.

McNICHOLS is a registered trademark of McNICHOLS CO. All rights reserved. No part of this book may be reproduced in any form without permission.

INTERNATIONAL **813-243-1800**

Treads & Rungs


Bar Grating Tread



Perf-O Gripo Tread



Bar Grating Tread



Grip Strut_® Tread




Traction Tread.




Grate-Locks Tread




Fiberglass Tread




Aluminum Tread



Fiberglass Tread



Ladder Rungs



Worldwide Service

United States International
1-800-237-3820 1-813-243-1800
Canada & Caribbean International Fax
1-800-237-3820 1-813-243-1888

Mexico **001-800-237-3820**

Handrail Components





McNICHOLS CO.

www.mcnichols.com

1-800-237-3820

e-mail: sales@mcnichols.com

