



**Cubicle Curtains** and Track Systems

*General Cubicle  
and C/S —  
a new era in curtain  
and track systems*



## **We know healthcare.**

*Cubicle Curtains' parent is the manufacturer of C/S Acrovyn, the #1 brand of wall protection worldwide. Found in most major healthcare facilities across North America.*



## *Track and Curtain Systems— designed to look and work flawless, every time.*

**General Cubicle, a Construction Specialties company, has been manufacturing the industry's finest privacy curtains and track systems since the early 1960s.** As part of C/S, the manufacturer of Acrovyn® Wall Protection, we've enhanced not only our manufacturing technology but our capacity to offer outstanding service to our customers nationwide. In state-of-the-art manufacturing facilities, our employees create custom privacy curtains to exact specifications. **Our quality is unmatched; you'll never see General Cubicle use the inexpensive manufacturing techniques our competitors use to make their curtains.** Every General Cubicle curtain meets the rigorous standards our company established over 40 years ago and our customers expect. With a nationwide representative network, and the lowest lead time in the industry, our customer service is second to none.

## *Need curtains fast?*

### **Shipping in 48 hours!**

We can ship our 10 standard Oxford Quick Ship curtains within 48 hours. Call 800-869-4606 for lead time for all other fabric selections.

### **New Temporary Loaner Program**

If you need fresh new curtains until your custom fabric curtains are complete, we'll be happy to lend you as many as you require.

## **Quality makes the difference.**



## **Double Needle Tailoring**

*All C/S Cubicle Curtains are manufactured using double needle interlock tailoring. This process insures durability and the curtains will have a finished look on both sides where the nylon mesh meets the curtain.*



# Two ways C/S makes changing curtains fast and easy.

## Introducing Qwik Switch®


*The easy two step  
process for changing  
privacy curtains.*

*See pg. 6*



## Introducing Snap Lock...


*Simply snap off  
soiled curtain  
and snap on  
a new one.*





## C/S Cubicle Curtains

*We manufacture the finest privacy curtains available anywhere.*



### Color-Coordinated Mesh

*All C/S curtains can include mesh that's color-coordinated to the fabric you specify.*

**The attention to details on every C/S curtain is evident**, whether you specify one of our standard fabrics or a custom designer fabric from any textile house. All of our privacy curtains feature double needle interlock stitching for durability and a finished look. Additionally, all edges of **our nylon mesh are completely bound with the same fabric as the body of the curtain**, and the grommets at the top of the curtain are firmly anchored to triple thick hems for long life. **C/S also offers a complete line of color-coordinated nylon mesh to minimize its appearance at the top of each curtain.** And all of our curtains meet the flame resistant regulation NFPA requires for the use of privacy curtains in health facilities.


*One look says it all!*

### C/S Cubicle Curtains

*The nylon mesh on all curtains are sewn into the body of the curtains. There are no mesh edges exposed to fray, snag or tear.*

### Competitor

*Our competitors sew their mesh directly to the back of their curtains without the use of hems. These curtains have an unfinished appearance and can tear, snag or fray.*







### Custom Fabrics

We consistently deal with the world's finest textile companies, including Maharam, Architex, Design Tex, Interspec, Design/Craft, Carnegie and NE Textiles. Whichever custom fabric you select for your project, C/S can supply it effortlessly to your exact specifications. Call 800-869-4606 for details.

**maharam**

Carnegie

Architex®

DESIGN  
TEX

**NE**  
*textiles*  
NORTHEAST TEXTILES, INC.

**DC**  
DESIGN/CRAFT  
FABRIC CORPORATION

InterSpec



## Introducing Qwik Switch®

*The easy two step process for changing privacy curtains*

**Step 1** Insert the Qwik Switch wand into the locking unit at the end of the track where the ceiling meets the wall. Turn the wand counterclockwise to unlock the latch and bring the track down to remove the curtain.



**Step 2** Load a clean curtain onto the carrier. Using the Qwik Switch wand, push the track back up to the ceiling, and the Qwik Switch locking unit will lock the track back into position.



## Cuts curtain changing time virtually in half




### Qwik Switch Hinge

The Qwik Switch hinge allows the track system to pivot down for removing curtains from their carriers. Hinged sections of track are available in lengths up to 6' in a finish to match clear anodize.



### Qwik Switch Latch

The Qwik Switch Locking Units, attached to the track end, lock onto the Qwik Switch Latch, which is hard fastened directly to the ceiling. Available in finish to match clear anodize.



### Qwik Switch Wand

With a simple turn of the 48" wand, workers can bring the privacy curtain down for laundering and easily put up clean fresh curtains while standing on the ground.

# Track Products



## Surface Mounted Aluminum Track

Our standard track is a dual channel extruded aluminum track that is 1-3/8" wide x 3/4" deep. It features a consistently smooth, snag-free operation.




## Surface Mounted White Track

This 1-3/8" wide x 3/4" deep track features a white baked enamel Polycron/Duracron paint finish. This finish meets or exceeds the performance requirements of AAMA603 specifications.



## Narrowline Surface Mounted Track

Our new Narrowline anodized aluminum track is 29/32" wide by 11/16" deep. It also provides smooth, snag-free operation.



## Suspended Mount Aluminum Track

This track system includes 3/4" square aluminum hangers with suspension brackets made of molded nylon (white or aluminum color). Suspended tracks are generally set 7'3" from finished floor.



## Carrier Gate

The carrier gate assembly is used at all curtain stacking points. Assembled with a machine screw, the carrier gate provides easy insertion or removal of carrier.



## Carrier Stop

The carrier stop is used at the ends of curtain tracks or bends. Made of molded nylon, our stops are finished to match track color.



## Splice

These 6" track splices are used where one-piece sections are not long enough or where radius and straight track connects. Available in white or anodized satin aluminum.



## Wall Socket

This component is designed to secure suspended mounted track systems to the wall. Available in white or anodized aluminum.



## 18/20 Offsets

Used to wrap track around the foot of the bed, the 30°- 45° bends are supplied 2' x 2' or in custom lengths. Available in white or anodized aluminum.



## 45° Bends

This bend is for use around doors or by corners. Standard length is 2' x 2'. Available in white or anodized aluminum, and in custom lengths.



**Construction Specialties™**

49 Meeker Avenue, Cranford, New Jersey 07016 U.S.A., 908-272-5200

895 Lakefront Promenade, Mississauga, Ontario L5E 2C2 Canada, 905-274-3611

► [www.c-sgroup.com](http://www.c-sgroup.com)



### **The C/S Family of Products**

For more than 60 years, Construction Specialties has been a leader in architectural specialty products, including: Acrovyn® Wall and Door Protection, Pedisystems® Entrance Flooring, Expansion Joint Covers, Cubicle Track and Curtains, Smoke and Explosion Venting Systems, Architectural Grilles, Architectural Louvers and Sun Controls.

We have operations throughout the world and can provide C/S Products virtually anywhere. For a complete list of our international locations, visit [www.c-sgroup.com](http://www.c-sgroup.com).

*For the nearest C/S representative, or literature and samples, call toll free 800-631-7379 in U.S.A. and 888-895-8955 in Canada, or visit [www.c-sgroup.com](http://www.c-sgroup.com)*

©Copyright 2009 Construction Specialties, Inc.

Construction Specialties, Inc. reserves the right to make design changes or to withdraw any design without notice. Printed in U.S.A. Series 10