

Loft Ladder Fax Back Estimate Form

888-310-7040 www.alacoladder.com

When completed, fax all 3 pages to 909-591-7565	Contact
How to order or get an estimate on your ladder	Company
Complete all the information and fax back all 3 pages. We will contact you with an estimate or to arrange delivery of your Loft Ladder and Track.	Address
	City State Zip
	Phone Fax
	Email
Make Ladder Choices Check all boxes that apply.	
Specify Ladder	Specify Handrails
□ Rolling Ladder (S•100)	Handrails do not come standard.
Ladder includes upper roller assembly or hook assembly, track and lower wheel assembly. Also pivots against wall when not in use.	Flush Handrails: ☐ Left Side
□ Pivotal Ladder (S•200)	□ Right Side
No lower wheels. Ladder pivots from wall with pivotal bracket assembly.	□ Both Sides
□ Fixed Ladder (S•300)	Extended Handrails: ☐ Left Side
Fixed ladder that neither pivots nor rolls.	□ Right Side
	□ Both Sides
Specify Material	
Material: ☐ Wood ☐ Aluminum	Specify Wheel Housing
Wood Type:	S•100 Rolling Only.
☐ Birch ☐ Cherry ☐ Mahogany	□ Sunburst Pattern
☐ Maple ☐ Red Oak ☐ White Oak	(Wood only)
□ Walnut □ Alder □ Specify Other:	
Wood Finish: ☐ Unfinished ☐ Clear Finish ☐ Gloss ☐ Satin	□ Contemporary □ Aluminum
□ Specify Minwax Stain:	□ Wood
Aluminum Ladder: Aluminum loft ladders come standard with no finish. Ladders can be powdercoated in the following standard colors. Optional colors are also available.	
□ Matte Black □ Gloss Black □ Beige Metallic	
☐ Matte White ☐ Gloss White ☐ Specify Other:	





888-310-7040 www.alacoladder.com

0		:-:
Specify	y Hardware	; rınısn

All hardware, including wheel housing, upper roller assembly, handrails, metal track (if ordered), brackets, braces and bolts will be done in this finish.

Chrome: ☐ Polished ☐ Satin

Nickel: ☐ Polished ☐ Satin

☐ Polished Black

Copper: ☐ Polished ☐ Satin ☐ Antique

Brass: ☐ Polished ☐ Satin ☐ Antique

☐ Heavy/No Lacquer

Bronze: ☐ Antique/Oil Rub

Powdercoated Finishes:

☐ Matte Black ☐ Gloss Black

□ Antique

☐ Matte White ☐ Gloss White

☐ Beige Metallic

Specify Upper Assembly

S-100 Rolling Only.

□ Roller Assembly

For affixed rolling ladder.

☐ Hook Assembly

For a removable ladder.

□ Optional Safety Tread

No-slip tread added to all steps

(wood only)



2. Make Track & Bracket Choices


Check the box that applies. See Step 3 for specifying Curved Tracks.

For Steel Tracks


S•100 Rolling Only.

Track and brackets to match specified hardware finish. Brackets must be mounted no more than every 48".

☐ Vertical Brackets for Ladders with Roller Assembly



☐ Vertical Brackets for Ladders with J Hook Assembly






888-310-7040 www.alacoladder.com

3. Provide Dimensions

Fill in all dimensions that apply.

Loft Ladder Dimensions



Number of brackets supplied will be based on 30" spacing.

- ☐ Check here if mounting surfaces require more brackets.
- ☐ If you would like ALACO to assist you in figuring your dimensions, please check this box and fax us a separate sketch of your room or floor plans.

Track Dimensions

