

- Tough, attractive, solid plastic never needs painting; resists dents and scratches
- Impervious to moisture lockers will not rust or delaminate
- Made from 30% pre-consumer recycled HDPE plastic
- Durable, vandal resistant all-welded construction
- · Wide range of sizes, tiers, colors and options
- · ADA compliant handle operation
- 20-year warranty against rust, delamination or breakage under normal use\*
- Lockers ship assembled; optional top, end panel and base assembled at the job site
- US Patent Numbers: 6,685,285 6,792,661 6,793,299 7,029,078 7,223,317 -7,278,695 - 7,510,249 - 7,699,412 - 7,789,471 - 8,113,602
- · Other Patents Pending

# **Construction - Standard Features**

#### Sizes

Standard Sizes:	12", 15", 18"	Wide
	12", 15", 18", 21", 24"	Deep
Nominal	24", 36", 48", 60", 72"	Tall
	Tiers	See Table

Tiers	Actual Locker Height				
	<b>24</b> <sup>11</sup> / <sub>16</sub> "	36½"	4811/32"	60"	72"
1	Х	Х	Χ	Х	Х
2	Х	Х	Χ	Х	Χ
3		Х	X	Х	X
4			Χ	Х	X
5				Х	Χ
6					X

### **Doors and Frames**

Constructed of 1/2" thick High Density Polyethylene (HDPE) with homogeneous color and a matte finish texture. Dirt or graffiti are easily removed with standard industrial cleaners. Frames are welded to locker box to provide a secure, rigid assembly. Doors have ventilation slots.

### Sides, Tops, Bottoms, Dividers and Shelves

Constructed of \%" thick white HDPE with a smooth finish. Sides and back of box are formed from a single sheet of HDPE with fused corners. Top, bottom and dividers are welded to frame without metal fasteners or dovetail joints. Shelves, provided in one-tier lockers only, are slid into corresponding grooves in sides and back. Shelves are located 12" from locker top. Gussets, standard in one-tier lockers only, provide added support for the box.

#### **Latch Bar**


Full-length latch bar is constructed of 1/2" thick 100% pre-consumer recycled black High Density Polyethylene (HDPE) with a smooth finish. Runs entire length of door, providing a continuous security latching system. Latch lifts up to open and returns to closed position after door is closed. Latch bar is secured to locker door with stainless steel security torx-head shoulder screws.

\* Normal use further defined as lockers installed in a climate-controlled environment, away from direct sunlight.

<sup>†</sup>Dove Stone locker will have white hinge and handle. Starry Night locker will have black hinge and handle.

Page 1 of 7 Lenox Lockers Document No. 9825





### Hinge

Heavy-duty, full-length piano hinge is constructed of 18 gauge, type 304 stainless steel. Hinge wraps around edges of the door and the frame and is secured with stainless steel security torx-head screws. Hinge is powder coated to match locker color<sup>†</sup> and is field replaceable.

#### Handle

Constructed of injection molded plastic. Ergonomically designed handle is ADA compliant — operates with less than 5 lbs. of force. Handle is secured through latch bar to door with stainless steel security torx-head screws.

Constructed of 12 gauge stainless steel. Accepts standard padlocks with 1/32" diameter (nominal). (Long shackle padlocks should not be used.) Secured to door behind latch bar with stainless steel screws.

#### **Coat Hook**

Double hook constructed of black polycarbonate. Furnished in 36", 48", 60" and 72" one-tier and 60" and 72" two-tier lockers only. Hook hangs centered under shelves in one-tier and under locker top in two-tier lockers. Secured to shelves and tops with stainless steel screws.



Wood bases are not recommended.



# **Construction - Optional Features**

### Slope Top - Model LENOXSLOPETOP

Constructed of a 1" thick HDPE backplate (color may vary) and a  $\frac{1}{2}$ " thick colored HDPE slope top panel. Provides a finished look and prevents accumulation of dust and storage of items on top of lockers. Back plate secures to wall first, then panel is secured through the locker top from the inside — no exposed fasteners. Standard slope is 10°. Available in single locker size or in 24", 30", 36", 45" and 72" lengths. All necessary hardware included.

#### Flat Top - Model LENOXFLATTOP

Constructed of  $\frac{1}{2}$ " thick HDPE with homogeneous color and a matte finish texture. Provides a finished look on top of lockers. Available in single locker size or in 24", 30", 36", 45", 54" and 72" lengths. Hardware not included.

#### Base - Model LENOXBASE

Constructed of 1" thick HDPE with homogeneous color and a matte finish texture. Base can be between 3" and 8" tall and set back 3" from locker front to provide toe clearance. Notched end caps provide ease of installation. Installation hardware, including screws, anchors, L-brackets and mending plates are included.

#### **Number Plates**

Constructed of white acrylic with black film coating. Laser etched with number specified. Number plates are secured with grooved rivets into a recessed pocket cut into the door. Plates must be fastened to lockers on the job by installer.

#### End Panels - Model LENOXENDPANEL

Constructed of %" thick HDPE with homogeneous color and a matte finish texture. End panels cover white locker sides on exposed ends and are available in flat or slope top styles and in single or double (back-to-back) configurations. When properly installed, the top edge of the end panel is exposed, sitting flush with the finished locker top. All necessary hardware included.

#### **Mesh Doors**

Standard locker doors are machined with cross-hatch pattern to provide ventilation for locker contents.

#### Mirror

4" x 6" Acrylic Mirror with double-sided adhesive tape. Assembled at the job site for placement flexibility.

#### **Built-In Key Lock**

Standard hasp is replaced with Master Lock key lock. All locks are master keyed and include two user keys for each lock. Key can only be removed from lock in locked position. Master keys ordered separately.

# **Built-In Combination Lock**

Standard hasp is replaced with Master Lock combination lock. All locks are keyed to one master key (included) and come pre-programmed with five separate combinations. Master keys ordered separately.

### Coin Return Lock

Standard hasp is replaced with Safe-O-Mat coin lock located inside the locker door. Locks are available in \$0.25, token, Euro or Canadian Loonie denominations. User inserts coin to secure locker with key. When locker door is opened with key, coin is returned. Number tags for keys are not included. Tokens, master keys and extra cylinders ordered separately.



To ensure proper operation, please specify the type of coinage that will be used in these locks. US and Canadian coinage will only work with their respective lock configurations.

#### Coin Retain Lock

Standard hasp is replaced with Safe-O-Mat model coin lock located inside the locker door. Locks are available in \$0.25, \$0.50, one token, euro or Canadian loonie or two token, euro or Canadian loonie denominations. User inserts coin to secure locker with key. When locker door is opened with key, coin is retained in collection box secured with a master key. Number tags for keys are not included. Tokens, master keys and extra cylinders ordered separately.



To ensure proper operation, please specify the type of coinage that will be used in these locks. US and Canadian coinage will only work with their respective lock configurations.

#### **Combination Padlock**

Master Lock #1525 combination padlock fits into standard hasp. Double reinforced construction with stainless steel outer case and cold-rolled steel inner case adds strength and durability. Nickel-plated hardened steel shackle resists rust.

#### **Pocket Lock**

Standard Hasp is replaced with a pocket lock located on the front of the locker door. Any locker not in use can be claimed and secured by simply "docking" in the portable locking device. Entirely self-contained, with lock cylinder and key housed within a hinged "pocket." Master keys ordered separately. Not recommended for high vandal applications.

## **Wall Hooks**

Constructed of black powder-coated cast zinc. 1–3 hooks can be secured to each tier with this option. Please specify location.

#### Coat Roo

Constructed of schedule 40 PVC-1120. Rod is mounted with plastic pole sockets and stainless steel screws. Available in lockers 18" deep and larger.

#### Fillers - Model LENOXFILLER

Constructed of  $\frac{1}{2}$ " thick HDPE secured to  $\frac{1}{2}$ " thick HDPE angle bracket. Filler is attached through the inside of an end or corner locker to fill gaps between lockers and a wall or another locker in a corner. Available in colors to match lockers 60" or 72" tall, 6", 12", 15" and 18" wide. All necessary hardware included.


#### Logos


Handicap or a custom logo is machined into the locker door. Custom logo artwork must be provided to Bradley in one of the following formats "DXF", "DWG", "IGES" or "SAT". Font and the size of the logo are also needed. Handicap logos are available in standard hasp only.

### **Drain Holes**

Slots are placed in the bottom of the locker (one-tier only) for drainage of water after hose down. (Slots will be evenly spaced in center unless specified otherwise.)










one-tier two-tier three-tier four-tier five-tier

six-tier





Optional Slope Top



Optional Base

Dim. A = 3", 4", 5", 6", 7" or 8"

Lenox Lockers Document No. 9825

Page 3 of 7
This information is subject to change without notice. 9/3/2013



Model	Description	Optional Selections		
□ LENOXLOCKER	Solid Plastic Locker	Locker Lock Type:		
•	ions (Must select one from each category)	☐ STD-HASP-LOCK ☐ KEY-LOCK	Standard Hasp Lock Built-in Key Lock	
Locker Width (select of 12-WIDTH 15-WIDTH 18-WIDTH	ine): 12" Wide Locker 15" Wide Locker 18" Wide Locker	☐ COMBINATION ☐ COIN-LOCK  NOTE: To ensure proper with your distributor. US their respective lock con	Built-in Combination Lock Coin Operated Lock  operation, please specify the type of coinage and Canadian coinage will only work with figurations.	
Locker Depth (select of 12-DEPTH   15-DEPTH   18-DEPTH   21-DEPTH	12" Deep Locker 15" Deep Locker 18" Deep Locker 21" Deep Locker	☐ 25-COLLECT ☐ 50-COLLECT ☐ TOKEN-COLLECT ☐ 2-TOKEN-COLLECT ☐ EURO-COLLECT	\$0.25 Coin Collect Lock \$0.50 Coin Collect Lock Token Collect Lock 2-Token Collect Lock Euro Collect Lock	
□ 24-DEPTH 24" Deep Locker  Locker Height (select one): □ 24-HGT 24" High Locker (Nom. Height) □ 36-HGT 36" High Locker (Nom. Height)		□ 2-EURO-COLLECT         2-Euro Collect Lock           □ LOONIE-COLLECT         Loonie Collect Lock           □ 25-RETURN         \$0.25 Coin Return Lock           □ TOKEN-RETURN         Token Return Lock           □ 2-TOKEN-RETURN         2-Token Return Lock		
□ 48-HGT □ 60-HGT □ 72-HGT  Locker Tiers (select of □ 1TIER	48" High Locker (Nom. Height) 60" High Locker 72" High Locker  Te): One-Tier Locker	□ EURO-RETURN □ 2-EURO-RETURN □ LOONIE-RETURN □ POCKET-LOCK □ PADLOCK	Euro Return Lock 2-Euro Return Lock Loonie Return Lock Lowe & Fletcher Pocket Lock Combination Padlock	
□ 2TIER □ 3TIER □ 4TIER	Two-Tier Locker Three-Tier Locker Four-Tier Locker	Locker Number Plates:  NUMBERS	Number Plates List Sequence	
☐ <b>5TIER</b> Five-Tier Locker ☐ <b>6TIER</b> Six-Tier Locker  Note: See Chart on Page 1 for availability.		Locker Logos:  LOGOS  HANDICAP-LOGO	Custom Logo Description Handicap Logo	
Locker Color† (select of Beige Black Bronze	Ine):  Hunter Green Linen Moss	Locker Wall Hooks:	1 – 3 Wall Hooks per Tier Specify Location(s)	
□ Burgundy □ Buttermilk □ Canyon Granite □ Charcoal Gray	☐ Red ☐ Sky Blue ☐ Starry Night <sup>†</sup> ☐ Toffee	Locker Coat Rod:  □ COAT ROD	Optional Coat Rod (18"D, 21"D or 24"D Lockers Only)	
☐ Deep Blue ☐ Desert Stone ☐ Dove Stone <sup>†</sup> ☐ Gray	☐ White ☐ 100% Post-Consumer Charcoal Gray** ☐ 100% Post-Consumer Toffee** ☐ 100% Pre-Consumer Black	may be inconsistent.	may have some minor flaws and the color white hinge and handle. Starry Night locker dle.	
Locker Door (select or  Std-Door  Mesh-Door	Standard Door — Louvered Vented Vented Mesh Door			



Model  LENOXSLOPETOP	<b>Description</b> Optional Slope Top		Model  LENO	XBASE	<b>Descripti</b> Optional Base	on	
Optional Selections		Optional Selections					
Slope Top Length (sele	ct one):		Base Len	gth (select one	e):		
□ 12" □ 15" □ 18"	□ 30"	□ 45" □ 54" □ 72"	□ 12" □ 15" □ 18"		□ 24" □ 30" □ 36"		□ 45" □ 54" □ 72"
Locker Depth (select of 12-DEPTH    15-DEPTH   18-DEPTH	ne): 12" Deep Slope Top 15" Deep Slope Top 18" Deep Slope Top		Base Hei □ 3" □ 5" □ 7"	ght (select one 3" High Base 5" High Base 7" High Base	i):	□ 4" □ 6" □ 8"	4" High Base 6" High Base 8" High Base
□ 21-DEPTH □ 24-DEPTH	21" Deep Slope Top 24" Deep Slope Top		□ 12-DI		12" Deep Base		
Slope Top Color (select one):  Beige Hunter Green Black Linen			□ 15-DE □ 18-DE □ 21-DE □ 24-DE	EPTH EPTH	15" Deep Base 18" Deep Base 21" Deep Base 24" Deep Base		
□ Bronze    □ Moss     □ Burgundy    □ Red     □ Buttermilk    □ Sky Blue     □ Canyon Granite    □ Starry Night <sup>†</sup>		Base Col	or (select one)	□ Special C	Color I, White N	<b>//A</b>	
☐ Charcoal Gray ☐ Deep Blue ☐ Desert Stone ☐ Dove Stone† ☐ Gray	☐ Toffee ☐ White ☐ 100% Post-Cons ☐ 100% Pre-Consu						
Locker Top Type (select one):							
☐ CONT-SLOPE ☐ INDIV-SLOPE	Optional Continuous Slop Optional Individual Slope	•					
Pre-Cut Corner Slope T	on:						

36" x 36" x Locker Depth

□ CORNER

<sup>\*\* 100%</sup> Post-Consumer HDPE may have some minor flaws and the color may be inconsistent.

<sup>†</sup> Dove Stone locker will have white hinge and handle. Starry Night locker will have black hinge and handle.



Model  LENOXENDPANEL	<b>Description</b> Optional End Panel	Model  □ LENOXFLATTOP	<b>Description</b> Optional Flat Top		
Optional Selections		Optional Selections			
End Panel Color (select one):		Flat Top Color (select one):			
□ Beige □ Black □ Bronze □ Burgundy □ Buttermilk □ Canyon Granite □ Charcoal Gray □ Deep Blue □ Desert Stone □ Dove Stone† □ Gray	☐ Hunter Green ☐ Linen ☐ Moss ☐ Red ☐ Sky Blue ☐ Starry Night† ☐ Toffee ☐ White ☐ 100% Post-Consumer Charcoal Gray** ☐ 100% Pre-Consumer Black	□ Beige □ Black □ Bronze □ Burgundy □ Buttermilk □ Canyon Granite □ Charcoal Gray □ Deep Blue □ Desert Stone □ Dove Stone† □ Gray	☐ Hunter Green ☐ Linen ☐ Moss ☐ Red ☐ Sky Blue ☐ Starry Night† ☐ Toffee ☐ White ☐ 100% Post-Consumer Charcoal Gray** ☐ 100% Post-Consumer Toffee** ☐ 100% Pre-Consumer Black		
Locker End Type (select one):  SINGLE-ENDPANEL Single Type End Panel DOUBLE-ENDPANEL Double (Island) End Panel for Back-To-Back Lockers  Locker Height (select one): 24-HGT 24" High End Panel (Nom. Height)		Flat Top Length (selec: ☐ 12" ☐ 36" ☐ 15" ☐ 45" ☐ 18" ☐ 54"	t une):		
		□ 24" □ 72" □ 30"			
☐ 36-HGT ☐ 48-HGT ☐ 60-HGT ☐ 72-HGT	36" High End Panel (Nom. Height) 48" High End Panel (Nom. Height) 60" High End Panel 72" High End Panel	Flat Top Depth (select  12-DEPTH  15-DEPTH  18-DEPTH	one): 12" Deep Flat Top 15" Deep Flat Top 18" Deep Flat Top		
Locker Depth (select one):  12" Deep End Panel (Nom. Height)		□ 21-DEPTH □ 24-DEPTH	21" Deep Flat Top 24" Deep Flat Top		
☐ 15-DEPTH ☐ 18-DEPTH ☐ 21-DEPTH ☐ 24-DEPTH	15" Deep End Panel 18" Deep End Panel 21" Deep End Panel 24" Deep End Panel	Flat Top Thickness:	½" Thick Flat Top		
Locker Top Type:	Optional - Select if End Panel is for lockers w/ Slope Top				

<sup>\*\* 100%</sup> Post-Consumer HDPE may have some minor flaws and the color may be inconsistent.



Model  □ LENOXFILLER	<b>Description</b> Optional Filler				
Ontional Salactio	ne				
Optional Scientio	Optional Selections				
Locker Height (select one):					
□ 24-HGT	24" High Filler (Nom. Height)				
□ 36-HGT	36" High Filler (Nom. Height)				
□ 48-HGT	48" High Filler (Nom. Height)				
□ 60-HGT	60" High Filler				
□ 72-HGT	72" High Filler				
Filler Width (select one):					
□ <b>3-WIDTH</b> 3" Wide Filler					
□ 6-WIDTH	6" Wide Filler				
□ 12-WIDTH	12" Wide Filler				
□ 15-WIDTH	15" Wide Filler				
□ 18-WIDTH	18" Wide Filler				
Filler Color (select one):					
☐ Beige	☐ Hunter Green				
□ Black	☐ Linen				
☐ Bronze	☐ Moss				
☐ Burgundy	□ Red				
☐ Buttermilk	☐ Sky Blue				
☐ Canyon Granite	☐ Starry Night <sup>†</sup>				
☐ Charcoal Gray	☐ Toffee				
☐ Deep Blue	☐ White				
☐ Desert Stone☐ Dove Stone <sup>†</sup>	☐ 100% Post-Consumer Charcoal Gray** ☐ 100% Post-Consumer Toffee**				
	☐ 100% Post-Consumer Toffee** ☐ 100% Pre-Consumer Black				
□ Gray	LI 100 /0 FTE-CONSUMER DIACK				

<sup>\*\* 100%</sup> Post-Consumer HDPE may have some minor flaws and the color may be inconsistent.