

Forbo Moisture Limitor

10-Year Limited Warranty

What Does This Warranty Cover? Forbo Flooring, Inc. ("Forbo") warrants that Forbo Moisture Limitor, when installed with Forbo flooring products in a professional manner by a Forbo certified installer and in accordance with Forbo guidelines for use and installation: (i) will reduce concrete moisture vapor emissions from a high of 8.0 pounds per 1,000 square feet per 24 hours to acceptable limits for Forbo T 940, C 930, FRT 950 or 660 adhesives, or a high of 11.0 pounds per 1,000 square feet per 24 hours to acceptable limits for Forbo L 885, FRS 885 and V 885 moisture resistant adhesives as determined by testing conducted in accordance with ASTM F 1869, (ii) can be used for application over hard, well-bonded adhesive residue*, including "cutback" residue* and (iii) will bond to and encapsulate existing adhesive residue to form a protective barrier against migration.

**Residue means residual staining that is left after all adhesive has been scraped away down to the concrete surface.*

How Long Does The Coverage Last? This limited warranty lasts for a period of ten (10) years from the original date of purchase.

What Will Forbo Do? Subject to the qualifications expressed elsewhere in this limited warranty, if flooring material installed above the Forbo Moisture Limitor is damaged as a result of the failure of the Forbo Moisture Limitor to perform as warranted above, Forbo will (i) replace, free of charge, the damaged flooring material with flooring material of the same or similar quality and (ii) pay for reasonable removal and installation labor costs to replace the damaged flooring material, which costs shall be determined by Forbo.

What Does This Warranty Not Cover? This limited warranty does not cover damage to flooring material not manufactured or supplied by Forbo. This limited warranty does not cover flooring material which has been subjected to misuse, neglect, accident or abuse, or which has not been installed, cleaned or otherwise maintained in accordance with Forbo's written instructions. This limited warranty does not cover damage to flooring material resulting from concrete moisture vapor emissions which exceed 8.0 pounds per 1,000 square feet per 24 hours when using Forbo T 940, C 930, FRT 950 or 660 adhesives, 11.0 pounds per 1,000 square feet per 24 hours when using L 885, FRS 885 and V 885 moisture resistant adhesives or concrete internal relative humidity which exceeds 90%, during or after the application of Moisture Limitor. In addition to the foregoing limitations, this limited warranty shall not cover damage to flooring materials caused by any reason other than the failure of the Forbo Moisture Limitor to perform as warranted.

What Do You Need To Do To Receive Warranty Coverage? In order to be eligible to submit a claim under this limited warranty, you must first comply with each of the following requirements:

1. The installation must be completed using Forbo flooring products installed in a professional manner by a Forbo certified installer and in strict conformity with all written guidelines for use and installation of Forbo Moisture Limitor.
2. The substrate must be prepared following industry standards and all recommended guidelines.
3. Concrete moisture vapor emissions must not exceed 8.0 lbs. per 1,000 square feet per 24 hours when using Forbo T 940, C 930, FRT 950 or 660 adhesives, or 11.0 lbs. per 1,000 square feet per 24 hours when using L 885, FRS 885 and V 885 moisture resistant adhesives during or after the application of Moisture Limitor as determined by tests conducted in accordance with ASTM F 1869.
4. The internal relative humidity of the concrete must not exceed 90% during or after the application of Moisture Limitor as determined by tests conducted in accordance with ASTM F 2170.
5. You must submit a completed Warranty Registration Form (including all required test results) to Forbo for each project within 30 days of completion of the floor installation. If a project is to be completed in phases, a separate Warranty Registration Form (including all required test results) must be submitted for each phase within 30 days of completion of the floor installation for such phase.

Who Should You Contact If You Experience A Problem? If you experience any problem with Forbo Moisture Limitor, please submit a detailed claim in writing to Forbo at:

Forbo Flooring, Inc.
Attn: Technical Services
Humboldt Industrial Park, 18 Maplewood Drive
P.O. Box 667
Hazleton, Pennsylvania 18202
Phone: +570 459 0771 or +800 842 7839
Fax: +570 450 0330

Please be prepared to submit the following information along with all other information requested by Forbo with your claim under this limited warranty: the date, location and size of the installation and the names and phone numbers of all parties relevant to the claim.

Forbo Moisture Limitor 10-Year Limited Warranty

(Continued)

Will Forbo Inspect the Damage? Any replacement flooring material and payment for reasonable removal and installation labor costs will be provided only after Forbo determines that the damage to the flooring material resulted from the failure of the Forbo Moisture Limitor to perform as warranted under this limited warranty. After Forbo is notified of a claim, Forbo reserves the right to have an authorized Forbo representative inspect the damaged floor to determine whether the damage was a result of the failure of the Forbo Moisture Limitor to perform as warranted under this limited warranty. Forbo and its representatives must be permitted reasonable access to the floor for the inspection and testing. All claims of defect shall be deemed waived unless made in writing and delivered to Forbo during the warranty period and not later than thirty days after discovery of the damage.

What Other Terms Govern this Warranty? Each of us (i) agrees that all actions and proceedings relating directly or indirectly to this limited warranty shall be litigated in state or federal courts located in, or having jurisdiction and venue over, Luzerne County, Pennsylvania; (ii) consents to the jurisdiction and venue of any such court and consents to service of process in any such action or proceeding by personal delivery or any other method permitted by law; and (iii) waives any and all rights either of us may have to object to the jurisdiction of any such court, or to transfer or change the venue of any such action or proceeding. WE FURTHER EACH WAIVE THE RIGHT TO TRIAL BY JURY IN ANY ACTION OR PROCEEDING BASED UPON, ARISING OUT OF, OR IN ANY WAY RELATING TO, THESE TERMS AND CONDITIONS. We further agree that this limited warranty may not be extended, altered or waived except in writing signed by an authorized officer of Forbo. ANY ACTION FOR BREACH HEREUNDER MUST BE COMMENCED WITHIN ONE YEAR AFTER THE CAUSE OF ACTION HAS ACCRUED. The limitation of remedies and limitation of liabilities under this limited warranty shall extend and apply to Forbo Flooring, Inc. and its affiliated companies. All claims for warranty coverage under this limited warranty shall be made solely to Forbo in accordance with the terms of this limited warranty. Forbo shall be entitled to recover legal fees, costs and expenses in defending and enforcing this limited warranty against purchaser, property owner and others. This limited warranty shall be construed and enforced in accordance with the laws of the Commonwealth of Pennsylvania without regard to conflicts of laws and not including the United Nations Convention on Contracts for the International Sales of Goods. THIS LIMITED WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY PROVIDED BY FORBO AND REPLACES ALL OTHER ORAL OR WRITTEN WARRANTIES, LIABILITIES OR OBLIGATIONS OF FORBO. Forbo does not grant to any person or entity (including its field representatives, dealers or distributors) the authority to create for it any obligation or liability in connection with the Forbo Moisture Limitor.

FORBO'S TOTAL, COMPLETE AND EXCLUSIVE LIABILITY HEREUNDER SHALL BE LIMITED TO REPLACEMENT OF DAMAGED FLOORING (AND REASONABLE REMOVAL AND INSTALLATION COSTS) AS PROVIDED HEREIN AND SHALL NOT EXCEED THE VALUE OF THE DEFECTIVE PRODUCT FURNISHED. PURCHASER AND PROPERTY OWNER WAIVE ALL OTHER REMEDIES, WARRANTIES AND LIABILITIES OF ANY KIND, EXPRESS OR IMPLIED (TO THE EXTENT PERMITTED BY APPLICABLE LAW), WHETHER ARISING BY OPERATION OF LAW OR OTHERWISE. FORBO SHALL NOT BE LIABLE FOR LOSS OF PROFITS, DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL, PUNITIVE OR OTHER DAMAGES UNDER THIS LIMITED WARRANTY OR FROM ANY CAUSE WHATSOEVER, WHETHER BASED UPON WARRANTY, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE. SOME STATES DO NOT ALLOW LIMITATIONS ON, OR THE EXCLUSION OF, INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE EXCLUSIONS MAY NOT APPLY TO YOU. This exclusive and limited remedy shall not fail of its essential purpose by reason of timeliness, caused by reasons beyond Forbo's reasonable control or the general concerns of purchaser or property owner.

Reg. # _____ (Forbo use Only)



10-Year Limited

Warranty Registration Form

Job Name: _____ Date of Application: _____

Address: _____ Job Number: _____

City: State: Zip: _____ Total Square Feet: _____

Flooring Contractor: _____ Square Feet This Phase: _____

Contact: _____ Phone: _____ Email: _____

Substrate(s): Concrete ☐ Terrazzo ☐ Wood ☐ Other: _____

Grade Level: On ☐ Above ☐ Below ☐

HVAC must function continually 48 hours before moisture testing begins and thereafter until job completion.

Is permanent HVAC operational? Yes ☐ No ☐

Moisture testing range of results: High _____ lbs. Low _____ lbs. (Attach copies of all moisture testing)

Is adhesive residue present? Yes ☐ No ☐ If so, what type? _____

Forbo Order Number: _____ Moisture Limitor Batch Number: _____

Amount of Moisture Limitor Ordered _____ Pails Time Last Coat Applied _____

Amount of Moisture Limitor Used _____ Pails Time Adhesive Application began _____

Flooring Materials Used	Sq. Ft.	Adhesive Used

Areas Installed: _____

Flooring Contractor: _____ Address: _____

Name(s) of Forbo Certified Installer(s): _____ City: _____

_____ State: _____ Zip: _____

_____ Phone: _____ FAX: _____

_____ Contact: _____

I hereby certify this information to be true and complete.

General Contractor: _____ Date _____

Flooring Contractor: _____ Date _____

To be covered by the limited warranty, you must submit a completed Warranty Registration Form (including all required test results) to Forbo for each project within 30 days of completion of the floor installation. If a project is to be completed in phases, a separate Warranty Registration Form (including all required test results) must be submitted for each phase within 30 days of completion of the floor installation for such phase.

Please submit completed form, along with moisture test results, to Forbo Flooring, Inc. at the following address:

Forbo Flooring, Inc.
Attn: Technical Services
Humboldt Industrial Park, Maplewood Drive
P.O. Box 667
Hazleton, Pennsylvania 18202

Phone: +570 459 0771 or +800 842 7839
Fax: +570 450 0330



10-Year Warranty Registration

Substrate Moisture / Alkalinity Test Results

Job Location: _____ Date: _____

General Contractor: _____

Flooring Contractor(s): _____

Area(s) Tested: _____ Sq. Ft. _____ # of tests performed: _____

Substrate: Concrete: New ☐ Existing ☐ # of Floors: _____ On Grade: _____

Wood: New ☐ Existing ☐ Below Grade: _____

Other: _____ Above Grade: _____

Existing floor covering: Yes ☐ No ☐ Type: _____

Existing adhesive: Yes ☐ No ☐ Type: _____

Removal Method: (mechanically) (chemically)

To be covered by the limited warranty, copies of this Moisture Limitor Subfloor Test Form must be attached to the Warranty Registration Form, and submitted with the Warranty Registration form to Forbo Flooring, Inc., Attention: Technical Services, at the address set forth on the Warranty Registration Form.

MVER / in situ RH / pH Test Results

The permanent HVAC must be fully operational and controlled for a minimum of 48 hours before moisture testing begins and thereafter until job completion.

Beginning ambient temperature _____ Humidity _____

Ending ambient temperature _____ Humidity _____

Test # _____ Location: _____ Start Date: _____ Time: _____ Weight: _____

End Date: _____ Time: _____ Weight _____

Initials _____ pH _____ MVER _____

In situ RH _____

Test # _____ Location: _____ Start Date: _____ Time: _____ Weight: _____

End Date: _____ Time: _____ Weight _____

Initials _____ pH _____ MVER _____

In situ RH _____

Test # _____ Location: _____ Start Date: _____ Time: _____ Weight: _____

End Date: _____ Time: _____ Weight _____

Initials _____ pH _____ MVER _____

In situ RH _____

MVER / In situ RH / pH Test Results

The permanent HVAC must be fully operational and controlled for a minimum of 48 hours before moisture testing begins and thereafter until job completion.

Beginning ambient temperature _____ Humidity _____

Ending ambient temperature _____ Humidity _____

Test # _____	Location: _____	Start Date: _____	Time: _____	Weight: _____
		End Date: _____	Time: _____	Weight _____
Initials _____			pH _____	MVER _____
				In situ RH _____

Test # _____	Location: _____	Start Date: _____	Time: _____	Weight: _____
		End Date: _____	Time: _____	Weight _____
Initials _____			pH _____	MVER _____
				In situ RH _____

Test # _____	Location: _____	Start Date: _____	Time: _____	Weight: _____
		End Date: _____	Time: _____	Weight _____
Initials _____			pH _____	MVER _____
				In situ RH _____

Test # _____	Location: _____	Start Date: _____	Time: _____	Weight: _____
		End Date: _____	Time: _____	Weight _____
Initials _____			pH _____	MVER _____
				In situ RH _____

Test # _____	Location: _____	Start Date: _____	Time: _____	Weight: _____
		End Date: _____	Time: _____	Weight _____
Initials _____			pH _____	MVER _____
				In situ RH _____

Test # _____	Location: _____	Start Date: _____	Time: _____	Weight: _____
		End Date: _____	Time: _____	Weight _____
Initials _____			pH _____	MVER _____
				In situ RH _____

Test # _____	Location: _____	Start Date: _____	Time: _____	Weight: _____
		End Date: _____	Time: _____	Weight _____
Initials _____			pH _____	MVER _____
				In situ RH _____

Test # _____	Location: _____	Start Date: _____	Time: _____	Weight: _____
		End Date: _____	Time: _____	Weight _____
Initials _____			pH _____	MVER _____
				In situ RH _____
