Skyrise





Engineered to meet the highest of challenges

In the last 100 years, 10 buildings earned the distinction of being the world's tallest. Eight of them relied upon Otis for their elevator systems.



Metropolitan Life Insurance Company Tower 1909

700 Feet (213 Meters) Woolworth Building

1913 792 Feet (241 Meters) 40 Wall Street

1930 927 Feet (283 Meters) **Chrysler Building**

1930 1,046 Feet (319 Meters) Empire State Building

1930 1,250 Feet (381 Meters) One World Trade Center

1972 1,368 Feet (417 Meters)

Skyscraper diagrams @Skyscraper Source Media, Inc. Skyscraperpage.com Cover image courtesy of Emaar Properties

The Skyrise system delivers:




Space-Saving Design



Superior Passenger Experience



Green Technology



Willis Tower (Formerly Sears Tower)

> 1974 1,451 Feet (442 Meters)

Petronas Towers

1998 1,483 Feet (452 Meters) Taipei 101

2004 1,671 Feet (508 Meters) Burj Khalifa

2010 2,717 Feet (828 Meters)



Project Management



Proven Reliability

Space-Saving Design

Smaller is better

Designed for flexibility, the Skyrise system features smaller, optimized components for a smaller hoistway. These features free up valuable core space inside your building.



Smaller controller

Using the latest innovative design technology, the Skyrise system's controller is more than 50% smaller than conventional high-rise controllers.




Smaller machine

The Skyrise machine reflects a new, more compact design, which is up to 40% smaller than previous models.



Smaller machine room

With smaller components, you can also enjoy a smaller machine room and greater design flexibility.





Superior Passenger Experience

Taking the passenger experience to a new level

Skyrise is engineered to deliver a remarkably smooth, comfortable passenger experience while ensuring the highest levels of performance and reliability.



ULTRA™ roller guides

Otis' self-adjusting ULTRA roller guides keep the elevator car properly aligned as it moves up and down the hoistway. The result is a quieter, smoother ride with up to 50 percent less lateral vibration.



Otis Glide™ P door operator

The innovative Otis Glide P door operator features dual motors and permanent magnet technology to deliver industry-leading performance that is fast, smooth and reliable.



Aerodynamic cab

The Skyrise elevator cab's design is the result of Otis' extensive sound and vibration analysis. The cab's curved lines and unique construction help minimize noise and vibration for smooth, quiet travel.

SNAP motion control

The Skyrise system's advanced SNAP motion control profiles adjust elevator motion for enhanced passenger comfort throughout each trip. SNAP technology reduces car vibration by up to 35% at the start and end of each elevator run.

Options



Compass® destination management

The Compass system offers tenants and visitors personalized elevator service while improving the flow of building traffic. The system is fully customizable to meet your building's design, traffic and security needs.



Custom aesthetics

Otis offers a range of aesthetic options to support your unique design vision.


Green Technology


Innovation meets sustainability

Otis is leading the industry with The Way to Green – our end-to-end commitment to incorporating environmental awareness into everything we do. We encourage and enable more than 60,000 employees worldwide to address the future positively and proactively. The Skyrise system strongly reflects this commitment. Its lighter cab design and energy-saving technologies help reduce energy consumption while delivering superior passenger travel.

Top-rated for energy efficiency

The energy-efficiency of Skyrise systems has been validated based on standards set by Verein Deutscher Ingeniure (VDI) – one of the largest technical-scientific associations in Europe. Based on performance, Skyrise systems achieved an overall "A" class rating – the highest of all VDI ratings.







ReGen® technology

ReGen drives deliver substantial energy savings while helping to meet or exceed worldwide standards.
ReGen drives capture energy that is usually lost and feed it back into the building's internal electrical grid so it can be re-used by other building systems. Thanks to low harmonic distortion, this recycled energy provides clean power, minimizing impact to your building's electrical system.



Highly-efficient permanent magnet machine

The Skyrise system's permanent magnet machine delivers increased energy efficiency. It reduces energy loss by up to 35 percent compared to induction machines.





With the Otis ReGen drive:

Energy created by your elevator is captured by the ReGen drive and is put to use – it's fed into your building's electrical grid.

Energy is captured and used.



Sleep mode

Lights and fan are shut down when there's no demand, making LED lighting up to 80 percent more efficient than conventional lighting. The system seamlessly springs back to life with the press of a call button.

Reducing power requirements and costs

The Skyrise system's motor requires less power than DC machines, providing the opportunity to reduce overall power requirements by up to 20 percent. This can help save significant installation and operational costs.





Project Management

A global team of experts to help you reach new heights

Otis' team has one goal in mind: providing expert support and solutions to ensure your project's success.

Industry-leading expertise

Our project teams will partner with you through each challenge and develop innovative solutions to meet your project's needs. We have a lengthy track record of success in supporting the most iconic and ambitious projects by drawing on our extensive experience and resources.

We are committed to continually building on our strengths through our world-class training program: Otis' Major Project Management University. We train and develop talented project managers around the world who bring a wealth of knowledge and experience to each project along with a genuine commitment to our customers' success.


Proven processes for streamlined, efficient installation

Our approach is based on detailed planning and accountability throughout the process and constant communication from start to finish. On the jobsite, our teams leverage our standard installation procedures to ensure progress aligned with your schedule.

Otis employees use the safest and most efficient installation techniques, such as scaffold-less installation, traditional jump lifts and self-climbing jump lifts. In fact, Otis developed the self-climbing jump lift – a technique utilizing a hydraulic push-and-pull system to optimize safety, delivery time and logistics.

Benefits of the self-climbing jump lift

- Early installation in the construction process (after the first few floors are complete).
- Eliminates the need for cranes.
- Reduces interruption to other building contractors.
- Accelerates job site logistics since each floor jump can be completed in four hours.
- Safer than conventional methods such as cranes or construction hoists.



Self-climbing Jump Lift

Proven Reliability

The hallmark of exceptional design and reliability

By incorporating the latest technological advances, the Skyrise system raises the bar for safety, performance and reliability. This elevator system also reflects Otis' constant commitment to quality – from the global engineering expertise integral to the design to the rigorous product testing performed at state-of-the-art research and development facilities worldwide.



Engineered for reliability

The Skyrise control system continuously monitors individual safety devices thousands of times per second. Enhanced diagnostics and setup functions improve system robustness. The system's innovative design also eliminates relays and position tapes from the control system for increased overall reliability. In addition, the controller's CAN communications architecture dramatically simplifies hoistway system wiring and increases data transfer speed.



OMMS® maintenance support


The Otis Maintenance Management System (OMMS) is a predictive and preventative system, ensuring fewer service calls and less downtime than any other plan in the industry.



Otis EliteSM service

Otis Elite service takes elevator service to a new level. Elite experts dedicated to your elevator provide industry-leading response time because they are able to remotely interact with your elevator. Otis Elite service provides a guaranteed 15-minute response time, real-time updates and unprecedented control.





Specifications

Rising to meet the highest of challenges

Skyrise is Otis' premier high-speed elevator system, designed and engineered for the world's most prestigious skyscrapers and high-rise residential and commercial buildings.

Our high-rise expertise is rooted in innovation and experience. From concept to completion, let us create customized solutions to meet the unique needs of your project.

Type of Deck	Duty Range	Speed Range	Max. Stops	Rise
Single Deck	2100–10,000 lbs 900–4500 kg	500-2000 fpm 2–10 m/s	140	1625 ft 500 m
Double-Deck	2500/2500–5000/5000 lbs 1150/1150–2250/2250 kg	800–2000 fpm 4–10 m/s	140	1300 ft 400 m
Super Double-Deck	3000/3000–4000/4000 lbs 1350/1350–1800/1800 kg	800-2000 fpm 4–10 m/s	140	975 ft 300 m



Otis Elevator Company is the world's largest manufacturer and maintainer of people-moving products including elevators, escalators and moving walkways.

With headquarters in Farmington, Connecticut, Otis employs 60,000 people globally, offers products and services in more than 200 countries and territories and maintains over 1.8 million elevators and escalators worldwide.

United Technologies Corp., based in Hartford, Connecticut, is a diversified company providing high technology products and services to the building and aerospace industries.

www.otis.com