

# Durable & Decorative Wall Panel Solutions



Innovative wall panel system combines the durability of frp with design and color options.



**Glasbord®**  
frp Design Solutions  
**Sanigrid® II**

# Glasbord®

fiberglass panel with *Surfaseal®*

Use **Glasbord** panels in the "back room" for a sanitary and durable finish that meets USDA/FSIS requirements. Glasbord is mold and mildew free, moisture resistant, tough, easy to install, and easy to clean. Setting the industry standard in frp wall panels, Glasbord is the only panel with Surfaseal®.

## FACILITY APPLICATIONS

"Back of the House"

- Restaurant Kitchens
- Convenience Stores
- Food Processing Plants
- Storage Areas
- Restrooms
- Locker Rooms

## PRODUCT INFORMATION

**Size:** Available in 4' x 8', 4' x 9', and 4' x 10' wall panels. In stock for immediate delivery.

**Thickness:** 0.09" nominal.

**Fire rating:** Class A and Class C fire rated per ASTM E-84. Meets Canadian code CAN/ULC-S102 test method results of  $\leq 150$  flame spread and  $\leq 300$  smoke developed.

**Colors:** Available in seven colors with a pebble embossed finish. Also available in a smooth white finish.

**Kemply®:** Kemlite frp panels laminated to a rigid substrate: **Gypsum, Plywood, Oriented Strand Board (OSB), and Fluted Polypropylene**



The **ONLY**  
frp with  
Surfaseal



# Varietex®



With a variety of textures in earth tone colors, the **Varietex** panel is an economical decorative panel. The surface of any wall is easily upgraded with a **sandstone, linen, cedar or beaded finish** in earthtone colors. As with all frp panels, Varietex is mold and mildew free.

## FACILITY APPLICATIONS

*"Front of the House"*

- School Hallways & Cafeterias
- Hospital Waiting Rooms
- Assisted Living Centers
- Restrooms
- Health Club Lobbies
- Day Care Centers

## PRODUCT INFORMATION

- Size:** Available in 4' x 8' and 4' x 10' wall panels. Contact Crane Composites, Inc. for availability.
- Thickness:** 0.09" nominal.
- Fire rating:** Class A and Class C fire rated per ASTM E-84. (Beaded only in Class C). Meets Canadian code CAN/ULC-S102 test method results of  $\leq 150$  flame spread and  $\leq 300$  smoke developed.
- Colors:** Four finishes (Sandstone, Linen, Cedar and Beaded) available in earth tone colors. Custom Color Matches available with a 12,000 sq. ft. minimum order.





The **Matrex** panel has a high gloss gelcoat surface in solid colors. Matrex panels with standard 4" sealed simulated grout lines are easy to maintain. Matrex is also available in an economical sandstone finish. Additional scoring patterns are available in 2" x 2", 3" x 3", 6" x 6", 8" x 8", and 12" x 12".

### FACILITY APPLICATIONS

*"Front of the House"*

- Food Preparation Areas
- Supermarket Deli Areas
- School Cafeterias
- Restrooms
- Retail Sales Areas
- Health Club Lobbies





### PRODUCT INFORMATION


- Size:** Available in 4' x 8' and 4' x 10' wall panels. Contact Crane Composites, Inc. for availability.
- Thickness:** 0.09" nominal.
- Fire rating:** All products are Class C fire rated per ASTM E-84. Matrex Sandstone finish available in Class A and meets Canadian code CAN/ULC-S102 test method results of  $\leq 150$  flame spread and  $\leq 300$  smoke developed.
- Colors:** Available in these design offerings:  
**Matrex GCT** - High gloss gelcoat solid colors  
**Matrex ST** - Semi-smooth sandstone texture  
Custom Color Matches available with a 12,000 sq. ft. minimum order.



**Gelcoat**



**Sandstone**





The **Sanigrid II** fiberglass ceiling grid system is known for its moisture and corrosion resistance in high humidity and chemical environment installations. It will not rust, pit, dent, or peel like metal grid systems.

## FACILITY APPLICATIONS

### *"Back of the House"*

- Food Processing Plants
- Refrigerated Warehouses
- Chemical Processing Plants
- Restaurant/Kitchens
- Restrooms
- Hospitality

## PRODUCT INFORMATION

- Size:** Available in 2' x 2' and 2' x 4' ceiling configurations.  
In stock for immediate delivery.
- Fire rating:** Class A fire rated per ASTM E-84.
- Colors:** Available in white.





## Silhouette Trims®

- **Size:** Available in 10' lengths.
- **Design:** Silhouette Trims have a narrower face for a sleeker appearance.
- **Profiles:** Division Bar, Inside Corner, Outside Corner, and End Cap.



## Millennium Trims™

- **Size:** Available in 10' lengths.
- **Design:** Tomorrow's New Aluminum Look...Vinyl trims with the distinct look of aluminum in silver and champagne
- **Profiles:** Division Bar, 2-Piece Division Bar, Inside Corner, Outside Corner, End Cap, Inside Angle, and Outside Angle.



## Aluminum Trims

- **Size:** Available in 10' lengths.
- **Design:** Painted aluminum finish provides a cool metallic look.
- **Color:** Silver
- **Profiles:** Division Bar, Inside Corner, Outside Corner, and End Cap.



## White and Almond Sealant

- **Design:** Silicone caulk to match simulated grout lines.
- **Colors:** Available in white and almond.



## Standard Vinyl Moldings

- **Size:** Available in 8' and 10' lengths.
- **Design:** Coordinated vinyl moldings to match Glasbord panel colors.
- **Profiles:** Division Bar, Inside Corner, Outside Corner, and End Cap; Kemply moldings also available.



## White Beaded Panel Moldings

- **Size:** Available in 10' lengths.
- **Design:** Division Bar especially designed with a beaded finish in white.
- **Profiles:** Division Bar (use standard white vinyl moldings for other profiles).



## Roller and Trowel

- **Size:** Roller handle quickly adjusts from 17" to 27".  
Trowel has 5/16" x 3/16" x 1/4" V
- **Design:** Roller is sturdy and nickel plated. No axle projections, allowing for flush work into corners.  
Trowel has cold rolled steel blade, with a molded polypropylene handle.