



INNOVATIONS FOR LIVING®



The Roofing Collection Architect Product Guide

Duration® Premium Onyx Black†
Cultured Stone® Veneer Gray Cobblefield®†

A beautiful decision.

Choose beauty. And performance too.

Owens Corning created roofing shingles that do more than protect a structure from the elements. Our shingle lineup is beautiful, too, and boasts a wide selection of color blends and styles that will complement the exterior design elements of any building.

From muted to bold, traditional to dimensional—and beyond—roofing shingles from Owens Corning feature richly colored granules that can help you craft the look of your choice. A look that delivers customer satisfaction and curb appeal for years to come.

Our eye-catching shingles come with maximum durability built in. So you can feel confident about choosing our roofing products. After all, Owens Corning has been a recognized leader in the building materials industry for over 65 years. We're known for making homes more comfortable, beautiful and durable. And we can do the same for your next project.



Woodmoor® Chestnut'

Optimal Performance and Appearance



Berkshire® Collection

pages 3–6



Woodmoor® & Woodcrest® Collection

pages 7–10



WeatherGuard® HP Shingles

pages 11–14



Duration® Series Shingles
with SureNail® Technology

pages 15–22



Oakridge® Shingles

page 23



Prominence® Shingles

page 23



Supreme® & Classic® Shingles

page 23

Basic Performance and Appearance



Roofing Accessories

page 24



Berkshire®
Sherwood Beige™

BERKSHIRE® COLLECTION

Berkshire® Collection Shingles

Discover the difference that Berkshire® Collection shingles can make. With a thickness, proportion and color selection reminiscent of natural slate, these shingles make a unique, elegant statement. And the *Berkshire* Collection proves it's as solid as it looks with a Limited Lifetime Warranty,** a 110-MPH Wind Resistance Limited Warranty* and our Algae Resistance Limited Warranty.*

* See actual warranty for complete details, limitations and requirements.

** 50-Year Limited Warranty on commercial projects.

Product Attributes

Warranty Length*

Limited Lifetime

Wind Resistance Limited Warranty*

110 MPH

Algae Resistance Limited Warranty*

15 Years

Tru PROtection® Non-Prorated Limited Warranty* Period

10 Years

Berkshire® Shingles Product Specifications


Nominal Size	18¾" x 38"
Nominal Weight	360 lbs.
Exposure	8⅜"
Shingles per Square	45
Bundles per Square	5 bundles of 9 shingles
Coverage per Square	99.5 sq. ft.

Berkshire® Hip & Ridge Product Specifications

Nominal Size	12" x 12"
Exposure	8"
Pieces per Carton	32
Lineal Feet per Carton	21.3

Applicable Standards and Codes

- ICC ESR 1372
- ASTM D 3462
- ASTM E 108, Class A Fire
- ASTM D 3161, Wind
- ASTM D 3018, Type 1
- UL 790, Class A
- UL 997, Wind
- Florida Building Code
- Miami-Dade County Approved^{††}
- CSA 123.5



* See actual warranty for complete details, limitations and requirements.
 †† Applies for all areas that recognize Miami-Dade County Building Code.



Colors shown below are available in all Service Areas.



Dover Mist†



Manchester Grey†



Canterbury Black†



Chelsea Green†



Sherwood Beige†



Concord†



New Bedford Bronze†



Colonial†



Woodmoor® Chestnut†
Cultured Stone® Veneer Bucks County Rockface†

WOODMOOR® & WOODCREST®

Woodmoor® & Woodcrest® Collection Shingles

The natural, rustic appearance of these shingles evokes the look of wood shake. Woodmoor® shingles come with a Limited Lifetime Warranty,** 110-MPH Wind Resistance Limited Warranty* and Algae Resistance Limited Warranty. Woodcrest® shingles are backed by a Limited Lifetime Warranty** with 90-MPH Wind Resistance Limited Warranty.

* See actual warranty for complete details, limitations and requirements.

** 50-Year Limited Warranty for commercial projects.

Product Attributes

Warranty Length*

Limited Lifetime—Woodmoor®
 Limited Lifetime—Woodcrest®

Wind Resistance Limited Warranty*

110 MPH—Woodmoor®
 90 MPH—Woodcrest®

Algae Resistance Limited Warranty*

10 Years—Woodmoor®

Tru PROtection® Non-Prorated Limited Warranty Period

10 Years—Woodmoor®
 10 Years—Woodcrest®

Woodmoor® & Woodcrest® Collection Shingles Product Specifications

	Woodmoor®	Woodcrest®
Nominal Size	14 1/4" x 40"	14 1/4" x 40"
Nominal Weight	465 lbs.	350 lbs.
Exposure	4"	4"
Shingles per Bundle	15	15
Bundles per Square	6	6
Coverage per Square	100 sq. ft.	100 sq. ft.

High Style® Hip & Ridge Product Specifications


	10"	8"
Nominal Size	10" x 16 1/2"	8" x 16 1/2"
Exposure	7 3/4"	7 3/4"
Pieces per Carton	48	48
Lineal Feet per Carton	31	31

WoodStart® Starter Shingles Product Specifications

Nominal Size	40" x 13 3/8"
Pieces per Bundle	16
Lineal Feet per Bundle	53.33

Applicable Standards and Codes

ICC ESR 1372	ASTM D 3018, Type 1
ASTM D 3462	UL 790, Class A
ASTM E 108, Class A Fire	UL 997 Wind
ASTM D 3161, Wind	CSA 123.5



* See actual warranty for complete details, limitations and requirements.



Colors shown below are available in Service Areas 12, 13, 14 (see map).



Carbon†



Granite†



Mesquite†



Sycamore†



Timber†



Chestnut†



Redrock†



WEATHERGUARD® HP

WeatherGuard® HP Shingles

WeatherGuard® HP shingles deliver the ultimate in extreme weather protection without compromising aesthetics. These shingles meet the highest standards for impact resistance—including UL 2218, Class 4—and may qualify homeowners for a premium discount from many insurance companies.† They feature a Limited Lifetime Warranty** and 130-MPH Wind Resistance Limited Warranty* when installed with *WeatherGuard* HP Hip & Ridge shingles. And they also come with a 10-Year Algae Resistance Limited Warranty.

* See actual warranty for complete details, limitations and requirements.

** 50-Year Limited Warranty on commercial projects.

†† Homeowners should check with their insurance company to see if they qualify.

Product Attributes

Warranty Length*

Limited Lifetime

Wind Resistance Limited Warranty*

130 MPH

Algae Resistance Limited Warranty*

10 Years

Tru PROtection® Non-Prorated Limited Warranty*

10 Years

WeatherGuard® HP Shingles Product Specifications


Nominal Size	13 ¹ / ₄ " x 39 ³ / ₈ "
Exposure	5 ⁵ / ₈ "
Shingles per Square	64
Bundles per Square	4
Coverage per Square	98.4 sq. ft.

WeatherGuard® HP Hip & Ridge Product Specifications

Nominal Size	12" x 12"
Exposure	5"
Pieces per Carton	52
Lineal Feet per Carton	21.6

Applicable Standards and Codes

UL 2218, Class 4	ASTM D 3018, Type 1
ASTM D 3462	ASTM D 228
ASTM E 108, Class A	UL 790, Class A
ASTM D 3161	UL 997



* See actual warranty for complete details, limitations and requirements.



Colors shown below are available in Service Areas 8, 10N, 10S, 11, 12 (see map).



Desert Tan†



Driftwood†



Brownwood†



Antique Silver†



Estate Gray†



Onyx Black†





Duration® Premium Desert Tan®
Cultured Stone® Veneer Southwest Blend Pro-Fit® Ledgestone®

DURATION® PREMIUM



Duration® Premium Shingles *with SureNail® Technology*

Duration® Premium shingles with SureNail® Technology have it all: a bold, dimensional look, plus impressive durability. These beautiful shingles are designed for long-lasting performance, with a Limited Lifetime Warranty^{***} and 130-MPH Wind Resistance Limited Warranty,^{*} plus Algae Resistance on a regional basis.

^{*} See actual warranty for complete details, limitations and requirements.

^{**} 50-Year Limited Warranty for commercial projects.

DURATION®



Duration® Shingles with SureNail® Technology

Durable shingles. Soft, refined look. *Duration* shingles with *SureNail* Technology balance performance with an attractive, well-blended appearance. These shingles also get high marks for durability because of their 30-Year Limited Warranty* with 110-MPH Wind Resistance Limited Warranty* and Algae Resistance on a regional basis.

* See actual warranty for complete details, limitations and requirements.



Duration® Desert Tan
Cultured Stone® Veneer Cedar Limestone®



Duration® Premium Shingles



Amber[†] 2, 6, 13



Desert Tan[†]



Brownwood[†]



Teak[†] 3



Driftwood[†]



Woodland Blend[†] 1, 2, 3, 4, 5N, 5S, 6, 7, 8, 9, 10N, 10S, 11, 12, 14



Duration® Shingles



Amber[†] 2, 6, 13



Desert Tan[†]



Brownwood[†]



Teak[†] 3



Driftwood[†]



Woodland Blend[†] 1, 2, 3, 4, 5N, 5S, 6, 7, 8, 9, 10N, 10S, 11, 12, 14



Onyx Black*



Onyx Black*



Williamsburg Gray* 1, 3, 4, 5N, 5S, 7, 8, 9, 10N, 10S, 11, 12, 13, 14



Williamsburg Gray* 1, 3, 4, 5N, 5S, 7, 8, 9, 10N, 10S, 11, 12, 13, 14



Estate Gray*



Estate Gray*



Slatestone Gray* 2, 3, 4, 5N, 5S, 6, 7, 8, 9, 10N, 10S, 11, 12, 13, 14



Slatestone Gray* 2, 3, 4, 5N, 5S, 6, 7, 8, 9, 10N, 10S, 11, 12, 13, 14



Quarry Gray* 8, 10N, 10S, 11



Quarry Gray* 8, 10N, 10S, 11



Sierra Gray* 2, 3, 6



Sierra Gray* 2, 3, 6



Antique Silver* 1, 2, 4, 5N, 5S, 6, 7, 8, 9, 10N, 10S, 11, 12, 13, 14



Antique Silver* 1, 2, 4, 5N, 5S, 6, 7, 8, 9, 10N, 10S, 11, 12, 13, 14



Shasta White[†] 1, 2, 4, 5N, 5S, 6, 7, 8, 9, 10N, 10S, 11, 13



Colonial Slate[†] 2, 3, 6, 12, 13, 14



Colonial Slate[†] 2, 3, 6, 12, 13, 14



Harbor Blue[†]



Harbor Blue[†]



Chateau Green[†]



Chateau Green[†]



Terra Cotta[†] 13



Terra Cotta[†] 1, 4, 5N, 5S, 7, 9, 13

Colors not available in Service Areas indicated next to color name. See map on page 22 for Service Areas.

Duration® Series shingles with SureNail® Technology: A technological breakthrough in roofing.

Compare the shadowing and texture choices we offer in the Duration® Series shingle line. Whichever *Duration* shingle option you select for your home, you'll rest easy knowing that your new shingles come with our SureNail® Technology built right in. This product breakthrough offers you:

Supersealing Action


Our Tru-Bond® sealant grips tightly to the nailing strip on the shingle below for greater bonding strength. *Duration* Premium shingles with *SureNail* Technology are rated for **130-MPH** winds, and *Duration* shingles with *SureNail* Technology are rated for up to **110-MPH** winds.

SureNail® Wider Nailing Area

New, wider nailing area allows for an improved and consistent installation.

Extra Adhesive Power

Specially formulated, extra-wide adhesive bands help keep shingle layers laminated together in virtually all weather conditions.



Product Attributes

Algae Resistance Limited Warranty*

10 Years—Available on a regional basis

Tru PROtection® Non-Prorated Limited Warranty Period

10 Years—Duration® Premium

5 Years—Duration®

UL Fire Rating

Class A

Shingle Sealant

Tru-Bond**

Shingle Core

Fiberglas® Mat



Duration® Series Shingles Product Specifications

	Duration™ Premium	Duration™
Nominal Size	13¼" x 39⅞"	13¼" x 38¾"
Exposure	5⅝"	5⅝"
Shingles per Square	64	66
Bundles per Square	4	3
Coverage per Square	98.4 sq. ft.	99.9 sq. ft.

Applicable Standards and Codes

ASTM D 3462

ASTM E 108, Class A Fire

ASTM D 3161, Class F Wind

ASTM D 3018, Type 1

Miami-Dade County Approved**


ASTM D 228

UL 790, Class A

UL 997, Wind

CSA 123.5†

Florida Building Code



* See actual warranty for complete details, limitations and requirements.

** Tru-Bond® is a proprietary premium weathering-grade asphalt sealant that is blended by Owens Corning.

†† Applies for all areas that recognize Miami-Dade County Building Code.

‡ Applicable in Service Areas 4, 9 (see map).



Oakridge® Shingles

- Warm, inviting look in popular colors
- A step up from traditional three-tab shingles
- 30-Year Limited Warranty* with 70-MPH Wind Resistance Limited Warranty*
- Algae Resistance available on a regional basis



Desert Tan[†]



Driftwood[†]



Brownwood[†]



Estate Gray[†]



Onyx Black[†]



Sienna Blend[†]

Prominence® Shingles

- Patented color-blending technology for a rich, dimensional appearance
- Engineered to resist roof discoloration from algae growth
- 30-Year Limited Warranty*
- Algae Resistance Limited Warranty*
- Available in Service Areas 1, 4, 5N, 5S, 7, 8, 9, 10N (see map on page 22)



Desert Tan[†]

Supreme® & Classic® Shingles

- Three-tab—solid value with curb appeal and lasting durability
- Constructed of durable weathering-grade asphalt and tough Fiberglas® Mat core
- 25-Year Limited Warranty* for Supreme®
- 20-Year Limited Warranty* for Classic®
- Algae Resistance available on a regional basis

For additional colors, visit www.owenscorning.com.

[†] See actual warranty for complete details, limitations and requirements.

Hip & Ridge Shingles

High Ridge Hip & Ridge Shingles with Sealant

Size: 12" x 12" Exposure: 8"
Available in Service Areas 1, 2, 3, 4, 5N, 5S, 6, 7, 8, 9, 10N, 10S, 11, 12 (see map on page 5)

Available in Algae Resistance on a regional basis.

Applicable Standards and Codes: ICC ESR 1372, UL 790 Class A, UL 997 Wind, Miami-Dade County Approved AR Product*



High Style® Hip & Ridge Shingles with Sealant

Size: 16½" x 8" and 16½" x 10"
Exposure: 7¾"
Available in Service Areas 12, 13, 14 (see map on page 5)

Applicable Standards and Codes: ICC ESR 1372, UL 790 Class A, UL 997 Wind




Hip & Ridge Shingles with Sealant

Size: 13¼" x 39¾" and 12" x 36"
Exposure: 5½" and 5"
Available in Service Areas 9, 12, 13, 14 (see map on page 5)

Available in Algae Resistance on a regional basis.

Applicable Standards and Codes: ICC ESR 1372



VentSure® Ventilation Products

Help prevent structural damage

VentSure® Rigid Roll Ridge Vents**



VentSure® Rigid Strip Ridge Vents*



VentSure® Roof Vents




Starter Shingle Products

Eliminate the need for cutting or inverting shingles to create a starter row

Starter Shingle Roll**



Starter Shingle Strip**



WeatherLock® Self-Sealing Ice & Water Barrier Products

Resist roof deck damage

WeatherLock® Cold Climate Underlayment† is specially engineered for greater versatility in cold weather.

WeatherLock® Mat Waterproofing Underlayment† is designed for greater versatility in a variety of applications.

NEW WeatherLock® G Granulated Self-Sealing Ice & Water Barrier† is new and improved with superior tear resistance. It allows for proper water flow to help prevent ice dams and ultimately protect interiors. Slip-resistant granulated surface allows for better traction.

NEW WeatherLock® Flex Flexible Self-Sealing Ice & Water Barrier† is the new solution for better protection against cracking and deck damage from freeze/thaw cycling and wind-driven rain. Also protects against normal water flow around eaves, rakes, valleys, vents, chimneys and skylights.

WeatherLock® Metal Waterproofing Underlayment††/§ is designed to stand up to the most rigorous conditions—and is specially engineered to handle the extreme, high-temperature demands of metal and tile roofing.



Felt Underlayment Products

NEW Fiberglas™ Reinforced Felt Underlayment

A protective layer between shingles and the roof deck to help prevent damage from wind-driven rain.



* This product meets Miami-Dade County Approved in areas where applicable.

** This product meets Miami-Dade County Approved and ICBO ER 5417 in areas where applicable.

†† This product meets Florida Building Code in areas where applicable.

‡ This product meets ICC ESR 1783 in areas where applicable.

§ This product meets Miami-Dade County Approved and ICC ESR 1783 in areas where applicable.

Your peak performance system.

It takes more than just shingles to create a high-performance roof. It requires a system of products working together. The Owens Corning Roofing System is a lineup of key products that can help provide maximum durability for your roof. And the most protection for your home.

- a** **VentSure® Ventilation Products.** Help protect your roof from premature failure by helping remove heat and moisture from the attic.
- b** **Hip & Ridge Shingles.** Help protect the ridge vent and add an attractive, finished look to your roof's hips and ridges.
- c** **Owens Corning Shingles.** Add durable beauty to your home. Shingles are the first line of defense against the elements.
- d** **Owens Corning Felt Underlayment Products.** Add an extra layer of protection between the shingles and the roof deck to help prevent damage from wind-driven rain.
- e** **WeatherLock® Self-Sealing Ice & Water Barrier Products.** Help guard vulnerable areas where water can do the most damage to a roof: eaves, valleys, dormers and skylights.
- f** **Owens Corning Starter Shingle Products.** The first step in the proper installation of shingles.
- g** **Undereave Ventilation Products.** Help prevent moisture buildup in the attic by working with ridge vents to keep air moving.



Want to know more about Owens Corning products? It's easy to reach us:

1-800-GET-PINK™ | www.owenscorning.com



OWENS CORNING ROOFING AND ASPHALT, LLC
 ONE OWENS CORNING PARKWAY
 TOLEDO, OHIO, USA 43659
1-800-GET-PINK™
www.owenscorning.com



Pub. No. 10003477-B. Printed in U.S.A. August 2008. THE PINK PANTHER™ & © 1964–2008 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. ©2008 Owens Corning.

Cultured Stone® is a registered trademark of Owens Corning.

† Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area. The Cultured Stone® product colors you see are as accurate as current photography and printing techniques allow. We suggest you look at product samples before you select colors.

SureNail Technology Patents Pending.