- Sustainable
- Environmentally Responsible
- Reduces Carbon Footprint



REPAIR, RESTORE, PROTECT, PREVENT...









Concrete is porous like a sponge. This porosity allows for the harsh environment to enter the concrete, causing corrosion and freeze-thaw damage. Protecting concrete with penetrating and topical sealers and waterproofing products helps eliminate the intrusion of water, salts, chemicals, and environmental irritants, therefore increasing the life cycle of the structure. These products form a durable physical barrier between the concrete and harsh environment, like a jacket protects from the cold and rain. You wouldn't leave home without proper protection from the elements, so why leave your concrete exposed? Protect it with our sealing and waterproofing products.



... STRATEGIES THAT HAVE ALLOWED W. R. MEADOWS TO OFFER THE MOST COMPREHENSIVE SOLUTIONS THROUGH THE ENTIRE LIFE CYCLE OF YOUR STRUCTURE.

Since 1926, W. R. MEADOWS has offered opportunities and solutions to building owners, architects, engineers, contractors, and distributors to better serve the concrete repair market.

W. R. MEADOWS has the products and solutions to meet today's demanding concrete repair, restoration and protection needs for the industrial, civil, institutional, building, parking, wastewater, and public markets. We offer a wide range of solutions to protect and repair industrial structures, such as pulp and paper mills, automotive plants, power and energy generating facilities, processing facilities, beverage distribution centers, manufacturing, mining, pharmaceutical plants, and more. We also offer products that are used daily for repair, protection, and maintenance in the highway, bridge, and parking industries that keep our roads open and safe.

We offer solution-based products supported by a knowledgeable presentation team and industry-recognized project leaders. Our team of sales professionals is continuously trained, and have the desire to get hands-on with the products. Our sales professionals offer onsite solutions

and Q & A sessions for training and knowledge enrichment. We work, stand, and partner with the industry and these assets have set W. R. MEADOWS apart from all competition for nearly 90 years and have made us the industry leader in many markets.

Concrete is a durable building material; this is demonstrated in the many hundreds of years old concrete structures still standing today. We know this since we can visit structures hundreds of years old. So, why does concrete need repair? These days concrete experiences much more wear and tear than it did hundreds of years ago. We embed reinforcing steel into the concrete for structural integrity; we expose the concrete to deicing salts that cause reinforcing steel corrosion. We place concrete in harsh environments, which are not properly protected from the adverse effects. We overstress the concrete, exposing its structural limitations.

Due to all these stresses, concrete structures will need to be repaired at some point in their life cycle. Protection of concrete structures during the construction phase will delay the onset of concrete deterioration and lessen the need for concrete repairs. Potential repairs are not only delayed, but tend to be less severe and frequent, reducing cost and facility interruptions, especially when coupled with ongoing preventive maintenance. If no protection or preventive maintenance is performed, the concrete repairs are more frequent and severe, sometimes causing loss of structural integrity. Protecting your structure on an ongoing basis is key to decreasing the cost of repairs during the life cycle of the structure, which in turn will result in increased profitability for the owner.

W. R. MEADOWS has been providing products for the protection and preventative maintenance of concrete structures to the industry longer than any other major supplier in North America. Our products have been made in the U.S. since 1926 and we work diligently to support our customers through providing our customers with quality, service, and integrity. In trusting your structure to W. R. MEADOWS, your investment will be guarded and protected by nearly 90 years of proven products and experience.

Protect, Prevent, Restore, and Repair-

the most suitable actions an owner can perform on a concrete structure.

Protect, prevent, restore, and repair are the most efficient and sustainable actions an owner can perform on a concrete structure, as compared to the demolition of the structure—which has a large impact on landfills, the release of hazardous chemicals, and the utilization of enormous amounts of energy in the demolition and cleanup phases. New construction also puts pressure on our non-renewable and unsustainable resources for future generations and also introduces a vast amount of carbon emissions, adding to greenhouse gas levels. Simply put, repairing and protecting concrete will reduce the carbon footprint and the impact on our non-renewable and unsustainable resources by a large margin.





W. R. MEADOWS offers a full line of technically advanced mortars designed to offer solutionbased repairs, rehabilitation, and reinstatement of structural concrete elements. The MEADOW-CRETE® and FUTURA® families of structural repair mortars are designed to be hand-applied, machine-applied, pumped, or form and poured into place. These products are designed for horizontal, vertical, and overhead applications. All these premium-grade structural repair mortars have been developed to have superior properties for the repair, reinstatement, and protection of the existing concrete and reinforcing steel.

Available products include: MEADOW-CRETE GPS, MEADOW-CRETE FNP, **MEADOW-CRETE FNP EXTENDED, FUTURA-15, FUTURA-45. and FUTURA-45 EXTENDED.**

(2) Surface Renovation

W. R. MEADOWS offers a full line of surfacerenovation products designed to repair and restore existing concrete structures. The MEADOW-PATCH_® line of surface renovation mortars is designed to restore the surface of deteriorated, freeze-thaw damaged concrete or repair new construction surface defects. They are designed for horizontal, vertical, and overhead applications and provide the ultimate in bond strength, wear, and impact strength and are compatible with existing concrete to ensure long-term durability and service for the owner.

Available products include: MEADOW-PATCH T1, MEADOW-PATCH T1 (Light Gray), MEADOW-PATCH 5, MEADOW-PATCH 20, FLOOR-TOP® STG, MEADOW-PLUGTM, SPECTRUM RE-KOTE, and PARGE-ALL AF.

(3) Crack Repair and Joint Restoration

W. R. MEADOWS offers a full line of structural adhesives for crack repair, as well as sealants for joint restoration. We offer a full line of structural epoxy injection resins to repair nonmoving cracks in structural and non-load bearing concrete members and the ancillary products needed to accomplish the project successfully. We offer premium-grade polyurethane nonsag and self-leveling joint sealants along with polysulphide-based sealants. We have cementitious and resin-based products for the reinstatement of the joint nosing prior to sealing with one of our many available joint sealants and fillers to meet your various requirements.

Available products include: REZI-WELD™ GEL PASTE, REZI-WELD GEL PASTE STATE, REZI-WELD 1000, REZI-WELD LV, **REZI-WELD LV STATE. REZI-WELD FLEX.** the FUTURA line of products, REZI-WELD 3/2, **POURTHANE® NS, and POURTHANE SL.**

(4) Anchoring and Bonding

W. R. MEADOWS offers a full line of cementitious and resin-based structural anchoring adhesives. doweling adhesives, and grouts. These structural anchoring products are available in bulk and unitized cartridges for ease of application. The products are easy to use, available in rapidsetting formulations, and also are approved by many departments of transportation. We also have a full line of epoxy and water-based bonding agents for load bearing and non-load bearing applications that are moisture resistant and conform to stringent ASTM C 881 or ASTM C 1059 requirements. These products are designed to bond new concrete to old and hardened concrete to hardened concrete in slab toppings, bridge overlays, and structural composite slab construction. Also, they are designed to structurally bond precast segmental concrete elements in shear key applications.

Available products include: REZI-WELD GEL PASTE, REZI-WELD GEL PASTE STATE, REZI-WELD 1000, REZI-WELD LV. REZI-WELD LV STATE, ACRY-LOKTM. INTRALOK®, and SPEED-E-ROCTM.


(5) Protective Coatings, Sealers, and Waterproofing Membranes

W. R. MEADOWS offers a full line of cementitious based waterproofing coatings for both positive and negative side waterproofing applications of existing structures during rehabilitation to protect reinforcing steel from corrosion and for new concrete construction. We offer a full of line of silane/siloxane penetrating and topical acrylic and hybrid sealers for the protection of existing concrete after rehabilitation and renovation to protect the concrete from the adverse effects of salts and from the harsh environment. These premium-grade penetrating and topical sealers are also designed for new construction projects. They protect the structure of the structure from the onset to minimize the need for costly repairs later, thus decreasing the cost of maintaining the structure and increasing the life expectancy. We offer a full line of waterproofing membranes for

split slab, plaza deck, and renovation projects and new construction to protect the structure from the corrosive effects of water leakage and structural damage.

Available products include: CEM-KOTE® FLEX ST, CEM-KOTE FLEX CR, **CEM-KOTE CW PLUS, ADI-CON® CW PLUS,** INTRAGUARDTM, HYDRALASTIC 836, and MEL-ROL®.





Products to Meet Your Needs

STRUCTURAL RESTORATION

MEADOW-CRETE GPS

One-Component, Polymer-Modified, General Purpose Structural Repair Mortar

MEADOW-CRETE GPS is a one-component. trowel- or pneumatically-applied (wet process), migrating-corrosion-inhibitor enhanced, polymer-modified, shrinkage-compensated, fiber-reinforced, micro-silica enhanced, cementitious repair mortar for horizontal, vertical. and overhead applications.

MEADOW-CRETE FNP

One Component, Flowable, Form & Pour or Pump Structural Repair Mortar

MEADOW-CRETE FNP is a one-component, flowable, shrinkage-compensated, corrosion inhibitor enhanced repair mortar for structural applications. MEADOW-CRETE FNP can be formed and poured or formed and pumped, utilizing a suitable grout pump. It has a low permeability, protects embedded reinforcing steel, and provides a low in-place cost.





MEADOW-CRETE FNP EXTENDED

One-Component, Pre-Extended, Flowable, Form & Pour Structural Repair Mortar

MEADOW-CRETE FNP EXTENDED is a onecomponent, pre-extended, shrinkage-compensated repair mortar for structural repairs and reinstatement of concrete elements. The product can be formed and poured or formed and pumped, utilizing a suitable concrete pump. MEADOW-CRETE FNP EXTENDED contains 3/8" nominal size aggregate and is suitable for applications requiring cathodic protection, impressed systems, or sacrificial anode applications. MEADOW-CRETE FNP EXTENDED is freeze-thaw stable and is ideal for reinstatement. The product is ideal for structural restoration from 1/4" to deep horizontal, vertical, and overhead. The product is suitable for industrial. transportation, residential, and civil engineering applications.





FUTURA-15

Very Rapid-Hardening Horizontal Repair Mortar

FUTURA-15 is a one-component, cementitious. rapid-hardening, structural repair mortar designed for horizontal applications having a 15 minute set time at ambient temperatures. FUTURA-15 is composed of selected cements. graded sands, and chemical additives. This proprietary blend produces a very rapid-setting structural repair mortar, even in cold weather conditions, without the aid of chloride- or gypsum-based accelerators.

SPECIFICATIONS

ASTM C 928-99a "Packaged, Dry, Rapid Hardening Cementitious Materials for Concrete Repair," Classification R1. R2 & R3. Very Rapid Hardening.

Rapid-Hardening Horizontal Repair Mortar

FUTURA-45 is a one-component, cementitious, rapid-hardening structural repair mortar designed for horizontal applications having a 45 minute set time at ambient temperatures. FUTURA-45 is composed of selected cements, graded sands, and chemical additives. This proprietary blend produces a rapid-setting structural repair mortar, even in cold weather conditions, without the aid of chloride- or gypsum-based accelerators.

SPECIFICATIONS

ASTM C 928-99a "Packaged, Dry, Rapid Hardening Cementitious Materials for Concrete Repair," Classification R1 & R2 Rapid Hardening.

FUTURA-45 EXTENDED Rapid-Setting Concrete

FUTURA-45 EXTENDED is a one-component, shrinkage compensated, proprietary blend of cements, aggregates, and performance-enhancing chemical additives having a 45 minute set time at ambient temperatures. This rapid setting concrete is mixed with water on site and used for large-scale horizontal concrete repairs and form and pour vertical applications that require high early-strength gain.

SPECIFICATIONS

ASTM C 928-99a "Packaged, Dry, Rapid Hardening Cementitious Materials for Concrete Renair." Classification R1 & R2 Rapid Hardening.

SURFACE RENOVATION

MEADOW-PATCH T1

One-Component, Polymer-Modified. **Thin Patch Repair Mortar**

MEADOW-PATCH T1 is a one-component. polymer-modified, cementitious repair mortar designed for horizontal, vertical, and overhead applications. This all-purpose mortar is designed for maintenance patching and minor repairs 1" to featheredge. Also available in a light gray version.

MEADOW-PATCH T2

Concrete Resurfacer & Repair Mortar

MEADOW-PATCH T2 is a two-component, polymer-modified, cementitious concrete resurfacer and repair mortar. This all-purpose mortar is designed for maintenance, patching, and minor repairs, 4" to featheredge.

MEADOW-PATCH 5

and MEADOW-PATCH 20

Very Fast Setting & Fast Setting General Purpose Cementitious Repair Mortar

The MEADOW-PATCH products are one component, cementitious, fast setting restoration/repair mortars. The products have a light gray color and are designed for vertical, overhead and horizontal applications. These fast setting, low slump repair mortars may be troweled, shaped. molded and shaved before taking a final set. The products are an excellent patching solution for difficult vertical and overhead applications without using expensive forming techniques.

FLOOR-TOP STG

Standard-Grade, Self-Leveling Topping/Underlayment

FLOOR-TOP STG is a standard traffic-grade, single-component, shrinkage-compensated, self-leveling floor topping and underlayment that may be pumped or poured. FLOOR-TOP STG is specially designed to smooth out uneven, rough or minorly deteriorated interior concrete floors.

MEADOW-PLUG

One-Component, Super Fast Setting. **Hydraulic Repair Mortar**

MEADOW-PLUG is a specially blended, extremely fast setting, hydraulic cement product designed to instantly stop running water or fluid seepage in concrete or masonry structures. This single component, high strength repair mortar plugs non-moving cracks, joints, and voids.



SPECTRUM RE-KOTE

Concrete Repair Mortar and Resurfacer

SPECTRUM RE-KOTE is a single-component, polymer-modified, rapid-hardening, cementitious concrete repair mortar designed for the renovation and resurfacing of deteriorated concrete surfaces. SPECTRUM RE-KOTE contains a migrating corrosion inhibitor. SPECTRUM RE-KOTE is available in two grades, coarse texture finish or fine texture finish.

PARGE-ALL AF

Architectural Finishing Mortar

PARGE-ALL AF is a single-component, polymermodified, aggregate-free cementitious featherfinishing architectural mortar. PARGE-ALL AF contains specialized fillers, additives, and polymers that ensure a strong bond and smooth finish, which may be sanded, PARGE-ALL AF is ready to use; mix with water only. It dries to a smooth, light brownish-gray color to hide surface defects and blemishes. PARGE-ALL AF leaves a finish that is suitable for architectural coatings. PARGE-ALL AF may be trowel-applied. sponge-floated, or sanded.





CRACK REPAIR AND JOINT RESTORATION

REZI-WELD GEL PASTE and REZI-WELD GEL PASTE STATE

Gel Consistency-Thixotrophic, Multi-Purpose Construction Epoxy

REZI-WELD GEL PASTE and REZI-WELD GEL PASTE STATE are high viscosity, rapid setting, thixotrophic, structural, epoxy-based, chemical anchoring/bonding adhesives and injection resins. The products provide high mechanical properties and bond strength to concrete and various other substrates. The products are both two-component, moisture insensitive construction epoxies, which can be troweled, brushed, injected, or pumped. SPECIFICATIONS

AASHTO M 235, Type I, II, IV & V, Grade 3, Classes B & C

ASTM C 881, Type I, II, IV & V, Grade 3, Classes B & C Various Departments of Transportation Approvals

REZI-WELD 1000

Multi-Purpose, Medium Viscosity Construction Epoxy

REZI-WELD 1000 is a medium viscosity, twocomponent, construction-grade structural epoxy adhesive. It is moisture insensitive and resistant to many chemicals. High modulus, high strength REZI-WELD 1000 is color coded to assure proper mixing, and is self-leveling and easy to apply.

SPECIFICATIONS

AASHTO M 235, Type I, II, IV & V, Grade 2, Classes B & C ASTM C 881, Type I, II, IV & V, Grade 2, Classes B & C Various Departments of Transportation Approvals





REZI-WELD LV and REZI-WELD LV STATE Low Viscosity Injection Epoxy

REZI-WELD LV and REZI-WELD LV STATE low viscosity injection epoxies are moisture insensitive, very low viscosity, high modulus, high strength structural injection resins. The products resist most chemicals and features a unique, innovative unitized packaging concept. It combines two premeasured components into an easy-to-handle single unit along with a handy wood-mixing paddle. The unitized packaging eliminates mishandling and mismatching of the components on the jobsite.

SPECIFICATIONS

AASHTO M 235 Type I, II, IV and V, Grade 1, Class B & C ASTM C 881 Type I, II, IV and V, Grade 1, Class B & C Various department of transportation approvals

REZI-WELD 3/2 Epoxy Grout-Patch Kit

REZI-WELD 3/2 grout-patch is a moisture-insensitive, two-component epoxy kit for grouting, sealing base plates, and patching concrete. Part A, the specially formulated epoxy resin and selected, graded aggregates is premixed and packaged in a five-gallon container. A drop-in tray is provided to hold the separately packaged Part B, or activator. This handy, unitized packaging provides its own mixing vessel. Just open the pail, remove the tray, add the activator to the premixed epoxy-aggregate compound and it's ready to use. It's that easy.

POURTHANE NS

Non-Sag Joint Sealant

POURTHANE NS is an elastic, low-modulus, onecomponent, moisture-curing, non-sag, polyurethane sealant. It maintains flexibility and waterproofing joint sealing with high bond strength and provides outstanding durability in the civil and industrial construction markets. The product requires no mixing and typically requires no priming to bond to many materials, including concrete and masonry.

POURTHANE SL Self-Leveling Joint Sealant

POURTHANE SL is an elastic, one-component. self-leveling, premium-grade polyurethane sealant specifically developed to be used as a multi-purpose horizontal joint sealant in applications where a high chemical resistance to fuels, oils, and hydrocarbons is required. The product is a moisture cure sealant with excellent adhesive properties and resistance to aging and weathering.

ANCHORING AND BONDING

Acrylic Polymer, Bond-Enhancing Admixture

ACRY-LOK is a high solids, acrylic polymer latex bonding agent and admixture. This milky white liquid is non-yellowing in Portland cement mortars and concrete. When used as an admixture, ACRY-LOK provides increased abrasion and crack resistance, flexural strength, and freeze/thaw tolerance. Permeability is also reduced, providing added protection from chloride intrusion.

SPECIFICATIONS

ASTM C 1059-91, Type II (Non-Re-emulsifiable)

INTRALOK

Bonding Agent and Integral Mix/Admixture

INTRALOK bonding agent is a high solids, waterbased emulsion admixture suitable for modifying Portland cement compositions. It is also designed for use as a bonding agent between new and hardened concrete. It is a milky white, non-yellowing liquid ready for use and requires no onsite dilution. Cement mortars modified with INTRALOK are hard, tough, and durable. It offers superior tensile, flexural, and impact strengths. Also, mortars and concrete modified with INTRALOK typically show greater adhesion. Concrete modified with INTRALOK is unaffected by ultraviolet light and will not yellow.

SPECIFICATIONS

ASTM C 1059, Type 1 (Re-emulsifiable)

SPEED-E-ROC

Rapid-Setting Anchoring Cement Grout

SPEED-E-ROC is a pourable, rapid setting and hardening, high strength, hydraulic cement compound designed for anchoring and grouting. SPEED-E-ROC has a controlled expansion system and is non-shrink. SPEED-E-ROC has an initial set time of 10-20 minutes at 77° F (25° C) and obtains 5,000 psi (34.4 MPa) in one hour.



PROTECTIVE COATINGS, SEALERS & WATERPROOFING MEMBRANES

CEM-KOTE FLEX ST

Flexible Cementitious Waterproofing

CEM-KOTE FLEX ST is a highly flexible, fiberreinforced, breathable, cementitious slurry, consisting of dry Component A and liquid Component B.

CEM-KOTE FLEX CR

Flexible, Hydrogen-Sulfide-Resistant, **Cementitious Waterproofing**

CEM-KOTE FLEX CR is a highly flexible, fiberreinforced, hydraulic cement based material. It is a two-component system consisting of dry Component A and liquid Component B. For additional tensile strength, it may be reinforced with REINFORCING FABRIC HD.

CEM-KOTE CW PLUS

Capillary/Crystalline Waterproofing

CEM-KOTE CW PLUS is a one-component (add water only), Portland cement based coating (slurry) containing silica-based materials. Under water pressure (negative or positive), the soluble silicate penetrates (due to osmotic pressure) into the substrate, where it reacts with lime and forms insoluble calcium silicate crystals which "plug" the capillary pores and waterproofs the concrete while allowing water vapor to pass.

ADI-CON CW PLUS

Waterproofing Admixture for Concrete

ADI-CON CW PLUS is a dry, free flowing powder containing a blend of inorganic and organic chemicals, a small amount of sand, and silicabased materials. The reactive materials react with lime generated by the hydration reaction of cement and plug the capillary porosity, making concrete watertight under water head pressure.

HYDRALASTIC 836 Cold-Applied, Single-Component

Waterproofing


HYDRALASTIC 836 is a cold-applied, solvent-free, single-component waterproofing compound. It does not shrink, has a low volatile organic compound (VOC) content, and has a very low odor. It will not crack in extreme cold or slump due to softening at high temperatures.

SPECIFICATIONS

ASTM C 836

Complies with all current federal, state, and local maximum allowable VOC requirements, including U.S. EPA, SCAQMD, and OTC

Meets Canada VOC Concentration Limits for Architectural Coatings Regulations



INTRAGUARD

Water-Based, Clear, Penetrating Sealing **Compound for Salt Protection**

INTRAGUARD is a water-based, penetrating concrete sealing compound for exterior concrete surfaces. Specifically designed to limit the intrusion of moisture and chlorides into concrete surfaces, this proprietary blend of silane and siloxane penetrates deep into the pores of the concrete to help protect the concrete from scaling caused by deicing salts.

SPECIFICATIONS U.S. EPA Architectural Coatings Rule:

<400 g/L maximum VOC content for sealers SCAQMD Rule 1113: <100 q/L maximum VOC content for waterproofing concrete/masonry sealers Ozone Transport Commission (OTC): <400 a/L maximum VOC content for waterproofing concrete/masonry sealers Dried film is USDA accepted

MEL-DEK

Rolled Waterproofing Membrane

MEL-DEK is a roll-type waterproofing membrane composed of a nominally 53 mil thick layer of polymeric waterproofing membrane on a shrinkresistant, heavy-duty, 12 mil thick polypropylene woven carrier fabric.

MEL-DEK Waterproofing System provides an excellent waterproofing membrane for bridges, parking decks or other vehicular traffic structures to be overlaid with an asphalt concrete wearing course. MEL-DEK is ideal for repair, maintenance applications.



MEL-ROL Rolled, Self-Adhering Waterproofing

Membrane

MEL-ROL waterproofing system is a dependable, flexible, versatile, roll-type waterproofing membrane. It is composed of a nominally 56 mil thick laver of polymeric waterproofing membrane on a heavy duty, four-mil thick, cross-laminated polyethylene carrier film. The two components are laminated together under strict qualitycontrolled production procedures.



Which W. R. MEADOWS Restoration Product

Works Best for Your Next Project?





















HORIZONTAL REPAIR MORTARS

- MEADOW-CRETE GPS
- MEADOW-PATCH T1 & T2
- MEADOW-PATCH 5 & 20
- FUTURA-15 & FUTURA-15 EXTENDED
- FUTURA-45 & FUTURA-45 EXTENDED
- FLOOR-TOP STG

VERTICAL REPAIR MORTARS

- MEADOW-CRETE FNP
- MEADOW-PATCH T1 & T2
- MEADOW-PATCH 5 & 20
- MEADOW-CRETE FNP EXTENDED
- PARGE-ALL AF

OVERHEAD REPAIR MORTARS

- MEADOW-CRETE GPS
- MEADOW-CRETE FNP
- MEADOW-PATCH T1
- MEADOW-PATCH 5 & 20
- MEADOW-CRETE FNP EXTENDED

FORM & POUR APPLIED

- MEADOW-CRETE FNP
- MEADOW-CRETE FNP EXTENDED
- SPEED-E-ROC (grouting)

HAND/TROWEL APPLIED

- MEADOW-CRETE GPS
- MEADOW-PLUG
- FUTURA-15
- MEADOW-PATCH T1 & T2
- MEADOW-PATCH 5 & 20
- PARGE-ALL AF

WET/SPRAY APPLIED

- MEADOW-CRETE GPS
- MEADOW-PATCH T2

EPOXY GROUTING

REZI-WELD 3/2 Epoxy Grout-Patch Kit

- Moisture insensitive
- Two component
- Flowable Viscosity
- Handy, unitized packaging
- 50-60 minute work life

SAWCUT FILLER

REZI-WELD FLEX Epoxy Joint Filler

- Pourable consistency
- Semi-rigid Fast setting
- Premium grade Easily shaved

ANCHORING AND BONDING

POLY-GRIP Polyester-Based Anchoring Adhesive

- · Very rapid curing and hardening
- High strength
- Unitized cartridge system
- Suitable for interior or exterior applications
- Quick bolt-up time
- Can be applied in low temperatures

REZI-WELD GEL PASTE Multi-Purpose Construction Epoxy

- Gel consistency
- Normal set (40-50 min.)
- Moisture insensitive, high modulus
- Epoxy based
- High mechanical properties

REZI-WELD GEL PASTE STATE Construction Epoxy

- Low viscosity
- Self-contained kit Use with standard

caulk tool

- Rapid setting Easy to use
- High modulus

REZI-WELD 1000 Construction Epoxy

- Medium viscosity
- High modulus
- Moisture insensitive Color-coded mixing
- High strength
- Normal set (30-40 min.)

EPOXY INJECTION

REZI-WELD (IP) Injection Pre-Pak Epoxy

- Low viscosity
- Self-contained kit
- caulk tool
- **REZI-WELD LV Injection Epoxy**

- Very low viscosity
- High strength
- Moisture insensitive

REZI-WELD LV STATE Injection Epoxy High mechanical Ultra low viscosity

properties




10





- Rapid setting
- Use with standard
- Easy to use
- High modulus

- insensitive





Serving Your Repair and Restoration Needs

from These Strategic North American Locations

W. R. MEADOWS, INC. is a leading manufacturer of an extensive line of concrete repair and restoration products, with a network of plant locations and stocked warehouses covering North America. Our products are backed by our long-standing reputation for quality, service, and integrity.

W. R. MEADOWS, INC.

P.O. Box 338 Hampshire, IL 60140-0338 (847) 214-2100 FAX: (847) 683-4544

W. R. MEADOWS OF AZ., INC.

P.O. Box 5187 Goodyear, AZ 85338 (623) 932-9383 FAX: (623) 932-1547

W. R. MEADOWS OF N. CA

P.O. Box 907 Benicia, CA 94510 (707) 745-6666 FAX: (707) 747-6206

W. R. MEADOWS OF S. CA

P.O. Box 667 Pomona, CA 91768 (909) 469-2606 FAX: (909) 469-2611

W. R. MEADOWS OF GA

Cartersville W. Industrial Park Cartersville, GA 30120 (770) 386-6440 FAX: (770) 386-3342

W. R. MEADOWS OF PA

P.O. Box 7550 York, PA 17404 (717) 792-2627 FAX: (717) 792-0151

W. R. MEADOWS OF TX

P.O. Box 7752 Ft. Worth, TX 76111 (817) 834-1969 FAX: (817) 834-0134

W. R. MEADOWS OF CANADA

70 Hannant Court Milton, Ontario L9T 5C1 CANADA (905) 878-4122 FAX: (905) 878-4125

W. R. MEADOWS OF WESTERN CANADA

38 Rayborn Crescent St. Albert, AB T8N 4B1 (780) 458-8773 Fax: (780) 458-1173

For more information about how our concrete repair, protection, and prevention products, here are four quick and easy access points:

- Visit our comprehensive website: www.wrmeadows.com
- Contact W. R. MEADOWS, INC. via email: info@wrmeadows.com
- Call toll free: 1-800-342-5976
- Fax: 1-847-683-4544



QUALITY...SERVICE...INTEGRITY

W. R. MEADOWS, INC. P.O. Box 338 • HAMPSHIRE, IL 60140-0338 Phone: 847/214-2100 • Fax: 847/683-4544 www.wrmeadows.com

HAMPSHIRE, IL / CARTERSVILLE, GA / YORK, PA FORT WORTH, TX / BENICIA, CA / POMONA, CA

Distributed by:







