

## DynaGlass™ FRP Ceiling Panels

### Product

#### Applications

Ideal surface for harsh environments and areas requiring frequent cleaning.

#### Features

- USDA accepted fiberglass reinforced plastic (FRP).
- Surface resistant to chemicals, solvents, milk acids and alkalis.
- Washable, scratch-, stain- and impact-resistant.
- White and colors, textured and smooth.
- Non-conductive.

#### Benefits

- Unaffected by pressure washing and environmental fluctuations.
- Will not rust or support growth of mold, mildew, fungus.

#### Material:

- A. General  
Fiberglass reinforced plastic with textured or smooth finish.

#### Components:

##### 1. Ceiling Panels:

##### Standard Class C (textured) Bright White

- 8853.013 (0.090" x 2' x 2')
- 8852.013 (0.090" x 2' x 4')
- 8851.013 (0.12" x 2' x 2')
- 8850.013 (0.12" x 2' x 4')

##### Fire Resistant - Class A (textured) Bright White


- 8856.013 (0.090" x 2' x 2')
- 8855.013 (0.090" x 2' x 4')


##### Standard Class C (smooth) Bright White

- 8853.013S (0.090" x 2' x 2')
- 8852.013S (0.090" x 2' x 4')
- 8851.013S (0.12" x 2' x 2')
- 8850.013S (0.12" x 2' x 4')

##### Fire Resistant - Class A (smooth) Bright White


- 8856.013S (0.090" x 2' x 2')
- 8855.013S (0.090" x 2' x 4')





## DynaGlass™ FRP Ceiling Panels

**Detail**



### Physical Data

MATERIAL:	fiberglass reinforced plastic
SURFACE:	textured, smooth
THICKNESS:	0.090" / 0.120"
SIZE:	24" x 24" (8853.013 / 8856.013-Class A) 24" x 48" (8852.013 / 8855.013-Class A)
EDGE:	square
INDOOR AIR QUALITY:	0 voc's, 0 fiber release
FIRE:	class A: flame 25, smoke 450 per ASTM E 84 class C: flame 200, smoke 450 per ASTM E 84
LIGHT:	LR - 0.84 per ASTM E 1477
STABILITY:	-10°F to 95°F and 100% RH
CLASSIFICATION:	type XX per ASTM E 1264, pattern G (smooth), pattern F (textured)
WARRANTY:	10 year limited



Ceiling Systems and Specialty Products - USA and Canada: 800.323.7164 / Fax: 800.222.3744 / [chicagometallic.com](http://chicagometallic.com)

CHICAGO / BALTIMORE / LOS ANGELES / BELGIUM / DENMARK / THE NETHERLANDS / UK / GERMANY / FRANCE / HONG KONG / PRC / MALAYSIA / UNITED ARAB EMIRATES / MEXICO

Chicago Metallic and its logo are Registered Trademarks of Chicago Metallic Corporation. DynaGlass is a trademark of Chicago Metallic Corporation.

©2003 Chicago Metallic Corporation All Rights Reserved C-SUB-P-DYNACeiling-0905 Printed in USA



P  
PANEL

## DynaGlass™ FRP Wall Panels

### Product

#### Applications

Ideal surface for harsh environments and areas requiring frequent cleaning.

#### Features

- USDA accepted fiberglass reinforced plastic (FRP).
- Surface resistant to chemicals, solvents, milk acids and alkalis.
- Washable, scratch-, stain- and impact-resistant.
- White and colors, textured and smooth.
- Non-conductive.

#### Benefits

- Unaffected by pressure washing and environmental fluctuations.
- Will not rust or support growth of mold, mildew, fungus.

#### Material:

- A. General  
Fiberglass reinforced plastic with textured or smooth finish.

#### Components:

##### 1. Wall Panels:

##### Standard Class C (textured) Bright White

- 8800.013 (0.12" x 4' x 8')
- 8801.013 (0.12" x 4' x 10')
- 8802.013 (0.12" x 4' x 12')
- 8810.013 (0.090" x 4' x 8')
- 8811.013 (0.090" x 4' x 9')
- 8812.013 (0.090" x 4' x 10')
- 8813.013 (0.090" x 4' x 12')
- 8820.013 (0.06" x 4' x 8')
- 8821.013 (0.06" x 4' x 9')
- 8822.013 (0.06" x 4' x 10')
- 8823.013 (0.06" x 4' x 12')

##### Fire Resistant - Class A (textured) Bright White

- 8830.013 (0.090" x 4' x 8')
- 8832.013 (0.090" x 4' x 10')
- 8833.013 (0.090" x 4' x 12')

##### Standard Class C (smooth) Bright White

- 8810.013S (0.090" x 4' x 8')
- 8811.013S (0.090" x 4' x 9')
- 8812.013S (0.090" x 4' x 10')
- 8813.013S (0.090" x 4' x 12')

##### Standard Class C (textured) 410 Marble

- 8810.410 (0.090" x 4' x 8')
- 8811.410 (0.090" x 4' x 9')
- 8812.410 (0.090" x 4' x 10')
- 8813.410 (0.090" x 4' x 12')

#### Colors


- 403 Ivory
- 404 Silver
- 405 Lite Grey
- 406 Colonial
- Other \_\_\_\_\_

##### Standard Class C (textured) Colors

- 8810.xxx (0.090" x 4' x 8')
- 8811.xxx (0.090" x 4' x 9')
- 8812.xxx (0.090" x 4' x 10')
- 8813.xxx (0.090" x 4' x 12')

##### Fire Resistant - Class A (textured) Colors

- 8830.xxx (0.090" x 4' x 8')
- 8832.xxx (0.090" x 4' x 10')
- 8833.xxx (0.090" x 4' x 12')



## DynaGlass™ FRP Wall Panels

### Physical Data

MATERIAL:	fiberglass reinforced plastic
SURFACE:	textured, smooth
THICKNESS:	0.12", 0.09", 0.06"
SIZE:	4' x 8' (8800, 8810, 8820 Class C / 8830 Class A) 4' x 9' (8811, 8821 Class C) 4' x 10' (8801, 8812, 8822 Class C / 8832 Class A) 4' x 12' (8802, 8813, 8823 Class C / 8833 Class A)
EDGE:	square
INDOOR AIR QUALITY:	0 voc's, 0 fiber release
FIRE:	class A: flame 25, smoke 450 per ASTM E 84 class C: flame 200, smoke 450 per ASTM E 84
LIGHT:	LR - 0.84 per ASTM E 1477
STABILITY:	-10°F to 95°F and 100% RH
CLASSIFICATION:	type XX per ASTM E 1264, pattern G (smooth), pattern F (textured)
WARRANTY:	10 year limited




Ceiling Systems and Specialty Products - USA and Canada: 800.323.7164 / Fax: 800.222.3744 / [chicagometallic.com](http://chicagometallic.com)

CHICAGO / BALTIMORE / LOS ANGELES / BELGIUM / DENMARK / THE NETHERLANDS / UK / GERMANY / FRANCE / HONG KONG / PRC / MALAYSIA / UNITED ARAB EMIRATES / MEXICO

Chicago Metallic and its logo are Registered Trademarks of Chicago Metallic Corporation. DynaGlass is a trademark of Chicago Metallic Corporation.

©2005 Chicago Metallic Corporation All Rights Reserved C-SUB-P-DYNWall-0905 Printed in USA



# DynaGlass™ FRP Wall Panel Accessories

## Product

### Applications

Ideal surface for harsh environments and areas requiring frequent cleaning.

### Features

- USDA accepted fiberglass reinforced plastic (FRP).
- Surface resistant to chemicals, solvents, milk acids and alkalis.
- Washable, scratch-, stain- and impact-resistant.
- White and colors, textured and smooth.
- Non-conductive.

### Benefits


- Unaffected by pressure washing and environmental fluctuations.
- Will not rust or support growth of mold, mildew, fungus.

### Material:

A. General  
Fiberglass reinforced plastic.

### Components:

- |                                  |  |  |
|----------------------------------|--|--|
|                                  | <b>Colors</b>                                      |  |
|                                  | <input type="checkbox"/> 013 Bright White          | <input type="checkbox"/> 405 Lite Grey |
|                                  | <input type="checkbox"/> 403 Ivory                 | <input type="checkbox"/> 406 Colonial  |
|                                  | <input type="checkbox"/> 404 Silver                | <input type="checkbox"/> Other _____   |
| <b>1. Standard Division Bar:</b> | <input type="checkbox"/> 8860.xxx (8')             |  |
|                                  | <input type="checkbox"/> 8861.xxx (10')            |  |
| <b>2. Inside Corner:</b>         | <input type="checkbox"/> 8862.xxx (8')             |  |
|                                  | <input type="checkbox"/> 8863.xxx (10')            |  |
| <b>3. Outside Corner:</b>        | <input type="checkbox"/> 8864.xxx (8')             |  |
|                                  | <input type="checkbox"/> 8865.xxx (10')            |  |
| <b>4. End Cap:</b>               | <input type="checkbox"/> 8866.xxx (8')             |  |
|                                  | <input type="checkbox"/> 8867.xxx (10')            |  |
| <b>4. Accessories:</b>           | <input type="checkbox"/> 8868.013 (Plastic rivets) |  |
|                                  | <b>Outside Corner Angles:</b>                      |  |
|                                  | <input type="checkbox"/> 8887.013 (8')             |  |
|                                  | <input type="checkbox"/> 8888.013 (10')            |  |
|                                  | <input type="checkbox"/> 8889.013 (12')            |  |



### Profiles



Standard Division Bar




Inside Corner



Outside Corner



End Cap



Outside Corner Angle

P

PANEL



Chicago Metallic®

Ceiling Systems and Specialty Products - USA and Canada: 800.323.7164 / Fax: 800.222.3744 / [chicagometallic.com](http://chicagometallic.com)

CHICAGO / BALTIMORE / LOS ANGELES / BELGIUM / DENMARK / THE NETHERLANDS / UK / GERMANY / FRANCE / HONG KONG / PRC / MALAYSIA / UNITED ARAB EMIRATES / MEXICO

Chicago Metallic and its logo are Registered Trademarks of Chicago Metallic Corporation. DynaGlass is a trademark of Chicago Metallic Corporation.

© 2005 Chicago Metallic Corporation All Rights Reserved C-SUB-P-DYNAccess-0905 Printed in USA