

# COMMITTED TO BUILDING GREEN

Butler's sustainable Butler-Cote™ premium finish system features high reflectivity to help lower energy consumption. Additionally, several standard Butler-Cote 25-year fluoropolymer color finishes meet reflectance and emittance standards for "cool roofs."

Butler roof products featuring the Energy Star® label keep buildings cooler by increasing reflectivity, thereby reducing energy use, utility costs, and air pollution.

## ENHANCE AND PROTECT THE BEAUTY





The standard exterior paint coating for all Butler panels and trim is the Butler-Cote system, consisting of a Kynar 500® or Hylar 5000® coating.

The Butler-Cote system resists the chalking and fading that often leaves a building looking drab and dated. Our 25-year warranty guarantees that, on roof and wall panel standard colors, chalking will not exceed a rating of #8 and fading will not

exceed 5ΔE color difference units. This 25-year warranty also protects against blistering, peeling, cracks, or chipping of the paint coating.

While many manufacturers' warranties are prorated after a certain period of time, we offer our Butler-Cote roof and wall panel warranty for a full 25 years—with no prorating. It's a testament to our high performance standards.

## COMPARE THE DIFFERENCE IN FLUOROPOLYMER COATING PERFORMANCE TO SILICONE POLYESTER AFTER ONLY 8 YEARS OF WEATHERING.

|   | Butler-Cote™ Fluoropolymer Coating  | Industry Standard Silicone Polyester Coating   |
|---|---|--|
| Original Color                                    |  |  |
| Level of Chalking Allowable Within Warranty Terms |  |  |
| Warranty Period                                   | 25 years  | 10 years   |



A BlueScope Steel Company

BUILDING IN A NEW LIGHT®

Butler Manufacturing  
Kansas City, MO  
816-968-3000

Butler Buildings Canada  
Burlington, ON, Canada  
905-332-7786

[www.butlermfg.com](http://www.butlermfg.com)



Butler® building products are constantly being improved; therefore, the information contained herein is subject to change without notice. Before finalizing project details, contact your nearest Butler Builder® or Butler Manufacturing Company for the latest information.

Kynar 500® is a registered trademark of ATOFINA. Hylar 5000® is a registered trademark of Solvay S.A. Fluoropon® is a registered trademark of The Valspar Corporation. LEED is a registered trademark of the US Green Building Council. Energy Star is a registered trademark of the United States EPA.

©2007 Butler Manufacturing Company – A BlueScope Steel Company. All rights reserved. Find your independent Butler Builder® at [www.butlerbuilder.com](http://www.butlerbuilder.com).

Form No. 4828 08/07





# BUTLER-COTE™ FINISH SYSTEM

*This incredibly durable Fluoropon® coating is the finest finish system in the industry.*



A BlueScope Steel Company

**BUILDING IN A NEW LIGHT®**



# BUTLER-COTE™ FINISH SYSTEM

Butler-Cote™ fluoropolymer coating is the standard exterior finish on all Butler painted panels, gutters, and trims.

## WALL SYSTEMS COLOR AND MATERIAL AVAILABILITY

### SHADOWWALL™ AND BUTLERIB® II WALL SYSTEMS



Solar White 24 & 26 ga.



Birch White 24 & 26 ga.



Country Wheat 26 ga.



Shell Gray 26 ga.



Sandalwood 26 ga.



Mesa Gray 26 ga.



Santa Ana Blue 26 ga.



Hunter Green 26 ga.



Santa Fe Red 26 ga.



Terra Brown 26 ga.

### STYLWALL® II FLAT AND FLUTED\* WALL SYSTEM



Birch White



Country Wheat



Shell Gray



Santa Ana Blue



Hunter Green

### BUTLER THERMAWALL™ WALL SYSTEM (FLAT, FLUTED, AND FINELINE)



Birch White



Country Wheat



Shell Gray


### INTERIOR FINISH COLORS (NOT FORMULATED FOR EXTERIOR USE)



Interior White  
(CMR-24® Liner & Mod-36™ Liner)



White  
(Butler Thermawall™)  
USDA-approved white interior finish coat



Light Gray  
(Butlerib® II Roof & Wall, StylWall®  
Fluted, Shadowwall™ MR-24® & VSR™)

◆ Meets standards for Cool Roof colors as required by the Cool Roof Rating Council.

● These numbers are the tested reflectance values used in determining Cool Roof compliance.

These colors may also qualify your roofing materials for LEED® Heat Island Effect credit.

\* Flat StylWall (26 ga.) Fluted StylWall (24 ga.)

\*\*All trims are available in 26 ga.

For color, gauges, or color/panel combinations not shown, additional charges apply and a minimum order is required.



A BlueScope Steel Company

BUILDING IN A NEW LIGHT™

# ROOF SYSTEMS COLOR AND MATERIAL AVAILABILITY

## MR-24® AND CMR-24® ROOF SYSTEMS



Solar White ♦ ● (.70) 24 ga.



Birch White ● (.55) 24 ga.



Shell Gray ● (.042) 24 ga.



Santa Ana Blue 24 ga.



Hunter Green 24 ga.



Terra Brown 24 ga.

## VSR™ ROOF SYSTEM



Solar White ♦ ● (.70) 24 ga.



Birch White ● (.55) 24 ga.



Santa Ana Blue 24 ga.



Hunter Green 24 ga.



Solar Green ♦ ● (.27) 24 ga.



Santa Fe Red 24 ga.



Terra Brown 24 ga.

## BUTLERIB® II ROOF SYSTEM



Solar White ♦ ● (.70) 24 & 26 ga.



Hunter Green 26 ga.

## \*\* GABLE TRIM, EAVE TRIM, GUTTER, DOWNSPOUTS



Solar White



Birch White



Country Wheat



Shell Gray



Sandalwood



Mesa Gray



Santa Ana Blue



Hunter Green



Santa Fe Red



Terra Brown



Lava