

BERRIDGE

MANUFACTURING COMPANY

FREEDOM OF FORM IN ARCHITECTURAL METAL SYSTEMS

**Roofs • Facades • Soffits • Mansards
Walls • Ceilings • Equipment Screens • Restoration**


**Berridge exclusive on-site fabrication
technology provides:**

**Custom Contoured Panels
Curved Barrel Vault Panels
Tapered Panels
Compound Curved Panels
Long Length Panels**

**For Technical or
Design Assistance call:
1•800•231-8127
www.berridge.com**

(Also see Sweets 07 61 00/BER)

Standing Seam Roof Systems



Tee-Panel

For solid sheathing applications; commercial or residential.

- Concealed fasteners
- Snap-on seam cap w/patented vinyl weatherseal
- UL90 & ASTM Air & Water tested.
- Florida Product

High Seam Tee-Panel

For solid sheathing applications; commercial or residential.

- Concealed fasteners
- Snap-on seam cap w/patented vinyl weatherseal
- UL90 & ASTM Air & Water tested.
- Florida Product

Curved, Compound Curved & Tapered Tee-Panel

Convex or concave, curved or compound curved corners & domed roofs.

- Snap-on seam cap w/ patented vinyl weatherseal
- UL90 & ASTM Air & Water tested.
- Florida Product Approval

Cee-Lock

Snap-lock standing seam roof; Spans over open framing or solid substrate.


- Easy-to-install, integral snap-lock seam
- Optional patented vinyl weatherseal
- May be site formed for continuous length panels
- UL90 & ASTM E-1592, Air & Water tested.
- Florida Product Approval

Zee-Lock

Architectural and structural standing seam roof system for open purlins or solid substrate.

- Mechanically seamed sidelap can be single or double locked (consult BMC)
- May be site-formed for continuous length panels
- May be curved to 20' min. radius
- UL90 & ASTM E-1592, Air & Water tested
- FM 1-120 rated (double-lock seam)
- Corps of Engineers CEGS 07416
- Florida Product Approval
- Miami-Dade Approval

Other Roof Systems



Batten Seam System

Deep Vee structural panel with snap-on batten for open framing or solid sheathing.

- Concealed Fasteners
- UL90 tested
- Florida Product

Bermuda Roof System

Traditional Bermuda roof design continuous-length panels for roof, fascia or mansards

- Optional patented vinyl weatherseal.
- May be site formed
- Florida Product Approval

Spanish Tile

Prefinished metal barrel tiles over structural Deep-Vee panels.

- Stronger, lighter than clay tiles
- May be installed over open framing

S-Tile

Prefinished metal s-tile panels with a clean, crisp simulated tile appearance.

- Continuous-lengths up to 40'
- Only 1.2 lb/square foot
- Florida Product


Classic & Victorian Shingles

Historical restoration shingles available prefinished or in a natural metal finish.

- Florida Product Approval
- Miami-Dade Approval



12" x 24" Exposure
(305 mm x 607 mm)




32" Coverage (813 mm)
2 3/4" (67 mm)
34 3/8" Coverage (880 mm)



36" Coverage (914 mm)
7.2" (183 mm)
1 1/2" (38 mm)



24" Coverage (610 mm)
12" (305 mm)
1 1/2" (38 mm)



36" Coverage (914 mm)
3/4" (19 mm)
6" (152 mm)
36" Coverage (914 mm)
1 1/4" (31 mm)
12" (305 mm)

Rustic Shake Shingles

Prefinished 24-ga shake texture shingles for residential or commercial construction.

- Four-way interlock
- Class A fire rating
- Florida Product

Curved & Straight "S" Deck

Corrugated metal panel

- May be curved to 5' min. radius
- Wall or roof applications
- Florida Product

Deep Deck Panel

Roof, deck, wall, equipment screen, soffit

- 36" coverage
- 24 or 22 ga.
- Florida Product Approval

Double-Rib (5V) Roof Panel

Traditional 5V crimp appearance roof panel.


- 24" coverage
- Strong 24 ga. material
- Florida Product

M-Panel & R-Panel

Roof, wall, soffit, fascia, mansard, liner or equipment screen panel.


- Wide, 3'-0" coverage
- Spans over open purlins (5' max)
- UL90 rated
- Florida Product Approval

Fascia, Wall & Soffit Systems




HR-16 Panel
Horizontal or vertical wall applications.

- Open framing or solid substrate
- 16" coverage
- Concealed fasteners



FW-12 Panel
Wall, liner or soffit panels.

- Available with or without grooves
- Open framing or solid substrate
- May be vented
- Concealed fasteners




Flush Seam Panel
Soffit and facade system with rigid embossed texture for uniform reflectivity.

- Open framing or solid substrate
- Concealed fasteners




Thin-Line Panel
Flat seam panel for vertical walls, fascia or mansards.

- Flat, monolithic appearance




Vee-Panel
Soffit, wall & fascia system.

- Open framing or solid substrate
- Concealed fasteners




L-Panel
Facade, liner or soffit panels.

- Available with or without grooves
- Concealed Fasteners



B-6 Panel
Soffit and facade system for open spans.


- Spans 4'-0" - 5'-0"
- Vee-groove appearance
- Concealed fasteners



Fluted Fascia Panel
Flat seam panel for vertical walls, fascia or mansards.

- Vee-groove fluting

Special Application Products




Curved Flat Seam Panel
Prefinished flat seam metal panel system with concealed fasteners for applications over curved surfaces on solid sheathing.




Fish Scale
Historical product for gable, sidewall, vertical mansard or fascia

- Authentic fish scale texture
- Solid sheathing



Board & Batt Panel
Board and batt siding in 24 ga. prefinished steel.

- 8" batten spacing
- Strong interlock sidelap.



Colonial Siding
Authentic clapboard siding appearance in strong 24-ga. steel.

- Strong interlock
- Fireproof, Class A rated

Coil & Flat Sheets

Berridge owns and operates its own continuous coil-coating paint line to provide fast, responsive service for coil and flat sheets. A wide array of long-life Kynar 500® or Hylar 5000™ Berridge colors are available pre-slit for portable roll forming or in flat sheet form for custom trim and flashing fabrication. Please see available Berridge colors on back page. 24-gauge is available in galvanized G-90 or Galvalume base metal. Please consult Berridge for 22-gauge availability.



Precision-Tolerance Portable Roll Formers

Only Berridge offers both factory-formed panels and a full-line of precision tolerance portable roll forming equipment to site-form standing seam roof panels. All Berridge portable roll formers are factory-set, dedicated profile machines that require no field adjustments. Site-formed panels require no endlap splices and are formed in continuous eave-to-ridge lengths. Curved, tapered and compound curved panels are formed on-site using Berridge portable roll formers. Roll formers are available for sale and for short-term or long-term lease. Consult Berridge for more details and availability.



Materials & Coatings

Berridge offers 24-gauge galvanized and galvalume and 22-gauge galvalume steel in a wide-selection of Kynar 500® and Hylar 5000™ finishes on the top-side and a backer coating on the bottom. A protective, strippable film is applied to all prefinished material and must be removed prior to installation. Custom colors are also available. Minimum of 5000 square feet applies. Consult BMC for pricing and availability.

Finish Warranties

Berridge offers finish warranties for the Kynar 500® or Hylar 5000™ PVDF resin-based coatings which it applies on its continuous coil coating line. Warranties are issued upon submission and acceptance of a paint finish warranty application within one year of invoice date and payment in full of all material invoices.

Watertightness Warranties

Berridge offers watertightness warranties on approved Berridge roof assemblies upon submission and acceptance of a watertightness warranty application, approval of installer roof installation details, inspection and approval of roof installation and payment in full of all material invoices.

Product Applications

For design assistance and specific product application recommendations, please contact Berridge's Architecture Department at 800-669-0009 or visit www.berridge.com for more information.

AIA/CES Seminars

Berridge is registered with the AIA Continuing Education System and is committed to developing quality learning activities in accordance with the CES criteria. Please



**BERRIDGE
MANUFACTURING
COMPANY**
1-800-669-0009
www.berridge.com



















call Berridge's Architecture Department at 800-669-0009 for more information about our city-wide, multi-office AIA/CES Seminars.

Installation Seminars

Berridge Roof Installation Training Seminars are one-day sessions conducted by the Watertightness Warranty Department at the Berridge Training Facility in Houston, Texas. The seminar consists of classroom instruction and installation demonstrations using full-scale roof mock-up assemblies and provides in-depth coverage of material handling, underlayment systems, critical installation details for standing seam products, and watertight warranty requirements.

Berridge Standard Colors
Please request actual color chips for accurate color viewing.

All colors applied by Berridge are premium fluoropolymer coatings produced with full strength Kynar 500® or Hylar 5000™ resin. Kynar 500® or Hylar 5000™ affords maximum exterior durability due to its outstanding resistance to ultraviolet radiation. All colored finishes carry a 20-year warranty against cracking, peeling and fading.

 BUCKSKIN	 PARCHMENT	 ALMOND		
 AGED BRONZE	 SHASTA WHITE	 FOREST GREEN	 PATINA GREEN	 SIERRA TAN
 MEDIUM BRONZE	 CHARCOAL GREY	 HEMLOCK GREEN	 BRISTOL BLUE	 TERRA-COTTA
 DARK BRONZE	 ZINC GREY	 HARTFORD GREEN	 ROYAL BLUE	 COLONIAL RED
 COPPER BROWN	 MATTE BLACK	 TEAL GREEN	 BURGUNDY	 DEEP RED

All colors except Award Blue comply with **LEED® 2.2 & Energy Star** requirements for roof slopes greater than 2:12.
Almond complies with **LEED® 2.2** requirements for low slopes.
Natural White complies with **LEED® 2.2 & Energy Star** requirements for low slopes.

Premium & Metallic Colors

 NATURAL WHITE	 AWARD BLUE
 CHAMPAGNE	 COPPER-COTE™
 ANTIQUE COPPER-COTE	 ZINC-COTE™
 LEAD-COTE™	 PREWEATHERED GALVALUME®



Natural Metal Finish
 Berridge Satin Finish Galvalume is pretreated to remove mill oils, chemicals and residue and coated on the back side to inhibit corrosion. The top side receives a protective plastic film.

SATIN FINISH GALVALUME®

BMC SAN ANTONIO
6515 Fratt Rd
San Antonio, TX 78218
1-800-669-0009
Fax: 210-650-0379

BMC SEGUIN
2201 Rudeloff Rd
Seguin, TX 78155
Local: 830-401-5200

BMC HOUSTON
1720 Maury Street
Houston, TX 77026
Local: 713-223-4971

BMC DENVER
7505 E. 41st St.
Denver, CO 80216
Local: 303-322-3703

BMC CHICAGO
1175 Carolina Drive
W. Chicago, IL 60185
Local: 630-231-7495

BMC ATLANTA
319 Lee Industrial Blvd
Austell, GA 30168
Local: 770-941-5141

**BERRIDGE CALIFORNIA
SALES CORPORATION**
18732 Corby Avenue
Artesia, CA 90701
Local: 562-402-2081
Fax: 562-865-7878