




Arden Architectural Specialties, Inc.



Stair Treads and Nosings



Stair Treads and Nosings

Protect stairs and increase safety indoors and outdoors with stair treads and nosings from Arden Architectural Specialties. New stairs are safer and last longer with single-part and two-part stair nosings. Old stairs look new with the addition of renovation stair treads. Arden Architectural can also bend nosings to match curved stairs.




Single-Part Stair Nosings

(N-B20, N-B30X*, N-B30, N-S30, N-B40, N-S40)

Arden Architectural's single-part stair nosings are available in two-, three- and four-inch models in bar-type and three- and four-inch solid designs. A continuous extruded anchor holds the stair nosing firmly in place. All models are also available in a screw-down option. To specify this option, add an X to the end of the product number.


All models can be used in steel-pan cement-filled as well as poured or precast concrete and terrazzo stairs.



Two-Part Stair Nosings

(N-TB30, N-TS30)

Two-part stair nosings reduce job-site cleanup time and make replacing treads easy. Install aluminum subchannels during stair installation. When the construction on the job-site is nearly complete, remove plywood insert and screw down the abrasive tread. Very little cleanup is necessary! These stair nosings are designed to stand up to heavy traffic and high impact. Though unlikely, if damaged they are easy to replace. Changing color scheme? No problem. Replace the treads with one of six available colors.




Arden Architectural Specialties, Inc.

Renovation Stair Treads

(N-RB40, N-RB9, N-RB11, N-RB8F, N-RB10F)

Renovate worn, damaged stairs quickly, easily and economically with renovation stair treads from Arden Architectural Specialties.

These renovation stair treads eliminate tripping hazards and create a clean, attractive, nonslip surface on virtually any type of stair. Installation is easy. Simply level the stair with quick-setting leveling compound, place renovation stair treads on the stair and screw them down.



Antislip stair nosing filler is made with aluminum oxide or silicon carbide abrasive in a proprietary cementitious base. Cementitious bases stand up to heavy abuse and are environmentally friendly.

All abrasive-filled stair nosings are available in a range of colors. Combine colors on bar-type stair nosings to accentuate the stair edge for added safety.

All of Arden Architectural's stair treads and nosings exceed Occupational Safety and Health Administration (OSHA) and Americans with Disabilities Act (ADA) standards for slope and coefficients of friction.




Due to printing variations, the colors shown may not be representative of the actual colors. Call us for actual color samples.


Economy Renovation Stair Treads

(N-A65)

These stair treads are a quick, easy solution for slippery steps. Aluminum-extruded stair treads with abrasive tape are quick and easy to screw onto any existing indoor stairs in lower-traffic areas. Model N-A65 is offered in standard black. Increase visibility by adding a colored accent strip to the edge of the stair tread at no extra charge.



Due to printing variations, the colors shown may not be representative of the actual colors. Call us for actual color samples.



Our Mission

Arden Architectural Specialties, Inc. manufactures high-quality architectural specialty products with low life cycle costs and leads the industry in innovation and customer service.

We achieve this mission by designing products that reduce maintenance, increase accessibility and contribute to buildings' designs. We back our products with service and a genuine desire to provide value to our customers. We carry these values throughout our other product lines, Wallwear® wall protection and entrance flooring systems.

Warranty

Arden Architectural Specialties, Inc. warrants to its purchasers, for a period of one year from date of shipment, that any stair nosing will be free of defects in material or workmanship. The liability of Arden Architectural Specialties, Inc. is strictly limited to repair or replacement of units that, in our opinion, were properly installed and subsequently found to be defective. No claims for consequential damages of any nature will be allowed. This warranty is in lieu of all other warranties, expressed or implied.

For More Information

Guide specifications for all of the products described in this brochure, as well as for our Wallwear® wall protection and entrance flooring systems are available through our web site at www.ardenarch.com.

Complete product binders are also available upon request.



Arden Architectural Specialties, Inc.
151 5th Avenue N.W. • Suite J
St. Paul, MN 55112-3268
Toll-Free: 800.521.1826
Tel: 651.631.1607
Fax: 651.631.0251
E-mail: sales@ardenarch.com
Web site: www.ardenarch.com