

Panefold®

10 22 26/ PAN
BuyLine 7239

www.panefold.com

**Operable Partitions • Accordion Partitions
Portable Panel Partitions • Acoustical Panels • Folding Doors**



Moduflex® Series 800 Steel Operable Partitions
Orange County Convention Center*, Orlando, Florida

*In 2003 Panefold furnished approximately 2,200 Series 800 panels up to 40' in height and 10,000 linear feet of Pre-Programmed™ track for this prestigious project.



Moduflex® 420



Moduflex® 610



Moduflex® 820



Sonicwal® 1212



PrimeSpacer® 350



EchoSorb®

With a commitment to technical excellence that spans over a half century, Panefold offers more space division product models, acoustical values, price ranges, and varieties of surfacing materials and options than any other manufacturer.

Moduflex® Operable Partitions

High performance, top-supported, flat panel, manual and electric, fully operable partition walls designed for the most demanding aesthetic and performance criteria.

Moduflex® Series	Panel Thickness	Maximum Height	STC	Panel Face
Series 400	3.25"	18 '3"	44 , 47, 50 or 51	Gypsum, MDF or Steel
Series 500	3.25"	30 '3"	50 or 52	Formed, Welded Steel
Series 600	4.25"	24 '3"	49 or 52	Gypsum, MDF or Steel
Series 800	4.00"	60 '3"	49, 51, 53 or 55 51 @ NRC .80	Formed, Welded Steel



Features

Moduflex® Series 400 and Series 600 gypsum, MDF or steel panel faces are machine-bonded to their inner frames. Series 500 and Series 800 steel panel faces are invisibly edge-welded to their inner frames.

All Moduflex Series feature Sheer-Look® wrap-around panel edges, steel framing, Class A construction and a wide selection of standard, special order and COM vinyls, fabrics and carpeting. Series 400 and Series 600 may also be surfaced with book and sequence matched wood veneers or high pressure laminates.

All Series are available with aluminum or steel track, hinged, or expandable closure panels, automatic or manual horizontal seals, full or partial height tack and marker surfaces, single or double pass doors, windows, pocket doors and electric operation with SafetyFlex™ safety features.

Series 400 and 500 provide compact storage and economy. Series 600 and 800 provide maximum performance. Series 800 is also available with a U.L.® 1- Hour rating.



Configurations:

Pre-Programmed™ Panels
410/510/610/810 PP



Multi-Directional Panels
410/510/610/810 MD


Continuously-Hinged Panels
Manual 430/530/630/830
Electric 440/540/640/840



Paired Panels
420/520/620/820



Copyright © 2010 by Panefold, Inc. All rights reserved.



Design integrity and understanding the efficient use of functional space has made Panefold the first preference of the discriminating designer. There is a Panefold model, color, style and STC rating for virtually every application.

Scale®, Sonicwal® and Fabricwal® Accordion Partitions

Versatile, durable, top-supported, manual and electric, acoustical and non-acoustical accordion folding partitions.

Product Series	Panel Widths	Maximum Height	STC	Construction
Scale®	4", 6", 8" or 12"	18'1"	25 or 30	Laminated, rigid panels Memory Action® vinyl hinges
Sonicwal®	6", 8" or 12"	24'1"	38, 39, 42, 44, 45, 47 or 50	Twin rows of laminated, rigid panels Memory Action® vinyl hinges
Fabricwal®	7"	13'1"	39 or 40	Soft folds of heavy-duty wall covering over a steel frame

Features

Panefold Scale® and Sonicwal® Series folding partitions feature strong, rigid, high-density panels machine laminated with a wide selection of architectural grade genuine wood veneers, high pressure laminates and Class A flame spread rated vinyl wall coverings, panel fabrics and wall carpeting. Panels are interconnected by full-height, lifetime, Dual-Wall™ Memory Action® vinyl hinges.


Fabricwal® partitions feature soft folds of heavy-duty vinyl, fabric or carpeting over a steel pantographic frame.

All models are available with optional privacy and key locks, 2-, 3- and 4- way meeting posts, curved track, curved and crossover track switches, and electric operation with SafetyFlex™ safety features.

Scale/8 and Scale/12 provide compact storage and ultimate economy. Sonicwal/66, 88, and 1212 provide outstanding acoustical performance at prices well below those of flat panel operable partitions.



Sonicwal/88®



Sonicwal/1212®




Scale/8®



Fabricwal®


Configurations:




Scale/8®



Scale/12®



Sonicwal/66®



Sonicwal/88®



Sonicwal/1212®



Fabricwal®

Operable Partitions • Accordion Partitions Portable Panel Partitions • Acoustical Panels • Folding Doors

EchoSorb® Acoustical Panels

Colorful, effective, noise reducing panels improve the acoustics of a room by absorbing echos.

- NRC .75, 1.25" thick panels.
- Rigid frames and backer.
- Attractive, acoustically-transparent panel fabric wrapped around all four edges.
- Optional full color printed graphics.
- Wall or ceiling mount.
- Standard and custom sizes.



PrimeSpacer® Portable Partitions

Floor-supported, factory assembled portable panel partitions install quickly between ceilings and floors without permanent attachments.

- Gypsum, MDF or steel faced, 3.25" thick panels.
- Acoustical ratings to STC 50.
- Sheer Look® wrap-around panel edges.
- Vinyl, fabric, carpet, veneer, HPL and COM surfacing.
- Optional pass doors, windows, markerboards, tackboards and radiused corners.



Panelfold®
Architectural
Products Catalog



Panelfold®
Interactive CD-ROM



www.panelfold.com

Mail: Panelfold, Inc., P.O. Box 680130, Miami, Florida 33168

305-688-3501 Fax: 305-688-0185 E-mail: sales@panelfold.com Internet: www.panelfold.com

Panelfold®, the Panelfold Logo™, Panelfold Innovative Space Division Systems™, Panelfold Made-To-Your-Order™, Modulflex®, PrimeSpacer®, Sonicwal®, Fabricwal®, Folddoor®, Soundguard®, Scale®, Signature™, Signature Series™, Classic Series™, Designer Series™, Criterion®, Accent®, Europa®, Nuvo™, Millennia™, Lucent™, Visio™, Silhouette™, EchoSorb®, Closetwal®, Plasticdor™, Decorative Accents™, Canedor®, Carvedor®, Glazedor®, Mirrordor™, Paneltex™, Vinyltex™, Startex™, Sandtex™, Fabrictex®, Hightex™, Ropetex™, Meritex™, Woodtex®, Lustertex™, Decotex™, Walltex™, Colortex™, Softtex™, Ribtex®, Woventex®, Echotex™, Glacierwood™, Silkwood™, Wheatwood™, Honeywood™, Sorrelwood™, Canyonwood™, Sablewood™, Memory Action®, the Memory-Action Hinge Design®, Dual-Wall™, Panelok™, Traklok™, Touch-bar™, Gripull™, Draw-tite™, Ceilingguard™, Ceilingshield™, Airscape™, Traksal™, Sonicsweep™, Pre-Programmed™, ActionTrack®, Gym Wall Electric™, GWE™, SafetyFlex™, Sheer Look®, Firecoustic®, Acoustiflame®, Travelock™, Autocloser™, Autosetal™, Manuseal™, Floatseal™, Superseal™, Opseal™, Gripseal™, Wall Configurator™ and Wall Designer™ are either registered trademarks or trademarks of Panelfold, Inc. in the United States and/or other countries. All other trademarks are the property of their respective owners. Form No. SA470GD. Printed in the U.S.A.

Panelfold also manufactures a full line of folding doors for doorways, closets, utility rooms and room dividers. Please see Sweet's 08 35 00/PAN.

