# **Resilient Floors**













# **ColorWorks**<sup>™</sup>

Make color work to your advantage with our integrated palette of commercial tile products from Azrock by Tarkett.

A beautiful choice of colors, textures and compatible products in four dynamic color ranges — natural, cosmopolitan, contemporary and urban. Combine different product lines for the perfect blend of aesthetics and performance. And lead the way with extraordinary designs that are beautiful AND functional.

## Natural.

The elevation of well being to an art form.

## Cosmopolitan.

Rich expressions built on beautifully celebrated tones.

## Contemporary.

The unexpected harmonies that add excitement to every day life.

#### Hrhan

Elegantly combining the raw and the sophisticated.



# **Environmental Responsibility**

#### **Mission Statement**

Through responsible and transparent decisions and actions of continuous improvement, Tarkett is committed to the betterment of the environment.

#### Think Long-term

We believe it is imperative to make prudent use of available natural resources in order to reduce our impact on the environment.

- Tarkett reduces fuel by using raw materials in close proximity to the plant
- Tarkett uses materials that contain recycled content
- Tarkett flooring contains up to 35% recycled content, depending on the product
- Tarkett uses less water and harsh chemicals by creating floors that only require dry buffing

#### Think Air Quality

We believe it is very important to maintain high standards for indoor air quality. Research has shown indoor air quality directly affects human health and performance.

The Floor Score program, developed by the Resilient Floor Covering Institute (RFCI) in conjunction with Scientific Certification Systems (SCS), tests and certifies flooring



products for compliance with indoor air quality emission requirements adopted in California.

Tarkett products have Floor Score certification through Scientific Certification Systems and meet the VOC emissions criteria of the California Section 01350 program.

#### Think ReUse

Tarkett offers a reclamation program for its products and samples. Installation waste


RE USE

usually ends up in landfills, but not with Tarkett's reclamation program.

#### Think Dedication

Tarkett is dedicated to the community and the environment through group memberships.

- United States Green Building Council (USGBC)
- American Society for Testing and Measurement (ASTM)
- American Institute of Architects (AIA)
- National Association of Floor Covering Distributors (NAFCD)
- Resilient Floor Covering Institute (RFCI)



# Commercial Homogeneous Tile



If you're an architect, interior designer or corporate specifier, experience our products first-hand. Just call 1-800-558-2240. Or visit our web site, www.Tarkett-Commercial.com for more solutions.



# Milano™



Available in 12 colors

- 16" x 16" tiles
- Ideal for heavy-use areas
- Coordinating and complementing colors provide design versatility
- Lower cost alternative to luxury vinyl tile products
- Gauge and maintenance compatible with VCT or VET
- Easy, low-cost maintenance – no wax, no polish

# Milano<sup>™</sup> SR



Slip Resistant
Available in 5 colors

- Same features & benefits as smooth Milano
- Embossed surface of Milano SR channels moisture into valleys, and colors coordinate with smooth Milano



# **SolidAir**<sup>™</sup>



Available in 20 colors

- 16" x 16" tiles
- Easy, low-cost maintenance
- High wear resistance
- Tone on tone color
- Colors coordinate with Cortina Grande and Milano



Karim Kolors Cortina Grande®

Available in 26 colors



Available in 10 colors

- 16" x 16" tiles
- Available in four unique special shape cuts
- Designed by world renowned designer Karim Rashid
- Unique 16" x 16" size
- More vinyl content than VCT for superior durability and easy maintenance
- Gauge and maintenance compatible with VET or VCT

# Cortina Grande® SR




Slip Resistant

Available in 7 colors

- · Same features & benefits as smooth Cortina Grande
- · Embossed surface of Cortina Grande SR channels moisture into valleys, and colors coordinate with smooth Cortina Grande







# **Premium Vinyl Enhanced Tile**



If you're an architect, interior designer or corporate specifier, experience our products first-hand. Just call 1-800-558-2240. Or visit our web site, www.Tarkett-Commercial.com for more solutions.



# **CortinaStone**<sup>™</sup> **Thru-Quartz**





Available in 12 colors

 Combines contrasting granite with soft, flowing marble

- 12" x 12" tiles
- Non-directional design allows straight or turned installation
- Virtually seamless installed look
- Multi-dimensional deep stone look
- Ideal for heavy use areas

All colors of CortinaStone may be special ordered in a Slip Resistant version with a 300 carton minimum.

- Non-directional defined chip patterns suggest the monolithic look of a poured floor
- 12" x 12" tiles
- Durable and functional through pattern design
- The look of solid color without additional maintenance



# **Premium Vinyl Composition Tile**

# Granite™

Available in 10 colors

- Natural look of real granite
- Pure, translucent color and distinctive stone
- Durable and functional through pattern design
- 12" x 12" tiles
- Virtually seamless installed look

# **Granite**<sup>™</sup> **SR**

Slip Resistant
Available in 13 colors

- Same features & benefits as smooth Granite
- Granite SR provides ultimate slip resistance

# Solids & Feature Strips

Available in 14 colors

- · Enhance design flexibility
- 12" x 12" tiles and 6 sizes of Feature Strips
- Coordinate perfectly for insets and borders with other Azrock products
- Perfect for custom logo work

1/4" width

1/2" width

1" width



6" width





# **Standard Vinyl Composition Tile**

# **Cortina® Colors & Cortina® Classics**

Available in 65 colors

- Durable and functional through pattern design
- Colors and patterns coordinate with and compliment Azrock Premium VCT
- 12" x 12" tiles



If you're an architect, interior designer or corporate specifier, experience our products first-hand. Just call 1-800-558-2240. Or visit our web site, www.Tarkett-Commercial.com for more solutions.





All Cortina Colors and Cortina Classics are available with StoneGlow® at a premium price by special order. StoneGlow is a tile with photo luminescent chips dispersed evenly across the tile to assure safe exits in emergency situations.






## **Sport Court Kits**

Each kit contains sufficient material for a standard court including installation information and tile pieces. (Field product to be ordered separately–call for information.)

#### Basketball Kit



### Shuffleboard Kit



# **Maintenance System**

**C302 FLOOR CLEANER** Nearly neutral pH cleaner, especially useful with automatic floor scrubbers because of its very low foaming characteristic. It removes dirt, not polish.

**C402 FLOOR STRIPPER** Ammonia-free, and may be used on all commercial vinyl floors (except linoleum).

**C502 FLOOR POLISH** Useful as a dry bright polish, a spray buff polish or a high-speed burnishing product.

**C202 MATTE SATIN POLISH** High durability, low gloss acrylic polish for restoring luster to linoleum and other commercial flooring.

# **SpraySmart Adhesives**

Tarkett SpraySmart adhesives present the first truly new flooring adhesive technology in decades. Environmentally friendly, fast application, immediate bond and water based, SpraySmart contains no VOC's and are non-toxic. Reduce installation time by 70% and allow immediate occupancy and maintenance. Use of complete Tarkett branded installation systems, flooring material, floor preparation products and adhesives ensures Tarkett full warranty coverage on our commercial flooring products.

# SpraySmart for VET, SVT, LVT

#### 120-8 Gold

7 lbs. Moisture / 11 pH Approx. Coverage: 3500 ft²

#### 121-8 Platinum

10 lbs. Moisture / 12 pH Approx. Coverage: 2500 ft<sup>2</sup>

#### 120-2 Gold

7 lbs. Moisture / 11 pH Approx. Coverage: 150 ft²

#### 121-2 Platinum

10 lbs. Moisture / 12 pH Approx. Coverage: 100 ft<sup>2</sup>

#### SpraySmart for VCT

#### 122-8 Gold

7 lbs. Moisture / 11 pH Approx. Coverage: 5000 ft²

#### 123-8 Platinum

10 lbs. Moisture / 12 pH Approx. Coverage: 4000 ft<sup>2</sup>

#### 122-2 Gold

7 lbs. Moisture / 11 pH Approx. Coverage: 250 ft²

### 123-2 Platinum

10 lbs. Moisture / 12 pH Approx. Coverage: 175 ft<sup>2</sup>

#### SpraySmart Cleaners

134C Gun / Hose Cleaner

1340 Overspray Cleaner

### **Trowel Adhesives**

**100** Clear Thin Spread Adhesive for Vinyl Composition Tile - Zero TVOC

**400** Acrylic Hard Set Adhesive for LVT - .125 gauge Planks, and Linoleum - Zero TVOC

**800** Pressure Sensitive Adhesive for Commercial LVT, .100 gauge and Solid Vinyl Tile - Zero TVOC

**940** Polyurethane Adhesive for specialized applications - Zero TVOC





# Standard Vinyl Composition Tile

# **Standard VCT**

Available in 55 colors

- 55 colorways
- Provides ultimate value in design, function and cost
- 12" x 12" tiles

# **Premium Tile**



If you're an architect, interior designer or corporate specifier, experience our products first-hand. Just call 1-800-558-2240. Or visit our web site, www.Tarkett-Commercial.com for more solutions.





# **True Step**

Slip Retardant Tile
Available in 8 colors

- Ideal for facilities like grocery stores where patron safety and slip resistance are major concerns
- Textured surface and through the thickness hard-particle composition provides the ultimate in slip resistance
- 12" x 12" tiles

# **Details™& Feature Strips**

Available in 8 colors

- Unlimited design opportunities
- Perfect as insets and borders with Expressions Standard and Premium VCT, Stoneworks, True Step and other products in the Tarkett family
- 12" x 12" tiles & 6 sizes of Feature Strips

## Stoneworks™



Available in 12 colors

- Vinyl Enhanced Tile
- Combines contrasting granite with soft flowing marble
- Non-directional design allows straight or turned installation
- 12" x 12" tiles

All colors of Stoneworks may be special ordered in a Slip Resistant version with a 300 carton minimum.



**Specifications** 

	Cortina® Colors Cortina® Classics	Expressions Standard VCT	Granite™	Granite™ SR Slip Resistant	True Step Slip Retardant	Solids & Feature Strips
Type of floor covering	Standard VCT	Standard VCT	Premium VCT	Premium VCT	Premium VCT	Premium VCT
ASTM F 1066	Class 2 Through Pattern	Class 1 Solid Color				
ASTM E 662	<450	<450	<450	<450	<450	<450
ASTM E 648	Class 1 >0.45 CRF	Class 1 > 0.45 CRF				
ASTM F 970	150 psi	150 psi				
Slip Resistance	>0.6 COF	>0.6 COF	>0.6 COF	>0.8 COF	>0.8 COF	>0.6 COF
Thickness	1/8"	1/8"	1/8"	1/8"	1/8"	1/8"
Colors	65*	55	10	13	8	14
Adhesive	SpraySmart, 100	SpraySmart, 100	SpraySmart, 100	SpraySmart, 100, 940†	SpraySmart, 100, 940†	SpraySmart, 100
Budget Installed Price**	\$1.30 - \$1.95	\$1.30 - \$1.95	\$2.20 - \$2.80	\$2.90 - \$3.75	\$2.90 - \$3.75	\$2.80 - \$3.90
Warranty	5 Year Limited	5 Year Limited				
Maintenance	Floor Care System	Floor Care System				
Tile Size Quantity Weight	12" x 12" 45 tiles/ctn - 45 sq. ft. 64 lbs per ctn	12" x 12" 45 tiles/ctn - 45 sq. ft. 64 lbs per ctn	12" x 12" 45 tiles/ctn - 45 sq. ft. 64 lbs per ctn	12" x 12" 45 tiles/ctn - 45 sq. ft. 64 lbs per ctn	12" x 12" 45 tiles/ctn - 45 sq. ft. 64 lbs per ctn	12" x 12" 45 tiles/ctn - 45 sq. ft 64 lbs per ctn

	Details™ & Feature Strips	Thru-Quartz	CortinaStone™	Stoneworks™
Type of floor covering	Premium VCT	Premium VET	Premium VET	Premium VET
ASTM F 1066	Class 1 Solid Color			
ASTM E 662	<450	<450	<450	<450
ASTM E 648	Class 1 >0.45 CRF	Class 1 >0.45 CRF	Class 1 >0.45 CRF	Class 1 >0.45 CRF
ASTM F 970	150 psi	400 psi <sup>††</sup>	400 psi <sup>††</sup>	400 psi <sup>††</sup>
Slip Resistance	>0.6 COF	>0.6 COF	>0.6 COF	>0.6 COF
Thickness	1/8"	1/8"	1/8"	1/8"
Colors	8	20	12	12
Adhesive	SpraySmart, 100	SpraySmart, 100	SpraySmart, 100	SpraySmart, 800
Budget Installed Price**	\$2.80 - \$3.90	\$1.85 - \$2.60	\$2.30 - \$2.95	\$2.30 - \$2.95
Warranty	5 Year Limited	10 Year Limited	10 Year Limited	10 Year Limited
Maintenance	Floor Care System	Floor Care System	Floor Care System	Floor Care System
Tile Size Quantity Weight	12" x 12" 45 tiles/ctn - 45 sq. ft. 64 lbs per ctn	12" x 12" 45 tiles/ctn - 45 sq. ft. 59 lbs per ctn	12" x 12" 45 tiles/ctn - 45 sq. ft. 59 lbs per ctn	12" x 12" 45 tiles/ctn - 45 sq. ft 59 lbs per ctn



All of our plants are ISO 9001 Certified.



If you're an architect, interior designer or corporate specifier, experience our products first-hand. Just call 1-800-558-2240. Or visit our web site, www.tarkett-commercial.com for more solutions.

	Cortina Grande®	Cortina Grande® SR Slip Resistant	SolidAir <sup>™</sup> & Karim Kolors	Milano™	Milano™ SR Slip Resistant
Type of floor covering	Homogeneous Tile				
ASTM F 1700	Class 1, Type A	Class 1, Type B	Class 1, Type A	Class 1, Type A	Class 1, Type B
ASTM E 662	<450	<450	<450	<450	<450
ASTM E 648	Class 1 >0.45 CRF	Class 1 >0.45 CRF	Class 1 >0.45 CRF	Class 1 > 0.45 CRF	Class 1 >0.45 CRF
ASTM F 970	800 psi <sup>††</sup>	800 psi <sup>tt</sup>	800 psi <sup>††</sup>	800 psi <sup>††</sup>	800 psi <sup>††</sup>
Slip Resistance	>0.6 COF	>0.8 COF	>0.6 COF	>0.6 COF	>0.8 COF
Thickness	1/8"	1/8"	1/8"	1/8"	1/8"
Colors	26	7	30	12	5
Adhesive	SpraySmart, 800	SpraySmart, 800, 940†	SpraySmart, 800	SpraySmart, 800	SpraySmart, 800, 940†
Budget Installed Price**	\$2.90 - \$3.90	\$3.80 - \$4.70	\$3.25 - \$4.20	\$3.50 - \$4.60	\$4.35 - \$5.20
Warranty	10 Year Limited				
Maintenance	Floor Care System				
Tile Size Quantity Weight	16" x 16" 25 tiles/ctn - 44.44 sq. ft. 52 lbs per ctn	16" x 16" 25 tiles/ctn - 44.44 sq. ft. 52 lbs per ctn	16" x 16" 25 tiles/ctn - 44.44 sq. ft. 52 lbs per ctn	16" x 16" 25 tiles/ctn - 44.44 sq. ft. 52 lbs per ctn	16" x 16" 25 tiles/ctn - 44.44 sq. ft. 52 lbs per ctn

- In areas exposed to temperature fluctuations and occasional topical moisture.

  Static load limit per ASTM 970 modified by specifying a higher load on a smaller diameter tip. All other test conditions are the same.

  All Cortina Colors and Cortina Classics are available with StoneGlow\* at a premium price by special order. StoneGlow is a tile with photo luminescent chips dispersed evenly across the tile to assure safe exits in emergency situations.

  Budget pricing is an approximate guide per square foot for specifiers and does not constitute a price for any given project or market. Pricing is based on material and labor for commercial projects and does not include floor preparation.



2728 Summer Street . Houston, Texas . 77007

tarkett-commercial.com