




150 PSI 5+ +5
 +5
As
 12 VCT
Asset 




400 PSI 2+ +10
 +10
Ad
 12 PU VET
Advance 

800 PSI 0 +10
 +10
 +10
Ac
 16 PUR SVT
Achieve 



> INTRODUCING THE NEXT GENERATION OF FLOORING.

(USING IT CAN MAKE YOU LOOK LIKE A GENIUS.)




What if you could save your organization \$5.9 million over the next six years in maintenance costs? That would look pretty good on your resume, wouldn't it? Well, you can with Achieve, one of our new vinyl tile lines that dry buffs to a high gloss without wax or polish.

We've also re-engineered our basic VCT and our enhanced vinyl tile lines to make them an even smarter choice. Now they install in a third of the time, you can walk on them immediately, they require less maintenance and they come with the longest warranties in the industry.

We've developed a new adhesive that improves the installation process. It's called SpraySmart, and cuts installation time by up to 70 percent and contains no VOCs. It has better moisture resistance than ordinary adhesives, which allows us to double our warranties. When you cut cost, installation time and environmental impact, you'll look smart and so will your floor.


So that's the story.

A new tile system,
a new adhesive system,
a smarter approach to flooring.





THE 5 ELEMENTS OF THE AZROCK SYSTEM



With SpraySmart adhesive, your tile is ready for business a few minutes after it is installed and you'll be walking around on a new floor with triple warranty protection. The slip-resistant surface helps reduce slip/fall liability claims. And it's also moisture resistant up to 10 lbs/12 PH, not to mention the high PSI ratings.

Nothing is smarter than installing Azrock tile with SpraySmart adhesive. It takes less time (up to 70 percent less), fewer tools and less adhesive. The little adhesive that is used is odorless and contains no VOCs. And when it's all said and done, your space will be ready for immediate occupancy.

The entire Azrock line is part of the ColorWorks® story. Designers can easily mix product lines to create unique color stories. And with unique sizes, shapes, textures and edge options, looking good will also mean looking smart.

Our Achieve tile can eliminate polish or strippers. The lower maintenance requirements mean a decrease in labor costs and a lower impact on the environment. Making you look smart.

All products are FloorScore™ certified to ensure the best indoor air quality. Depending on your tile choice, you can earn LEED points. Using less adhesive means making less waste, up to one container for every four used in traditional installation. Lower maintenance costs also mean less waste because you use fewer products to maintain your floors. If that weren't enough, Azrock has put into place the ReUse Reclamation Program for clean flooring waste.

CONTENTS

- COLORWORKS ... 4
- ASSET ... 6
- CORTINA COLORS & CLASSICS ... 8
- GRANITE & GRANITE SR ... 10
- THRU-QUARTZ & SOLIDS ... 12
- ADVANCE ... 14
- CORTINASTONE ... 16
- ACHIEVE ... 18
- CORTINA GRANDE ... 20
- CORTINA GRANDE SR ... 22
- MILANO & MILANO SR ... 24
- SOLIDAIR ... 26
- KARIM KOLORS ... 28
- ADDED DIMENSIONS & FLOORART ... 30
- SPORT KITS ... 31
- SPRAYSMART/ADHESIVES ... 32
- SPECIFICATIONS ... 34
- ENVIRONMENTAL COMMITMENT ... 36

Gold Award Winner of
the 2007 Design Journal
ADEX awards



Make color work to your advantage with our integrated palette of commercial tile products from Azrock by Tarkett. A beautiful choice of colors, textures and compatible products in four dynamic color ranges — natural, cosmopolitan, contemporary and urban. Combine different product lines for the perfect blend of aesthetics and performance. And lead the way with extraordinary designs that are beautiful AND functional.

Natural.

The elevation of well being to an art form.

Cosmopolitan.



Rich expressions built on beautifully celebrated tones.

Contemporary.

The unexpected harmonies that add excitement to every day life.

Urban.


Elegantly combining the raw and the sophisticated.



CONTEMPORARY



HTS11 CG413 HTS13 MI317 VL125-3



VS236-3 SR131-3 CG414 V-927 V-887



V-609 V-781 VS222-3 SR151-3 VL151-3



ST028-3 V-871 V-616 CG417 HTS14



V-615 V-857 HTS16 V-613 HTS12



HTS15 V-610 CG407 CG406SR V-938



V-987 V-605 VS297-3 VS296-3 V-601



CG419 V-786 CG415 CG420 TQ220-3




ST012-3 V-614 MI315 V-923 ST010-3



CG406 V-931

URBAN



V-626 V-618 SR123-3 TQ223-3 V-960 V-858



V-968 CG408SR V-789 CG402SR HTS18 MI310SR



CG401 TQ304-3 MI316SR MI314 MI314SR HTS17



V-866 CG416 V-310 TQ288-3 VS304-3 SR154-3



V-785 TQ297-3 CG416SR MI316 V-787 HTS20



ST018-3 TQ300-3 V-862 MI310 CG402 VS300-3



HTS19 VL130-3 SR130-3 ST011-3 SR120-3 CG403






MI311 VS288-3 VL120-3 TQ224-3 CG405 V-962



CG408 ST014-3 VL122-3 V-312 VL123-3

COLORWORKS™





VINYL COMPOSITION

150 PSI

DOUBLE WARRANTY FOR 5 YEARS

FLOORSCORE CERTIFIED

EARN LEED POINTS

Asset is a vinyl composition tile with 150 PSI. It requires 5+ coats of polish, as well as stripping and refinishing. When Asset is installed using SpraySmart adhesive, you get double warranty protection – a 5-year manufacturing warranty and a 5-year limited moisture/PH warranty. Asset is FloorScore certified and can help you earn LEED points.

STANDARD VCT

- **Cortina® Colors**
- **Cortina® Classics**

Versatility and quality come beautifully together in Azrock's Asset VCT line, the designer-oriented array of contemporary colors, patterns and styles that coordinate and interact in virtually endless ways.

- 85% of VCT raw material is limestone – a clean, non-polluting and benign filler
- 100% of all production overage recycled back into VCT
- Packaged in recyclable cardboard on reusable and biodegradable wooden pallets
- 12" x 12" tiles
- FloorScore certified
- Reclamation program for VCT installation waste to further reduce the environmental impact and earn LEED rating
- Lowest up-front cost

PREMIUM VCT


- **StoneGlow®**
- **Granite™**
- **Granite™ SR**
- **Thru-Quartz**
- **Solids & Feature Strips**

Where the look and feel of exceptional quality is a paramount consideration, our Asset Premium VCT lines artfully blend extraordinary visual appeal with tough performance.

- Greater variety increases creative options and opportunities
- Added safety and slip-resistant capabilities are available with SR products
- 12" x 12" tiles
- Made of more than 85% limestone, a clean, non-polluting and benign filler
- 100% of all production overage is recycled back into VCT
- FloorScore certified
- Reclamation program for VCT installation waste to further reduce the environmental impact and earn LEED rating



150 PSI 5+ +5
+5
As
12 VCT
Asset 



CORTINA® COLORS

CORTINA® CLASSICS

Standard VCT

12" x 12", 1/8" Gauge

65 Colors

- Provides the perfect base color tile to coordinate with and complement Azrock Premium Vinyl Composition Tile
- Durable and functional through pattern design

Color, shade and pattern may vary as this is a natural product.

STONEGLOW®

Premium VCT


12" x 12", 1/8" Gauge

Available in select Cortina Colors & Cortina Classics




- Photo luminescent chips dispersed evenly across the tile
- Chips remain charged for several hours to assure safe exits in emergency situations


Select Cortina Colors and Cortina Classics are available with StoneGlow at a premium price by special order. Minimum quantities may apply.




V-890 Antique White



V-913 Light Moves



V-873 Sand Dune



V-824 Sesame



V-957 Fieldstone



V-914 Canvas Tan



V-602 Natural Moon



V-603 Buff



V-423 Autumn Haze



V-874 Desert Haze



V-984 Elemental



V-986 Baked Earth



V-607 Pecan Pie



V-985 Earthenware



V-988 Spicenut



V-606 Toasted Cinnamon



V-622 Mocha



V-780 Sunburst



V-863 Sand Drift




V-625 Rosette



V-951 Red Pepper



V-628 Sangria



V-620 Brick



V-623 Coral Reef



V-976 Bronze Tan



V-608 Hype



V-621 Pomegranate



V-624 Sunrise



V-885 Honey



V-982 Maple Sugar



V-619 Saffron



V-627 Dusty Purple



V-604 Morning Glory



V-617 Amethyst



V-786 Cloudburst

CORTINA® COLORS

CORTINA® CLASSICS


STONEGLOW®




V-781 Rainbow



V-609 Iceberg



V-923 Geneva Blue



V-927 True Blue



V-887 Denim



V-616 Lagoon




V-615 Spearmint



V-931 Sage White



V-613 Pistachio




V-857 Teal Mist



V-601 Country Olive



V-610 Emerald



V-871 Rainforest



V-938 Balsam



V-605 Butternut



V-987 Brazilia



V-614 Granny Smith



V-785 Cirrus



V-789 Windrift



V-787 Stratus



V-862 Cloud White



V-626 Silver Dust




V-312 White Tracery



V-858 Pewter Gray



V-866 Shale Gray




V-960 Silver Plum




V-618 Platinum





V-962 Greyhound



V-968 Evening



V-310 Midnight



GRANITE™

Premium VCT 12" x 12", 1/8" Gauge 9 Colors

- Offers the natural look of real granite, for a fraction of the cost
- Pure, translucent color and distinctive stone laid in one direction combine for a virtually seamless installed look
- Durable and functional through pattern design
- Colors coordinate with Solids and Feature Strips for a multitude of design possibilities


Color, shade and pattern may vary as this is a natural product.



VL153-3 Cinnamon Stone




VL124-3 Tan



VL150-3 Black Cherry




VL151-3 Pine Moss




VL125-3 Green



VL120-3 White



VL122-3 Gray



VL130-3 Blue Gray



VL123-3 Black

GRANITE™ SR

Premium VCT Slip Resistant 12" x 12", 1/8" Gauge 12 Colors

- Same features as smooth Granite
- Ideal for facilities like grocery stores where patron safety and slip resistance are major concerns
- Textured surface combined with a through the thickness hard-particle composition provides the ultimate in slip resistance
- Colors appropriate for all commercial sites—from schools to retail shops

Color, shade and pattern may vary as this is a natural product.



SR135-3 Neutral White



SR136-3 Sandy Beige




SR138-3 Copper Brown




SR153-3 Cinnamon Stone



SR124-3 Tan



SR150-3 Black Cherry



SR154-3 Sapphire Mine



SR131-3 Stoney Blue



SR151-3 Pine Moss



SR120-3 White




SR130-3 Blue Gray




SR123-3 Black




GRANITE™



GRANITE™ SR



150 PSI 5+ +5
 +5
As
 12 VCT
 Asset 

THRU-QUARTZ

Premium VCT

12" x 12", 1/8" Gauge


12 Colors

- Solid color tile accented with a virtually nondirectional pattern of minute chips
- Durable and functional through pattern design
- The look of solid color without the additional maintenance
- Subtle field colors offer flexibility of design with Solids or Feature Strips


Color, shade and pattern may vary as this is a natural product.




TQ304-3 White




TQ290-3 Canvas




TQ217-3 Cornsilk




TQ289-3 Toast




TQ291-3 Camel




TQ288-3 Pewter




TQ224-3 Warm White



TQ284-3 Smoke




TQ223-3 Platinum



TQ297-3 Blue Gray



TQ220-3 Dusty Green



TQ300-3 Black

SOLIDS & FEATURE STRIPS

Premium VCT

12" x 12", 1/8" Gauge

15 Colors

6 sizes of Feature Strips


- Enhance design flexibility
- Coordinate perfectly for insets and borders with other Azrock products including Solid Vinyl Tile and Vinyl Enhanced Tile
- Perfect for custom logo work

Not recommended for fields of overall color, because slight color shading among the tiles may occur. As with any solid color flooring, extra maintenance attention is required.

Color, shade and pattern may vary as this is a natural product.



VS249-3 Daisy



VS282-3 Cream Amber



VS240-3 Rio Red



VS292-3 Burgundy




VS242-3 Grape Ice



VS236-3 Dark Blue




VS222-3 Sea Wind




VS296-3 Moss




VS297-3 Tree Green




FS249-3A Daisy, 1/4" width



FS249-3B Daisy, 1/2" width



FS249-3C Daisy, 1" width




FS249-3D Daisy, 2" width




FS249-3F Daisy, 4" width


FS249-3H Daisy, 6" width



VS217-3 Cornsilk




VS293-3 Brown




VS304-3 White



VS284-3 Smoke




VS288-3 Pewter



VS300-3 Black





THRU-QUARTZ



SOLIDS & FEATURE STRIPS



150 PSI 5+ +5
As +5
12 VCT
Asset 



VINYL ENHANCED

2-3 COATS OF POLISH

400 PSI

DOUBLE WARRANTY FOR 10 YEARS

FLOORSCORE CERTIFIED

EARN LEED POINTS

Advance is a vinyl enhanced tile with 400 PSI. It has a higher upfront cost but lower maintenance costs. In fact, Advance can save your organization thousands of dollars annually.

Advance has a Tritonite PU Finish, a UV/ceramic coating technology which resists dirt buildup and requires no initial stripping. It requires 2 coats of polish and follow-up spray buffing with the occasional stripping and refinishing. Advance can save on maintenance costs.

When Advance is installed using SpraySmart adhesive, you get double warranty protection with a 10-year manufacturing warranty and 10-year limited moisture warranty.

Advance is FloorScore certified and can help you earn LEED points.





VINYL ENHANCED TILE

- **CortinaStone™**
 - More binder content than VCT
 - More durability and easier maintenance
 - Maintenance characteristics make VET ideal for areas that do not receive consistent routine maintenance (boutiques, small specialty retail, offices, etc.)
 - 12" x 12" tiles
 - FloorScore certified





400 PSI 2+ +10
+10
Ad
12 PU VET
Advance 




Vinyl Enhanced Tile
12" x 12", 1/8" Gauge
12 Colors



- Combines contrasting granite with soft, flowing marble
- Subtle design allows straight or turned installation
- Unique construction provides multi-dimensional deep stone look
- Various levels of color and graining provide the best concealment of traffic patterns in heavy use areas
- With Tritonite PU finish
- All colors of CortinaStone may be special ordered in a Slip Resistant version with a 300 carton minimum.


Color, shade and pattern may vary as this is a natural product.



ST029-3 Cream




ST017-3 Beige



ST016-3 Gold



ST027-3 Bronze



ST030-3 Caramel



ST036-3 Copper




ST010-3 Blue



ST012-3 Green



ST028-3 Moss



ST011-3 White




ST014-3 Gray




ST018-3 Black





400 PSI 2+ +10
Ad +10
12 PU VET
Advance 

800 PSI 0 +10
+10
+10
Ac
16 PUR SVT
Achieve 

SOLID VINYL

FLEXIBLE MAINTENANCE

NO INITIAL STRIPPING

800 PSI

HOMOGENEOUS CONSTRUCTION

TRIPLE WARRANTY FOR 10 YEARS

FLOORSCORE CERTIFIED

EARN LEED POINTS

Achieve is a solid vinyl tile with 800 PSI and homogeneous construction. It has the highest upfront cost but virtually no maintenance cost. In fact, Achieve can save your organization thousands of dollars annually.

It can be maintained with neutral cleaner and dry buffing. It has a buffable Tritonite PUR Finish.

When Achieve is installed using SpraySmart adhesive you get a triple warranty, a 10-year manufacturing warranty, a 10-year limited moisture/PH warranty and a 10-year limited wear warranty.

Achieve is FloorScore certified, improving the environmental performance of the building, and can help you earn LEED points.






SOLID VINYL TILE

- **Cortina Grande®**
- **Cortina Grande® SR**
- **Milano™**
- **Milano™ SR**
- **SolidAir™**
- **Karim Kolors**
- Ideal for heavy use areas like school foyers, convenience stores and healthcare facilities
- Highest binder content for superior durability and less maintenance
- 16" x 16" tiles
- FloorScore certified





800 PSI 0 +10
+10
+10
Ac
16 PUR SVT
Achieve 




Solid Vinyl Tile

16" x 16", 1/8" Gauge


26 Colors



- Larger 16" x 16" size
- Multi-chip visual ideal for high traffic areas
- Highest binder content for superior durability and easy maintenance
- Gauge and maintenance compatible with Milano, SolidAir or Karim Kolors
- With Tritonite PUR finish
- Broad color palette




CG422 Yellow




CG412 Heather




CG424 Cream




CG410 Camel




CG426 Gold




CG409 Ginger




CG425 Peach




CG421 Orange



CG411 Longhorn




CG418 Red




CG423 Eggplant



CG416 Multi-Gray



CG414 Lilac




CG419 Blue




CG413 Royale




CG415 Galaxy




CG408 Silt




CG407 Mint



CG417 Caribbean



CG420 Green




CG406 Sage




CG405 Cinder White



CG402 Black & White







CG404 Pumice



CG403 Loam



CG401 Onyx




Solid Vinyl Tile

16" x 16", 1/8" Gauge




7 Colors


- Larger 16" x 16" size
- Highest binder content for superior durability and easy maintenance
- With Tritonite PUR finish making it one of the easiest slip resistant floors to maintain
- Includes a hard composite particle through the thickness for the ultimate in slip resistance
- Embossed surface of Cortina Grande SR channels moisture into valleys
- Colors coordinate with smooth Cortina Grande




CG412SR Heather




CG410SR Camel



CG416SR Multi-Gray




CG408SR Silt



CG406SR Sage







CG402SR Black & White



CG404SR Pumice





800 PSI 0 +10
Ac +10
16 PUR SVT +10
Achieve 

MILANO™

Solid Vinyl Tile

16" x 16", 1/8" Gauge

12 Colors



- 16" x 16" tiles
- The look of a poured terrazzo floor, helping to mask subfloor irregularities
- Ideal for heavy-use areas
- Coordinating and complementing colors provide design versatility
- Gauge and maintenance compatible with Cortina Grande, SolidAir or Karim Kolors
- With Tritonite PUR finish



MI316 White




MI310 Gray



MI313 Taupe



MI319 Beige




MI321 Gold



MI320 Copper



MI312 Brown



MI318 Plum



MI314 Blue Gray



MI317 Blue



MI315 Green



MI311 Black

MILANO™ SR

Solid Vinyl Tile


Slip Resistant

16" x 16", 1/8" Gauge

5 Colors



- Same features as smooth Milano
- Includes a hard composite particle through the thickness for the ultimate in slip resistance
- Embossed surface of Milano SR channels moisture into valleys, and colors coordinate with smooth Milano



MI316SR White



MI310SR Gray



MI313SR Taupe





MI319SR Beige




MI314SR Blue Gray




MILANO™



MILANO™ SR




800 PSI 0 +10
Ac +10
16 PUR SVT +10
Achieve 

Solid Vinyl Tile

16" x 16", 1/8" Gauge

20 Colors



- SolidAir provides solid, full color design options that coordinate with Cortina Grande, Milano and Karim Kolors
- Each tile incorporates monochromatic color chips throughout to give dimension as well as to help mask subfloor irregularities
- 16" x 16" size creates a broad brush stroke of color
- Homogeneous construction means SolidAir will maintain its colorful beauty year after year
- Silver Award Winner of the 2007 Design Journal ADEX awards 
- With Tritonite PUR finish



HTS4 Straw




HTS9 Golden




HTS8 Coral



HTS10 Royal Red



HTS7 Imperial Purple



HTS13 Blue Diamond




HTS11 Vibrant Blue



HTS14 Aquamarine



HTS16 Sage



HTS15 Spring



HTS12 Lounge Green



HTS1 Organic Cotton



HTS5 Flax




HTS2 Jute



HTS6 Bark



HTS3 Earth



HTS17 Bleached Concrete



HTS18 Steel



HTS19 Metropolitan Gray






HTS20 Charcoal





SOLIDAIR™



800 PSI 0	+10
Ac	+10
16 PUR SVT	+10
Achieve	

KARIM KOLORS

Solid Vinyl Tile

16" x 16", 1/8" Gauge


10 Colors



- Designed by world-renowned designer Karim Rashid for Azrock
- Striking visual with clean pattern and bright colors
- Multi-color sprinkles allow for maximum coordination between colors
- Gold Award Winner for the resilient flooring category at NeoCon® World's Trade Fair 2007
- Gold Award Winner of the 2008 Design Journal ADEX awards
- With Tritonite PUR finish




HTS21 Krey




HTS22 Koise



HTS23 Klime



HTS24 Klue




HTS25 Kurp



HTS26 Kink




HTS27 Krose



HTS28 Korange



HTS29 Kwhite



HTS30 Klack


KARIM SHAPES

- 4 unique shapes in addition to 16" x 16" squares
- Available for all Achieve products from Added Dimensions

Minimum order for Karim Shapes is one full carton per shape, per color.




Hive




Node









Tide



Tri





800 PSI 0 +10
Ac +10
16 PUR SVT +10
Achieve 



ADDED DIMENSIONS

Platinum Award Winner of the 2008 Design Journal ADEX awards



When you choose from Azrock's Added Dimensions, you're not just choosing homogeneous tile. You're giving yourself the size, color, texture, finish, and edge options that'll make your designs work exactly the way you want.


Start by picking any Achieve pattern: SolidAir, Cortina Grande, Milano or Karim Kolors. Then choose any one or combination of the following options:

- **Tile Size:** 16x16, 12x12 or 4 unique Karim Shapes
- **Texture:** Smooth, Rustic Stone or Slate Texture
- **Grout Treatment:** Standard Edge or exclusive Groutfit®.


Most conventional vinyl tiles have grout on all four sides which leaves a visible seam, right in the middle of the grout. Groutfit® tiles, with grout on only 2 sides, fit together for a beautiful, realistic tile with seamless grout.

Minimum order for any Added Dimensions textured product is 300 cartons. GroutFit not available on Karim Shapes. Karim Shapes minimum order is one full carton. Visit www.azrock.com for packing data.

Just call 1-800-558-2240 or visit www.azrock.com for more solutions.




Karim Shapes *(Available for all Achieve products)*




Hive



Node



Tide



Tri


FLOORART

Using waterjet technology, our flooring can be intricately and perfectly cut into any two-dimensional shape at almost any size. From schools to hotels to offices to retail space, we will make your floor stand out at prices you can afford.

Your custom design rendered in Azrock flooring in less than 6 weeks.

- Cost quotations are provided within 3 days from the time your preliminary drawings are received.*
- Within 14 days of your non-cancelable order, you will be sent final shop drawings (which will include material requirements by color) for signature approval.
- Once the flooring material has shipped from either our Houston or Florence Plant or your flooring contractor/dealer, we will require no more than 3 weeks to produce the final product, ready for shipment to your job site.

**Cost quotations will include CUTTING ONLY, with freight estimated. Material required to produce the design is in addition to the cut charges. Material requirements will be furnished with the final shop drawings, and the distributor will provide a materials cost quotation separately.*



SPORT COURT KITS

Basketball Court Kit – KT317

STANDARD COURT DIMENSIONS:

College - 50' x 94'

High School - 50' x 84'

Junior High School - 42' x 74'

Each kit contains sufficient material for a standard college court including all the necessary Feature Strips and curved segments for straight boundary lines, circular markings and three-point goal markings. (Field product sold separately.) To create high school or junior high courts, just reduce the number of segments to form the standard perimeter dimensions listed above.

AVAILABLE IN BLACK. Custom colors are available on a special quotation basis.


BASKETBALL COURT KITS COME IN 3 CARTONS

- Carton 1 **6' Circles/Strips** contains:
 - Instructions and court diagram
 - Arc for 6' Radius Circles (32 pieces)
 - 2" x 24" Feature Strips (10 pieces)
- Carton 2 **Feature Strips** contains:
 - Bundle of 10 cartons of 2" x 24" Feature Strips, 26 pieces each (260 pieces total)
- Carton 3 **3 Pt. Arc/Free Throw Lanes** contains:
 - Arc for 19' 9" radius circle (66 pieces plus 1 extra)
 - Arc for 6' radius circle (8 pieces)
 - 8" x 12" blocks for Free Throw Lanes (4 pieces)

This Basketball Court Diagram is in accordance with the official specifications of the National Federation of State High School Associations, Kansas City, MO., as revised in January 1996. They can be contacted at 816-464-5400. If you wish to have additional parts to make other size courts or ones that conform to different specifications, please contact your Azrock Distributor to order these items as a Custom Inset Request at an additional charge.

Technical Specifications for Sport Kits


Gauge 1/8"
Adhesive D100 Clear Thin Spread



Shuffleboard Court Kit –KT309

Each kit contains sufficient material for a standard shuffleboard court including installation information and tile pieces. (Field product to be ordered separately.)

This kit contains 3 colors—red/white/blue numbered triangular shape pieces. Field tile and black feature strip (border tile) are sold separately. Contact your Azrock Distributor. Other solid tile colors are available as a special order.





The illustration details the layout for a Standard Shuffleboard Court Kit. The kit contains solely the pre-cut and lettered pieces. Feature Strips 1/2" or 1" wide can be purchased for boundary lines. 50 linear feet required.

ADDED DIMENSIONS

FLOORART

SPORT COURT KITS





SPRAYSMART



- READY FOR USE IMMEDIATELY AFTER INSTALLATION
- REDUCES INSTALLATION TIME BY UP TO 70 PERCENT
- LESS STRAIN ON INSTALLERS
- REQUIRES MINIMAL ACCESSORIES
- SAVES TIME AND MONEY
- ENVIRONMENTALLY FRIENDLY
- VOC-FREE

A Smart Tile deserves a smart adhesive. SpraySmart adhesive is that intelligent adhesive option.


A small team of workers is able to work swiftly in unison to lay the tile on the adhesive spray. The process is efficient, saving up to 70 percent on installation time. Once the installation is complete, the floor is ready for immediate occupancy. You spend less money on installers and have less downtime waiting for your floor to be ready.

A flooring system that saves you time and money makes you look smart.

70


PERCENT

FASTER INSTALLATION



ADDITIONAL ADHESIVES

All of our adhesives have been specially formulated and tested to provide superior results when used as recommended. Use of complete Tarkett branded installation systems, flooring material, floor preparation products and adhesives ensures Tarkett full warranty coverage on our commercial flooring products.



SpraySmart for VET, SVT, LVT



120-8 Gold
7 lbs. Moisture / 11 pH
Approx. Coverage: 3500 ft²



121-8 Platinum
10 lbs. Moisture / 12 pH
Approx. Coverage: 2500 ft²



120-2 Gold
7 lbs. Moisture / 11 pH
Approx. Coverage: 150 ft²
6 per case



121-2 Platinum
10 lbs. Moisture / 12 pH
Approx. Coverage: 100 ft²
6 per case

SpraySmart for VCT ONLY



122-8 Gold
7 lbs. Moisture / 11 pH
Approx. Coverage: 5000 ft²



123-8 Platinum
10 lbs. Moisture / 12 pH
Approx. Coverage: 4000 ft²



122-2 Gold
7 lbs. Moisture / 11 pH
Approx. Coverage: 250 ft²
6 per case



123-2 Platinum
10 lbs. Moisture / 12 pH
Approx. Coverage: 175 ft²
6 per case

Additional Adhesives



100 CLEAR THIN SPREAD ADHESIVE
for Vinyl Composition Tile
Zero TVOC



800 PRESSURE SENSITIVE ADHESIVE
for Commercial LVT, .100 gauge, and
Solid Vinyl Tile
Zero TVOC



134C Gun / Hose Cleaner
12 per case




1340 Overspray Cleaner
6 per case

SpraySmart Cleaners



940 POLYURETHANE ADHESIVE
for specialized applications
Zero TVOC

Technical data	100-G	100-4	800-G	800-4	940-G
Size	1 Gallon	4 Gallon	1 Gallon	4 Gallon	1 Gallon
Quantity	4 per case	1 pail	4 per case	1 pail	1 carton
Weight	36 lbs/case (16.3 kg)	37 lbs (16.8 kg)	38 lbs/case (17.2 kg)	37 lbs (16.8 kg)	10 lbs (4.5 kg)




Asset



Technical data	Cortina® Colors & Cortina® Classics	Granite™	Granite™ SR Slip Resistant	Thru-Quartz	Solids & Feature Strips
Type of floor covering	Standard VCT	Premium VCT	Premium VCT	Premium VCT	Premium VCT
ASTM F 1066	Class 2 Through Pattern	Class 2 Through Pattern	Class 2 Through Pattern	Class 2 Through Pattern	Class 2 Through Pattern
Smoke Density ASTM E 662	<450	<450	<450	<450	<450
Flammability ASTM E 648	Class 1 >0.45 CRF	Class 1 >0.45 CRF	Class 1 >0.45 CRF	Class 1 >0.45 CRF	Class 1 >0.45 CRF
Static load limit ASTM F 970 [†]	150 psi	150 psi	150 psi	150 psi	150 psi
Slip Resistance ADA Compliant	>0.6 COF	>0.6 COF	>0.8 COF	>0.6 COF	>0.6 COF
Thickness	1/8" / 3.2mm	1/8" / 3.2mm	1/8" / 3.2mm	1/8" / 3.2mm	1/8" / 3.2mm
Colors	65*	9	12	12	15
Adhesive	SpraySmart or 100	SpraySmart or 100	SpraySmart, 100 or 940 ^{††}	SpraySmart or 100	SpraySmart or 100
Warranty	5 Year Manufacturing 5 Year limited moisture/PH if installed with SpraySmart	5 Year Manufacturing 5 Year limited moisture/PH if installed with SpraySmart	5 Year Manufacturing 5 Year limited moisture/PH if installed with SpraySmart	5 Year Manufacturing 5 Year limited moisture/PH if installed with SpraySmart	5 Year Manufacturing 5 Year limited moisture/PH if installed with SpraySmart
Maintenance	Floor Care System	Floor Care System	Floor Care System	Floor Care System	Floor Care System
Tile Size	12" x 12" / 30.5 cm x 30.5 cm	12" x 12" / 30.5 cm x 30.5 cm	12" x 12" / 30.5 cm x 30.5 cm	12" x 12" / 30.5 cm x 30.5 cm	12" x 12" / 30.5 cm x 30.5 cm
Quantity	45 pieces per ctn - 45 sq. ft (4.18 m ² per ctn)	45 pieces per ctn - 45 sq. ft (4.18 m ² per ctn)	45 pieces per ctn - 45 sq. ft (4.18 m ² per ctn)	45 pieces per ctn - 45 sq. ft (4.18 m ² per ctn)	45 pieces per ctn - 45 sq. ft (4.18 m ² per ctn)
Weight	64 lbs per ctn (29.0 kg)	64 lbs per ctn (29.0 kg)	64 lbs per ctn (29.0 kg)	64 lbs per ctn (29.0 kg)	64 lbs per ctn (29.0 kg)



* Select Cortina Colors and Cortina Classics are available with StoneGlow® at a premium price by special order. StoneGlow is a tile with photo luminescent chips dispersed evenly across the tile to assure safe exits in emergency situations.



Advance



Technical data	CortinaStone™
Type of floor covering	Vinyl Enhanced Tile
ASTM F 1066	Class 1
Smoke Density ASTM E 662	<450
Flammability ASTM E 648	Class 1 >0.45 CRF
Static load limit ASTM F 970 [†]	400 psi
Slip Resistance ADA Compliant	>0.6 COF
Thickness	1/8" / 3.2mm
Colors	12**
Adhesive	SpraySmart or 100
Warranty	10 Year Manufacturing 10 Year limited moisture/PH if installed with SpraySmart
Maintenance	Floor Care System
Tile Size	12" x 12" / 30.5 cm x 30.5 cm
Quantity	45 pieces per ctn - 45 sq. ft (4.18 m ² per ctn)
Weight	58 lbs per ctn (26.3 kg)

Do you have a tricky installation?
A maintenance concern?
A durability or aesthetic issue?
Azrock technical consultants are a phone call away to answer questions and help you get the job done right: 713-869-5811.
Or email us at AZTech@tarkett.com

If you're an architect, interior designer or corporate specifier, experience our products first-hand. Just call 1-800-558-2240.
Or visit our web site, www.azrock.com for more solutions.



Feature Strips

Sizes, Quantities & Weights

1/4" x 24"
100 pieces per ctn -
200 lin. ft. (60.96 lin. m per ctn)
6 lbs per ctn (2.7 kg)

1/2" x 24"
75 pieces per ctn -
150 lin. ft. (45.72 lin. m per ctn)
9 lbs per ctn (4 kg)

1" x 24"
50 pieces per ctn -
100 lin. ft. (30.48 lin. m per ctn)
11.5 lbs per ctn (5.2 kg)

2" x 24"
25 pieces per ctn -
50 lin. ft. (15.24 lin. m per ctn)
12 lbs per ctn (5.4 kg)


4" x 24"
15 pieces per ctn -
30 lin. ft. (9.14 lin. m per ctn)
14 lbs per ctn (6.3 kg)

6" x 24"
15 pieces per ctn -
30 lin. ft. (9.14 lin. m per ctn)
21 lbs per ctn (9.5 kg)

** All colors of CortinaStone may be special ordered in a Slip Resistant version with a 300 carton minimum.

† Static load limit per ASTM 970 modified by specifying a higher load on a smaller diameter tip. All other test conditions are the same.


†† In areas exposed to temperature fluctuations and occasional topical moisture.



Achieve



Technical data	Cortina Grande®	Cortina Grande® SR Slip Resistant	Milano™	Milano™ SR Slip Resistant
Type of floor covering	Solid Vinyl Tile - Homogeneous	Solid Vinyl Tile - Homogeneous	Solid Vinyl Tile - Homogeneous	Solid Vinyl Tile - Homogeneous
ASTM F 1700	Class 1, Type A	Class 1, Type B	Class 1, Type A	Class 1, Type B
Smoke Density ASTM E 662	<450	<450	<450	<450
Flammability ASTM E 648	Class 1 >0.45 CRF	Class 1 >0.45 CRF	Class 1 >0.45 CRF	Class 1 >0.45 CRF
Static load limit ASTM F 970 ¹	800 psi	800 psi	800 psi	800 psi
Slip Resistance ADA Compliant	>0.6 COF	>0.8 COF	>0.6 COF	>0.8 COF
Thickness	1/8" / 3.2mm	1/8" / 3.2mm	1/8" / 3.2mm	1/8" / 3.2mm
Colors	26	7	12	5
Adhesive	SpraySmart or 800	SpraySmart, 800 or 940 ¹¹	SpraySmart or 800	SpraySmart, 800 or 940 ¹¹
Warranty	10 Year Manufacturing & Wear 10 Year limited moisture/PH if installed with SpraySmart	10 Year Manufacturing & Wear 10 Year limited moisture/PH if installed with SpraySmart	10 Year Manufacturing & Wear 10 Year limited moisture/PH if installed with SpraySmart	10 Year Manufacturing & Wear 10 Year limited moisture/PH if installed with SpraySmart
Maintenance	Floor Care System	Floor Care System	Floor Care System	Floor Care System
Tile Size	16" x 16" / 40.6 cm x 40.6 cm	16" x 16" / 40.6 cm x 40.6 cm	16" x 16" / 40.6 cm x 40.6 cm	16" x 16" / 40.6 cm x 40.6 cm
Quantity	25 pieces per ctn - 44.44 sq. ft (4.12 m ² per ctn)	25 pieces per ctn - 44.44 sq. ft (4.12 m ² per ctn)	25 pieces per ctn - 44.44 sq. ft (4.12 m ² per ctn)	25 pieces per ctn - 44.44 sq. ft (4.12 m ² per ctn)
Weight	54 lbs per ctn (25.0 kg)	54 lbs per ctn (25.0 kg)	54 lbs per ctn (25.0 kg)	54 lbs per ctn (25.0 kg)



Achieve



Technical data	SolidAir®	Karim Kolors	Added Dimensions Karim Shapes	Added Dimensions Textures & Groutfit
Type of floor covering	Solid Vinyl Tile - Homogeneous	Solid Vinyl Tile - Homogeneous	Sizes, Quantities & Weights	Sizes, Quantities & Weights
ASTM F 1700	Class 1, Type A	Class 1, Type A	Node .8 sq. ft. 25 pieces per ctn - 20 sq. ft. (1.86 m ² per ctn) 22 lbs per ctn (9.98 kg) Tri .75 sq. ft. 25 pieces per ctn - 18.75 sq. ft. (1.74 m ² per ctn) 23 lbs per ctn (10.4 kg) Tide .8885 sq. ft. 50 pieces per ctn - 44.44 sq. ft. (4.12 m ² per ctn) 54 lbs per ctn (25.0 kg) Hive 1.1 sq. ft. 25 pieces per ctn - 27.5 sq. ft. (2.55 m ² per ctn) 32 lbs per ctn (14.5 kg)	Textured or Smooth 16" x 16" 25 pieces per ctn - 44.44 sq. ft. (4.12 m ² per ctn) 54 lbs per ctn (25.0 kg) Textured or Smooth 12" x 12" 45 pieces per ctn - 45 sq. ft. (4.18 m ² per ctn) 54 lbs per ctn (25.0 kg) Groutfit 16" x 16" 15 pieces per ctn - 26.66 sq. ft. (2.48 m ² per ctn) 32 lbs per ctn (14.5 kg) Groutfit 12" x 12" 27 pieces per ctn - 27 sq. ft. (2.51 m ² per ctn) 32 lbs per ctn (14.5 kg) Minimum quantities may apply
Smoke Density ASTM E 662	<450	<450		
Flammability ASTM E 648	Class 1 >0.45 CRF	Class 1 >0.45 CRF		
Static load limit ASTM F 970 ¹	800 psi	800 psi		
Slip Resistance ADA Compliant	>0.6 COF	>0.6 COF		
Thickness	1/8" / 3.2mm	1/8" / 3.2mm		
Colors	20	10		
Adhesive	SpraySmart or 800	SpraySmart or 800		
Warranty	10 Year Manufacturing & Wear 10 Year limited moisture/PH if installed with SpraySmart	10 Year Manufacturing & Wear 10 Year limited moisture/PH if installed with SpraySmart		
Maintenance	Floor Care System	Floor Care System		
Tile Size	16" x 16" / 40.6 cm x 40.6 cm	16" x 16" / 40.6 cm x 40.6 cm		
Quantity	25 pieces per ctn - 44.44 sq. ft (4.12 m ² per ctn)	25 pieces per ctn - 44.44 sq. ft (4.12 m ² per ctn)		
Weight	54 lbs per ctn (25.0 kg)	54 lbs per ctn (25.0 kg)		

MISSION STATEMENT

It is Azrock's goal to manufacture environmentally preferable products which have a lesser or reduced effect on human health and the environment compared to competing products and services.

Being environmentally conscious and striving to attain sustainability for the construction industry includes such things as:

- Reduce fuel usage
- Reduce waste/landfill usage
- Reduce construction time
- Reduce dependency on foreign oil
- Reduce traffic congestion
- Improve air quality
- Improve customer satisfaction

How does Azrock address these concerns ?

ENERGY

The plant reduced usage of energy by 20% going from 0.038MMBTU/carton to 0.031MMBTU/carton

Initiatives such as:

- 10% of the electricity used is "green". Replacement of lighting used in warehouse and approximately 40% of production areas to T5 fluorescents versus sodium light bulbs.
- installed "soft starts" on 35% of equipment to lower demand electricity load during start-ups have been put in place in all areas of the production process.

RAW MATERIALS

Packaging: 30-35% of all packaging is recycled content. Products: 2-3% recycled content is included in our tiles. In the next year we intend to double that amount.

REDUCTION OF CONSTRUCTION TIME

Using the Azrock system including product and Spray Smart adhesive will reduce your installation time by up to 70%, create a safe environment for the workers during construction with FloorScore certified products and adhesives and allow immediate occupancy of the building.

Azrock is always investigating new ways of reducing installation time with different technologies. We believe installation should be easier, simpler and less stress on the installation crew creating a positive impact on all facets of the business.



PERFORMANCE AND DURABILITY

Products are made in an ISO 9000 manufacturing facility guaranteeing the quality of the products and processes. All Asset (vinyl composition tile) products carry a 5 year warranty on manufacturing defects and moisture if installed with our Spray Smart adhesive; a unique combination in the industry.

Our Advance (vinyl enhanced tile) and Achieve (solid vinyl tile) carry a 10 year warranty inclusive of manufacturing defect and moisture if installed with Spray Smart adhesive. If maintained properly our products will remain beautiful for their useful life.

For some of our products, Advance and Achieve, Azrock has developed formulas allowing for a reduced impact on water and IAQ (Indoor Air Quality) with reduced maintenance options: from 2 coats of polish to a dry buffable surface.

INDOOR AIR QUALITY

All products and our Spray Smart adhesive are FloorScore certified.

RECYCLING

Products are 100% recyclable. Our ReUse program takes back all samples from the field but most importantly installation waste from job sites.


Azrock will divert back clean waste to our manufacturing facility for recycling within the products.

Azrock has a pilot program in the state of Texas for the recycling of the installed floors.

For life-cycle cost calculations, e-mail lcc@tarkett.com

For questions on the Tarkett ReUse program, e-mail ReUse@tarkett.com

Or call us at 1.800.558.2240



LOOK SMART

2728 SUMMER STREET :: HOUSTON, TEXAS :: 77007 :: 1.800.558.2240 :: WWW.AZROCK.COM

LP2008

Printed on 10% post consumer recycled fiber with soy based ink.

©2008 Tarkett, Inc. Printed in the USA 5/08

The contents of this document including, but not limited to, all text and images (Content) are owned by Tarkett Inc. with all rights reserved unless otherwise noted. Any Content that is a trademark, logo, or service mark is also a registered and unregistered trademark of Tarkett Inc. Your use of any Content without the written permission of Tarkett Inc. is strictly prohibited.