



Wiremold

Evolution™ Series Floor Boxes

Evolution™ Series – The Next Generation of Floor Boxes

Wiremold® Evolution™ Series Floor Boxes are the latest advancement in the most complete and innovative line of floor solutions in the industry.

In addition to a unique design that allows the same floor box to be used in multiple floor applications, high capacity and multi-functional capabilities make Evolution Series Floor Boxes ideal for areas where large capacity audio/video, power and communication services are needed. Ranging in size from 6- to 10-gangs of capacity, these boxes have completely finished interiors with removable modules that provide easy access for reconfiguring services. Evolution Series Floor Boxes are an ideal option for installations where services are constantly evolving, such as commercial offices, conference rooms, stages, and entertainment venues.



New Evolution Series Floor Boxes provide increased capacity options and a variety of innovations not available in any other floor boxes.

FEATURES & BENEFITS

■ **One box many applications.**

Evolution Series Floor Boxes are designed to work in concrete, raised and wood floor applications and are fully adjustable both pre- and post-concrete pour. A single box can be specified for multiple floor types without having to order additional components or accessories.



Raised Floors



Concrete Floors



Wood Floors


■ **Configurable with removable modules.**

In addition to having removable dividers and a tunnel feature that allows all compartments to be connected, the modules are removable through the top or back of the floor box. This allows for easier installations and facilitates moves, adds and changes without having to disconnect services, saving time and money.



■ **Audio/Video Design.**

Evolution Series Floor Boxes have been developed specifically with the A/V industry in mind. With 3 1/2" - 3 7/8" [89mm x 98mm] of wiring capacity behind each device plate, these boxes will accept devices from leading A/V manufacturers including Extron® Electronics and Crestron®.



■ **Durable 180° articulating hinge.**

Hinge design enables covers to open a full 180° and lie flat on the floor surface with the durability to support a large cover. Provides easy access to all interior modules and activations while reducing tripping hazards.



FEATURES & BENEFITS (continued)

■ Auto-close egress doors.

Cable egress doors lock in position when open, and automatically close around wires to protect cabling and reduce trip hazards.



■ Accepts standard size wall plates.

Evolution Series Floor Boxes accept industry standard single-, double- and triple-gang wall plates from industry leading manufacturers.



■ Finished interior.

Fully finished interior removes the unfinished industrial look while increasing visibility, making it easier to see where to plug in devices.




■ Large capacity.

6- to 10-gangs of capacity to accommodate power, communications, and A/V devices. A minimum of 5" [127mm] of space between devices providing ample space for hand access when plugging and unplugging into the devices.



■ Fire Classified.

Evolution Floor Box has been designed to maintain the fire rating of the floor for up to 2 hours.



■ Suitable for use in air handling spaces.

In accordance with Sec 300-22(c) of the National Electric Code.

■ Meets ADA Accessibility Guidelines.

Trim flange is designed to meet the ADA Accessibility Guidelines as it pertains to ADA Standard 4.5, which addresses the change in floor and ground surface levels.

■ Multiple size knockouts.

All Evolution Series Floor Boxes are available with multiple trade size knockouts ranging in size from 3/4" to 2" allowing for multiple activations and wiring configurations.



■ Die cast aluminum cover assemblies.

Evolution Series Floor Box Covers have been designed to work on multiple floor surfaces and are manufactured from die cast aluminum to provide strength and style. Decorative powder coat colors (black, brass, bronze, gray and nickel) will complement any room décor.



■ Cable Management.

Allows multiple cables to be organized and controlled for easier cable egress.



■ Furniture Feed.

Designed to be installed in concrete, raised and wood floors. Provides large capacity feeds (up to 2"). Trade size knockouts for power, communications and A/V devices.



■ Bare (polished) concrete and terrazzo applications.

Evolution Series Floor Box has been designed to be installed into bare (polished) concrete and terrazzo floors.




■ TopGuard™ Protection.

Evolution Series Floor Box covers meet and exceed UL scrub water exclusion requirements for tile, carpet, wood, bare concrete and terrazzo floor coverings.

■ UL Listed and Fire Classified to U.S. and Canadian safety standards.

UL Classified to maintain the integrity of 2-hour fire rated floor structures.

Evolution Series Floor Box Components



Evolution Series Floor Box Model Selection Guide

EVOLUTION FLOOR BOX MODEL	EFB6S	EFB6S-OG	EFB6S-FC	EFB8S	EFB8S-OG	EFB8S-FC	EFB10S	EFB10S-OG	EFB10S-FC	EFBFF	EFBFF-OG
INSTALL FLOOR TYPE:											
Concrete Floor	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Raised Floor	YES			YES			YES			YES	
Wood Floor	YES			YES			YES			YES	
BOX TYPE:	Standard	On-Grade	Fire Classified	Standard	On-Grade	Fire Classified	Standard	On-Grade	Fire Classified	Furniture Feed	Furniture Feed
BOX CAPACITY:	6-Gangs	6-Gangs	6-Gangs	8-Gangs	8-Gangs	8-Gangs	10-Gangs	10-Gangs	10-Gangs	2-Gangs	2-Gangs
DEPTH BEHIND PLATES:	3 7/8" [98mm]	3 7/8" [98mm]	3 7/8" [98mm]	3 1/2" [89mm]	3 1/2" [89mm]	3 1/2" [89mm]	3 1/4" [81mm]	3 1/4" [81mm]	3 1/4" [81mm]	N/A	N/A
REMOVABLE MODULES:	YES	YES	YES	YES	YES	YES	YES	YES	YES		
DEVICE PLATE SIZE:	Uses Standard Size Device Plates: Single-Gang (2 3/4" x 4 1/2") [70mm x 114mm]			Uses Standard Size Device Plates: Single-Gang (2 3/4" x 4 1/2") Double-Gang (4 9/16" x 4 1/2") Triple-Gang (6 3/8" x 4 1/2")			Uses non-standard size Device Plates (4.652" x 2.302") [117mm x 58mm]				
COVERS:	EFB610CTC Series, EFB610BTC Series, EFB610CT Series, EFB610BT Series									FPFFTC Series	
COLORS:	Black, Gray, Brass, Nickel, Bronze									Black, Gray, Brass, Nickel, Bronze, Brushed Aluminum	
FLOOR SURFACE:	Carpet, Tile, Wood, Bare (Polished) Concrete & Terrazzo									Carpet, Tile & Wood	
KO SIZE RANGE: (Trade Size)	3/4" to 2"	3/4" to 1 1/4"	1 1/4"	3/4" to 2"	3/4" to 2"	1 1/4"	3/4" to 2"	1" to 2"	1 1/4"	1/2" to 2"	1/2" to 2"
FIRE RATING: (Hours)			Up to 2 Hours			Up to 2 Hours			Up to 2 Hours		
NOTES:	Covers open full 180°, Slide cable egress doors, Painted interior										

Evolution Series Floor Box Compartment Volumes


MODEL	OUTER COMPARTMENTS (Each)	CENTER COMPARTMENTS (Each)
EFB6 Series	32 in. ³ [524ml]	38.5 in. ³ [630ml]
EFB8 Series	27.5 in. ³ [450ml]	34 in. ³ [557ml]
EFB10 Series	23.5 in. ³ [385ml]	27.5 in. ³ [450ml]
EFBFF Series	64.5 in. ³ [1056ml]	64.5 in. ³ [1056ml]

Evolution Series EFB6 Floor Box Ordering Information

Catalog No./Item

Description/Specifications


EFB6S



6-Gang Floor Box – has been designed to be installed in concrete floors, raised floors, & wood floor applications. Box has a fully finished interior to assist plugging and unplugging of devices. Designed to work with standard size wall plates.


Included with the box: Protective/Disposable cover, tunnel system for connecting the two modules of compartments, two (2) removable modules, two (2) toggle clamps to secure box to raised and wood floors, two (2) cable management guides, two (2) leveling support legs for concrete applications and trade size knockouts ranging in size from 3/4" to 2" trade size. Box is compatible with Wiremold® Walkerflex Modular Wiring System. Custom options are available upon request.

NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)



EFB6 Depth Behind Plates


Three (3) KOs:
Outer: 1 1/4" Trade Size KO
Inner: 3/4" Trade Size KO




Two (2) KOs:
1" Trade Size KO



Four (4) 1" Trade Size KOs




Two (2) KOs:
1" Trade Size KO



Three (3) KOs:
Outer: 1 1/4" Trade Size KO
Inner: 3/4" Trade Size KO


Two (2) KOs:
Outer: 2" Trade Size KO
Inner: 1" Trade Size KO

EFB6S-OG




6-Gang Floor Box – has been designed to be installed in both on-grade and above grade concrete floor applications. Box has an epoxy coating that allows the box to be placed in on-grade applications without the need for additional vapor barriers. Designed to work with standard size wall plates. **Included with the box:** protective/disposable cover, tunnel system for connecting the two modules of compartments, two (2) removable modules, two (2) cable management guides, two (2) leveling support legs for concrete applications and trade size knockouts ranging in size from 3/4" to 1 1/4". Custom options are available upon request.

NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)




EFB6-OG Depth Behind Plates


Three (3) KOs:
Outer: 1 1/4" Trade Size KO
Inner: 3/4" Trade Size KO




Two (2) KOs:
1" Trade Size KO



Six (6) KOs:
1" Trade Size KO



Two (2) KOs:
1" Trade Size KO




Three (3) KOs:
Outer: 1 1/4" Trade Size KO
Inner: 3/4" Trade Size KO

Evolution Series EFB6 Floor Box Ordering Information (continued)

Catalog No./Item

Description/Specifications


EFB6S-FC



6-Gang Fire Classified Floor Box – has been designed to be installed in above grade concrete floors while maintaining the fire classification of the floor. This box is classified to be used in 2-hour fire rated floors. Designed to accept standard size wall plates. **Included with the box:** protective/disposable cover, tunnel system for connecting the two modules of compartments, fire classified pan, two (2) removable modules, four (4) 1 1/4 intumescent conduit feeds and two (2) cable management guides.

NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)













NOTE: Designed for new construction applications.



Outlet Boxes and Fittings Classified for Fire Resistance Legrand/Wiremold (R8209)

Type EFB6S-FC, EFB8S-FC and EFB10S-FC preset electrical insert for use in 2-hour fire rated D900 Series Floor-Ceiling designs constructed with nominal 2" or 3" deep fluted steel floor units having a nominal 5" wide valley and crests spaced 12" OC, with a minimum 3 1/4" [83mm] thickness of structural concrete topping. The assembly preset electrical insert with floor plate kit and service activations fitting will not reduce the 2-hour fire rating of the floor assembly when installed in accordance with the installation instructions accompanying the preset electrical insert and when the preset electrical insert are spaced 2' [0.61m] OC with not more than one unit per 4 square feet [0.37m²] of floor area in each span.

Evolution Series 6-Gang Floor Box Accessories Ordering Information


Catalog No./Item	Description/Specifications	Catalog No./Item	Description/Specifications
EFB6SM 	<p>Module – Bank of three (3) compartments that accept power, communications and audio/video devices. Accepts standard size (2 3/4" x 4 1/2" [70mm x 114mm]) device plates. Includes device bracket, back plate, three (3) knockout plates (3/4"/1 1/4" concentric), two (2) end caps and one (1) divider.</p> <p>NOTE: Module will fit on either side of the floor box.</p>	EFB6-11/4 	<p>Knockout Plate – Has one (1) 1 1/4" trade size knockout.</p>
EFB6S-MB 	<p>Mounting Bracket – hold up to three (3) devices of power, communications or audio/video devices. Bracket accepts standard size (2 3/4" x 4 1/2" [70mm x 114mm]) device plates sold separately by others.</p>	EFB6S-TUN 	<p>Tunnel – 6 gang tunnel allows for cables to be wrapped around box from one module to the other.</p>
EFB6S-DIV 	<p>Relocatable Divider – Provides separation of services. Includes one (1) divider plate.</p>	EFB6S-DIV 	<p>Relocatable Divider – Provides separation of services. Includes one (1) divider plate.</p>
EFB-AAP 	<p>Device Plate – holds 2 Extron® Electronics AAP devices. Device plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].</p>	EFBCLL 	<p>Concrete Leveling Legs – Provide floor box adjustment up or down to match the desired pour height of the concrete. Included two (2) leveling legs, threaded rod not supplied.</p>
EFB-MAAP 	<p>Device Plate – holds 4 Extron® Electronics MAAP devices. Device plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].</p>	EFBCMG 	<p>Cable Management Guides – Guides help organize and maintain cable position when opening and closing the cover.</p>
EFB-MOS 	<p>Device Plate – European device plate accepts up to [45mm x 67.5mm] Arteor device. Device plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].</p>		
EFB6-3/4 	<p>Knockout Plate – Has one (1) 3/4" trade size knockout.</p>		

Evolution Series EFB8 Floor Box Ordering Information

Catalog No./Item

Description/Specifications


EFB8S




8-Gang Floor Box – has been designed to be installed in concrete floors, raised floors, & wood floor applications. Box has a fully finished interior to assist plugging and unplugging of devices. Designed to work with standard size wall plates.

Included with the box: protective/disposable cover, tunnel system for connecting the two modules of compartments, two (2) removable modules, two (2) toggle clamps to secure box to raised and wood floors, two (2) cable management guides, two (2) leveling support legs for concrete applications and trade size knockouts ranging in size from 3/4" to 2". Box is compatible with Wiremold® Walkerflex Modular Wiring System. Custom options are available upon request.


NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)



EFB8 Depth Behind Plates




EFB8S-OG




8-Gang Floor Box – has been designed to be installed in both on-grade and above grade concrete floor applications. Box has an epoxy coating that allows the box to be placed in on-grade applications without the need for additional vapor barriers. Designed to work with standard size wall plates. **Included with the box:** protective/disposable cover, tunnel system for connecting the two modules of compartments, two (2) removable modules, two (2) cable management guides, two (2) leveling support legs for concrete applications, trade size knockouts ranging in size from 3/4" to 2". Custom options are available upon request.



NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)







EFB8-OG Depth Behind Plates














Evolution Series EFB8 Floor Box Ordering Information (continued)

Catalog No./Item	Description/Specifications
<p>EFB8S-FC</p> 	<p>8-Gang Fire Classified Floor Box – has been designed to be installed in above grade concrete floors while maintaining the fire classification of the floor. This box is classified for use in 2-hour fire rated floors. Designed to work with standard size wall plates. Included with the box: protective/disposable cover, tunnel system for connecting the two modules of compartments, fire classified pan, two (2) removable modules, four (4) 1 1/4 intumescent conduit feeds and two (2) cable management guides.</p> <p>NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)</p>
	<p>Outlet Boxes and Fittings Classified for Fire Resistance Legrand/Wiremold (R8209)</p> <p>Type EFB6S-FC, EFB8S-FC and EFB10S-FC preset electrical insert for use in 2-hour fire rated D900 Series Floor-Ceiling designs constructed with nominal 2" or 3" deep fluted steel floor units having a nominal 5" wide valley and crests spaced 12" OC, with a minimum 3 1/4" [83mm] thickness of structural concrete topping. The assembly preset electrical insert with floor plate kit and service activations fitting will not reduce the 2-hour fire rating of the floor assembly when installed in accordance with the installation instructions accompanying the preset electrical insert and when the preset electrical insert are spaced 2' [0.61m] OC with not more than one unit per 4 square feet [0.37m²] of floor area in each span.</p>

Evolution Series 8-Gang Floor Box Accessories Ordering Information

Catalog No./Item	Description/Specifications	Catalog No./Item	Description/Specifications
<p>EFB8SM</p> 	<p>Module – Bank of four (4) compartments that accept power, communications and audio/video devices. Accepts standard size (2 3/4" x 4 1/2") [70mm x 114mm] device plates. Includes one device bracket, one back plate, two (2) knockout plates, two (2) end caps and one divider.</p> <p>NOTE: Module will fit on either side of the floor box.</p>	<p>EFB8S-22GMB</p> 	<p>Mounting Bracket – Equipped with two (2) 2-gang standard size device openings for a standard 2-gang (4 9/16" x 4 1/2" [116mm x 114mm]). Ideal for 2-gang A/V devices such as Crestron® 2-gang digital media devices. Device plates and devices supplied by others.</p>
<p>EFB8S-MB</p> 	<p>Mounting Bracket – holds up to four (4) devices for power, communications or audio/video. Bracket accepts standard size (2 3/4" x 4 1/2" [70mm x 114mm]) device plates sold separately by others.</p>	<p>EFB8S-23GMB</p> 	<p>Mounting Bracket – Equipped with one 2-gang standard size device opening and one 3-gang standard size device opening. Accepts a standard 2-gang (4 9/16" x 4 1/2" [116mm x 114mm]) and a 3-gang (6 3/8" x 4 1/2" [162mm x 114mm]) device plate. Ideal for 2-gang A/V devices such as Crestron® 2-gang and 3-gang digital media devices. Device plates and devices supplied by others.</p>

Evolution Series 8-Gang Floor Box Accessories Ordering Information


Catalog No./Item	Description/Specifications	Catalog No./Item	Description/Specifications
EFB-AAP 	Device Plate – holds two (2) Extron® Electronics AAP devices. Device plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].	EFB810S-TUN 	Tunnel – For EFB8 Series and EFB10 Series boxes. Tunnel allows cables to be wrapped around box from one module to the other.
EFB-MAAP 	Device Plate – holds four (4) Extron® Electronics MAAP devices. Device plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].	EFB8S-DIV 	Relocatable Divider – Provides separation of services. Includes one divider plate.
EFB-MOS 	Device Plate – European device plate accepts up to [45mm x 67.5mm] Arteor device. Device plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].	EFBCLL 	Concrete Leveling Legs – Legs allow floor box to be adjusted up or down to match the desired pour height of the concrete. Includes two (2) leveling legs. Threaded rod not supplied.
EFB810-3/4-3/4 	Knockout Plate – Has two (2) 3/4" trade size knockouts.	EFBCMG 	Cable Management Guides – Guides help organize and maintain cable position when opening and closing the cover.
EFB810-3/4-1 1/4 	Knockout Plate – Has one 3/4" and one 3/4"/1 1/4" concentric trade size knockout.	EFBS-50A 	50A Adapter – Allows for a 50A device to be installed on the 8-gang and 10-gang series boxes. NOTE: Only fits on othe side of the floor box where the device is facing the tunnel.
EFB810-2 	Knockout Plate – Has one 2" trade size knockout.		50A Device Tunnel

Evolution Series EFB10 Floor Box Ordering Information

Catalog No./Item


Description/Specifications

EFB10S




10-Gang Floor Box – has been designed to be installed in concrete floors, raised floors, & wood floor applications. Box has a fully finished interior to assist plugging and unplugging of devices. **Included with the box:** protective/disposable cover, tunnel system for connecting the two modules of compartments, two (2) removable modules, two (2) toggle clamps to secure box to raised and wood floors, two (2) cable management guides, two (2) leveling support legs for concrete applications, trade size knockouts ranging in size from 3/4" to 2". Box is compatible with Wiremold® Walkerflex Modular Wiring System. Custom options are available upon request.


NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)



EFB10 Depth Behind Plates




EFB10S-OG




10-Gang Floor Box – has been designed to be installed in both on-grade and above grade concrete floor applications. Box has an epoxy coating that allows the box to be placed in on-grade applications without the need for additional vapor barriers. **Included with the box:** protective/disposable cover, tunnel system for connecting the two modules of compartments, two (2) removable modules, two (2) cable management guides, two (2) leveling support legs for concrete applications and trade size knockouts ranging in size from 3/4" to 1 1/4". Custom options are available upon request.



NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)







EFB10 Depth Behind Plates














Evolution Series EFB10 Floor Box Ordering Information (continued)

Catalog No./Item	Description/Specifications
<p>EFB10S-FC</p>  <p style="margin-left: 20px;">15 1/8" [384mm] 11 3/16" [284mm] 7 1/2" [191mm] 17 1/4" [438mm] 21 3/4" [552mm]</p>  <p style="margin-left: 20px;">3 1/2" [89mm] Depth Behind Device Plate</p> <p style="margin-left: 20px;">Fire Classified Pan (Insures 3 1/4" [83mm] of concrete around box at all times)</p> <p style="margin-left: 20px;">1 1/4" [35] Intumescent Service Feed (Four (4) per box)</p>	<p>10-Gang Fire Classified Floor Box – has been designed to be installed in above grade concrete floors while maintaining the fire classification of the floor. This box is classified for use in 2-hour fire rated floors. Included with the box: protective/disposable cover, tunnel system for connecting the two modules of compartments, fire classified pan, two (2) removable modules, four (4) 1 1/4" trade size intumescent conduit feeds and two (2) cable management guides.</p> <p>NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)</p> <div style="border: 1px solid black; padding: 10px; margin-top: 20px;"> <p>Outlet Boxes and Fittings Classified for Fire Resistance Legrand/Wiremold (R8209)</p> <p>Type EFB6S-FC, EFB8S-FC and EFB10S-FC preset electrical insert for use in 2-hour fire rated D900 Series Floor-Ceiling designs constructed with nominal 2" or 3" deep fluted steel floor units having a nominal 5" wide valley and crests spaced 12" OC, with a minimum 3 1/4" [83mm] thickness of structural concrete topping. The assembly preset electrical insert with floor plate kit and service activations fitting will not reduce the 2-hour fire rating of the floor assembly when installed in accordance with the installation instructions accompanying the preset electrical insert and when the preset electrical insert are spaced 2' [0.61m] OC with not more than one unit per 4 square feet [0.37m²] of floor area in each span.</p> </div>






Evolution Series 10-Gang Floor Box Accessories Ordering Information

Catalog No./Item	Description/Specifications	Catalog No./Item	Description/Specifications
<p>EFB10SM</p>  <p>Module – Bank of five (5) compartments that accept power, communications and audio/video devices. Accepts EFB10 Series device plates (2 1/32" x 4 5/8") [58mm x 117mm]. Includes one mounting bracket, one back plate, one divider, two (2) end caps and two (2) knockout plates. Device plates sold separately.</p> <p>NOTE: Module will fit on either side of the floor box.</p>	<p>EFB10-B</p>  <p>Device Plate – Blank device plate. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].</p>	<p>EFB10-DP</p>  <p>Device Plate – Duplex device plate. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].</p>	<p>EFB10-DEC</p>  <p>Device Plate – Decorator style device plate. For use with decorator style receptacles, GFCI receptacle, and decorator style audio/video devices. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].</p>
<p>EFB10S-MB</p>  <p>Mounting Bracket – hold up to five (5) devices for power, communications or audio/video. Bracket accepts EFB10 Series device plates (2 1/32" x 4 5/8") [58mm x 117mm] device plates sold separately.</p>			

Evolution Series 10 Gang Floor Box Accessories Ordering Information

Catalog No./Item	Description/Specifications	Catalog No./Item	Description/Specifications
EFB10-S1	 Knockout Plate – Single receptacle 1.39" [35mm] diameter. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].	EFB10-MAAP	 Device Plate – holds four (4) Extron® Electronics MAAP devices. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].
EFB10-S2	 Knockout Plate – Single receptacle 1.59" [40mm] diameter. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].	EFB10-MOS	 Device Plate – [45mm x 67.5mm] device plate. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].
EFB10-6AB	 Device Plate – Accepts up to three (3) dual Wiremold Open System communication adapters. Adapters sold separately. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].	EFB810-3/4-3/4	 Knockout Plate – Has two (2) 3/4" trade size knockouts.
EFB10-3S2	 Device Plate – Accepts up to three (3) Ortronics® Series II devices. Ortronics® devices sold separately. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].	EFB810-3/4-11/4	 Knockout Plate – Has one 3/4" and one 3/4"/1 1/4" concentric trade size knockout.
EFB10-2C	 Device Plate – Accepts one dual Wiremold Open System adapter, or one Ortronics® Series II adapter, or one Ortronics® TracJack adapter. Adapters sold separately. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].	EFB810-2	 Knockout Plate – Has one 2" trade size knockout.
EFB10-AAP	 Device Plate – holds two (2) Extron® Electronics AAP devices. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].	EFB810S-TUN	 Tunnel – For EFB8 Series and EFB10 Series boxes. Tunnel allows cables to be wrapped around box from one module to the other.

Evolution Series 10 Gang Floor Box Accessories Ordering Information

Catalog No./Item	Description/Specifications	Catalog No./Item	Description/Specifications
EFB10S-DIV 	Relocatable Divider – Provides separation of services. Includes one divider plate.	EFBCMG 	Cable Management Guides – Guides help organize and maintain cable position when opening and closing the cover.
EFBCLL 	Concrete Leveling Legs – Legs allow floor box to be adjusted up or down to match the desired pour height of the concrete. Includes two (2) leveling legs. Threaded rod not supplied.	EFBS-50A 	50A Adapter – Allows for a 50A device to be installed on the 8 gang and 10 gang series boxes. NOTE: Only fits on othe side of the floor box where the device is facing the tunnel. 

Evolution Series Floor Box Accessories Ordering Information

Catalog No./Item	Description/Specifications
EFB610CTCBK EFB610CTCGY EFB610CTCBS EFB610CTCNK EFB610CTCBZ	<p>Surface Style Cover with Carpet Insert – Die cast aluminum cover assembly designed to be used on top of the floor covering. Available in the following powder coated finishes: black (BK), gray (GY), brass (BS), nickel (NK) and bronze (BZ). For use on Evolution Series 6-, 8- and 10-gang floor boxes (EFB6, EFB8 and EFB10).</p> <p style="text-align: center;">NOTE: Depth of recess area in plate is 1/4" [6.35mm].</p>

EFB610CTBK EFB610CTGY EFB610CTBS EFB610CTNK EFB610CTBZ	<p>Flush Style Cover with Carpet Insert – Die cast aluminum cover assembly designed to be used level (flush) with finish floor covering. Available in the following powder coated finishes: black (BK), gray (GY), brass (BS), nickel (NK) and bronze (BZ). For use on Evolution Series 6-, 8- and 10-gang floor boxes (EFB6, EFB8 and EFB10).</p> <p style="text-align: center;">NOTE: Depth of recess area in plate is 1/4" [6.35mm].</p>
---	---

EFB610BTCBK EFB610BTCGY EFB610BTCBS EFB610BTCNK EFB610BTCBZ	<p>Surface Style Cover with Solid Lid – Die cast aluminum cover assembly designed to be used on top of floor covering. Available in the following powder coated finishes: black (BK), gray (GY), brass (BS), nickel (NK) and bronze (BZ). For use on Evolution Series 6-, 8- and 10-gang floor boxes (EFB6, EFB8 and EFB10).</p>
--	---

Load Capacities for Evolution Series Floor Box Cover Assemblies	
CATALOG NUMBERS	MAXIMUM LOAD IN POUNDS
EFB610BTC Series	1800
EFB610CTC Series	1800
EFB610BT Series	1800
EFB610CT Series	1800

NOTE: Load applied through a 3" [76mm] mandrel in center of the cover. Loads above are static loads only and do not pertain to rolling loads.

EFB610BTBK EFB610BTGY EFB610BTBS EFB610BTNK EFB610BTBZ	<p>Flush Style Cover with Solid Lid – Die cast aluminum cover assembly designed to be used on top of floor covering. Available in the following powder coated finishes: black (BK), gray (GY), brass (BS), nickel (NK) and bronze (BZ). For use on Evolution Series 6-, 8- and 10-gang floor boxes (EFB6, EFB8 and EFB10).</p>
---	---

EFB610CTR	<p>Bare Concrete/Terrazzo Trim Ring – Nonmetallic ring for use with bare concrete and terrazzo floor applications.</p>
------------------	---

EFB610-TS	<p>Tile Shim – Used for floor coverings greater than 3/16" [4.7mm]. The EFB610-TS allows the finished cover assembly to be flush with the finished floor. Includes one (1) 1/16" [1.6mm], one (1) 1/8" [3.2mm] and one 1/4" [6.4mm] tile shims for 9/16" [14.3mm] of upward adjustment.</p>
------------------	--



Evolution Series Floor Box Covers are available in powder coated finishes of: (L to R) gray, nickel, bronze, brass and black.

Evolution Series EFBFF Furniture Feed Floor Box Ordering Information

Catalog No./Item	Description/Specifications
<p>EFBFF</p> <p>NOTE: Not designed for use with bare concrete or terrazzo floors.</p>	<p>Furniture Feed Floor Box Assembly – For carpet, tile and wood covered floors. For use in concrete, raised and wood floor applications. Box is provided with a protective, disposable cover that allows the box to be installed at any point in the construction process. Box is available in a standard version for use in above grade concrete, raised, and wood floor applications. Boxes are also compatible with Wiremold® Walkerflex Modular Wiring System. Custom options are available upon request.</p> <p>Outer: 1 1/2" Trade Size KO Inner: 1" Trade Size KO</p> <p>Two (2) KOs: Outer: 2" Trade Size KO Inner: 1/2" Trade Size KO</p> <p>Each Side, Two KOs: Outer: 3/4" Trade Size KO Inner: 1/4" Trade Size KO</p> <p>Two (2) KOs: Outer: 1 1/4" Trade Size KO Inner: 1/2" Trade Size KO</p>
<p>EFBFF-OG</p> <p>NOTE: Not designed for use with bare concrete or terrazzo floors.</p>	<p>Furniture Feed Floor Box Assembly – For carpet, tile and wood covered floors. For use in on-grade and above grade concrete floor applications. Box is provided with a protective, disposable cover that allows the box to be installed at any point in the construction process. Box is available with an epoxy coating for on-grade applications. Custom options are available upon request.</p> <p>Outer: 1 1/2" Trade Size KO Inner: 1" Trade Size KO</p> <p>Two (2) KOs: Outer: 2" Trade Size KO Inner: 1/2" Trade Size KO</p> <p>Each Side, Two KOs: Outer: 3/4" Trade Size KO Inner: 1/4" Trade Size KO</p> <p>Two (2) KOs: Outer: 1 1/4" Trade Size KO Inner: 1/2" Trade Size KO</p>
<p>EFBFF-DIV</p>	<p>Divider – Provides separation of services.</p>
<p>FPFFTCBK FPFFTCBZ FPFFTCBS FPFFTCGY FPFFTCNK FPFFTCAL</p>	<p>Furniture Feed Cover Assembly – Flanged cover for use in tile or carpet or wood floor installations. Die-cast aluminum assembly available in powder coat finishes of black (BK), bronze (BZ), brass (BS), nickel (NK), gray (GY), or brushed aluminum (AL). Provided with one 1" trade size screw plug for power or communication type cabling and one combination 1 1/4" and 2" trade size screw plug for communication and A/V type cabling. Allows for feeding both power and communication cabling.</p> <p>NOTE: Flangeless FloorPort Series (FPFFT) covers are not designed to work with Evolution Series Furniture Feed Floor Boxes.</p>



Wiremold

WIREMOLD

U.S. and International:

60 Woodlawn Street • West Hartford, CT 06110
1-800-621-0049 • FAX 860-232-2062 • Outside U.S. 860-233-6251

Canada:

570 Applewood Crescent • Vaughan, Ontario L4K 4B4
1-800-723-5175 • FAX 905-738-9721

