08 42 00/CRL **BuvLine 1676**

ARCHITECTURAL HARDWARE GLASS ENTRANCES AND STOREFRON MANUFACTURED BY C.R. LAURENCE COMPANY





'All-Glass' Entrance and Storefront Systems Panic Handle Systems — Commercial Patch Hardware — Heavy Glass Door Systems Structural Glass Fittings — A Full Line of Complementary Accessory Items







A COMPLETE LINE OF HARDWARE FOR THE CONTEMPORARY 'ALL-GLASS' LOOK

INNOVATION



Heavy Glass Sliding Door System

F



Door and Sidelite Rails, Patch Fittings



SPS Stacking Partition System for Heavy Glass



Spider Fittings



Standoffs



Glass Awning Support System



Glass Clamps



SDR Bottom Rolling Sliding Door System





Deadbolt Handles Panic Handles ANSI/BHMA A156.3-2001 Grade 1 Panic Handle and ANSI/BHMA A156.16-1997 Grade 1 Deadbolt Handle for 'All-Glass' Doors

2

CRL WEDGE-LOCK[™] 'ALL-GLASS' **DOOR RAILS**



- Adjustable Door Alignment System Allows Jamb Line Adjustment Without Removing Door
- Solid Aluminum Rail, Rigid Single Component Housing Will Not Shift and Fall Out of Alignment Over Time Because the Housing is Not Made of Two Halves
- Door Rails Come Completely Fabricated So Door Assembly Can Be Ready for Installation in Less Than 10 Minutes
- Dry Glazing Allows Easy Field Glass Replacement
- Glass Securing Pads Designed for Longevity in Extreme Environments
- Available With or Without a Lock
- Six Popular Stock Finishes
- Custom Finishes, Lengths and Heights Available
- Stocked for 3/8", 1/2", and 3/4" Tempered Glass



The patented Wedge-Lock™ Glass Securing System is a totally original concept for securing the glass in the Door Rail. No more fumbling with multiple pieces, trying to align them properly. No more time wasted waiting for cement to dry, or in clean up.

4" Tapered

4" Square

6" Square

10" Square

The Wedge-Lock[™] System works by applying pressure evenly along both sides of the glass. Simply tighten the jaw screws, accessed from the hardware pocket of the rail. The screws then draw down a flat stainless steel bar. The steel bar in turn pulls down the gripping jaws. This action then forces the jaws towards one another, creating a tremendous amount of force against the glass, holding it securely in place. The Wedge-Lock[™] Glass Securing System is so unique that it is covered by U.S. Patents 6,434,905 and 6,912,818 B2. Foreign Patents Pending.

Laboratory Test

- Full Length Door Rails for Single or Double Doors in 2-5/16" Low Profile, 4" Tapered and 4", 6", and 10" Square
- Pull Tested to Nearly 7,000 Pounds

National Technical Systems, a certified laboratory, tested the Wedge-Lock[™] Door Rail

System at a temperature range from -10° to 150° F, with 1000 pounds of tension load applied. No evidence of movement was detected at any temperature. At an ambient temperature of 73° F, in a "Pull to Failure Test", 6900 pounds of tension was required before any creep (no failure was detected).









Our new and improved Kwik-Adjust™ Pivot Alignment System allows you to adjust the pivot alignment and edge clearances with the simple turn of a single screw, all without having to remove the door.



Door centering is easily achieved by turning the two hex head bolts

CRL SIDELITE RAILS, U-CHANNEL, AND ACCESSORIES



CRL Combination Wide U-Channel and Narrow Header

CRL Regular and Shallow U-Channel with Top Load Roll-In Gasket

- Available in Stock Lengths, Fabricated Headers, or Headers with Side Pockets for "Lift and Drop" Panel Glazing
- Matches the Width of Door and Sidelite Rails
- Accepts Roll-In Gasket, Top Pivot Block, and Flush Snap-In Insert
- Accepts 3/8", 1/2", 5/8", and 3/4" Tempered Glass
- Custom Sizes and Finishes Available



4

CRL Sidelite Rails with Top Load Roll-In Gasket

- Five Styles in Up To Six Stock Finishes
- Sidelite Rails Match Door Rails for Even Sightline
- Top Load Roll-In Gasket for 3/8", 1/2", 5/8", and 3/4" Tempered Glass
- Extruded Saddle is Reversible to Match 1/4" or 3/4" Door Clearances
- Custom Heights Available on Special Order



Positioned for 1/4" (6 mm)


Clearance

Top Load E.P.D.M. Glazing Gasket

Reversible Saddle Positioned for 3/4" (19 mm) Clearance

The profiles of our Sidelite Rails match perfectly with our Door Rails. Available in six finishes in 120" lengths, and two finishes in extra long 240" lengths, they match heights of both floor mounted and 1/2" threshold doors using our Reversible Saddle.

Combination Wide U-Channel and Narrow Header



Regular U-Channel with Aluminum/Neoprene Setting Block

U-Channel


CRL Locking Ladder Pull

- Available in Seven Different Models
- Locks Operate at a Comfortable Height Above the Floor
- Alloy 316 Brushed Stainless Steel Tubing

Our new Locking Ladder Pulls have a fully concealed deadbolt locking mechanism that is operated at 42" to 48" above the floor. No need to bend, simply turn a key or thumbturn located at a comfortable height above the finished floor to lock or unlock your doors. These Locking Ladder Pulls are intended for use with glass doors made from 3/8" to 1/2" (10 to 12 mm) thick tempered glass. Models available: floor locking, both floor and head locking, and horizontal pulls locking into a jamb or sidelite.

CRL COMMERCIAL GLASS DOOR ACCESSORIES

08 42 00/CRL BuyLine 1676



CRL Wet/Dry Glaze U-Channel

- Accepts 3/8" or 1/2" Tempered Glass
- Offered in 1" and 1-1/2" Heights
- 120" and 240" Stock Lengths Available in Seven Finishes
- Custom Finishes Also Available

Wet/Dry Glaze U-Channels, provide the most economical way to glaze heavy glass. Using the Deep U-Channel on the top and the Shallow U-Channel on the bottom allows for the 'lift and drop' method of glazing. The glass can be secured with silicone sealant or our Top Load Roll-In Glazing Gasket.

CRL Hat Channel Door Closer Header for Single and Double Doors

- Surrounded by "L" Angle to Support Ceiling Tiles
- White Finish to Match Ceiling "T" Bar
- Provides Almost Invisible Look

CRL Hat Channel for Fixed Glazing

- White Finish to Match Ceiling "T" Bar
- Accepts 3/8" or 1/2" Tempered Glass
- Glass Secured With Silicone Sealant

Complete Line of Heavy Glass Door Pulls and Center Lock Housings

- Custom Finishes and Sizes Available
- Beautiful Accessories for Frameless
 'All-Glass' Entrance Doors and Sidelites

CRL Standoff Display System

- Can Be Used Indoors or Outdoors and Combined With CRL's Edge Grips or Swivel Fittings to Create Unique Displays
- Infinite Design Options Including Signage, Furniture, and Retail Displays



CRL Stock Headers for Overhead Concealed Door Closers and Custom Length Door Headers with Glazing

Pocket • Six Stock Finishes

• Available in 4" or 4-1/2" Widths for 3/8", 1/2", 5/8", and 3/4" Tempered Glass



with Glazing Gasket


Header Section

36" 72" Single Door Double Door

> Custom Lengths with Sidelite Glazing Pocket

CRL Floating Header for Overhead Concealed Door Closers

- Available for 1/2" Glass-to-Glass or Glass-to-Wall Installations
- Stock 36" Single and 72" Double Headers, With Custom Sizes Available
- Available in Six Stock Finishes





CRL Z-Series Glass Clamps

- Choice of Flat or Radius Bases for Use on Round Tubing or Flat Surfaces
- Available in Zinc or Stainless Steel Construction, in Your Choice of Round or Square Corner Design
- Up to Eight Stock Finishes
- Models for 1/4" to 1/2" Thick Tempered Glass



CRL COMMERCIAL GLASS DOOR SYSTEMS



CRL Heavy Glass Sliding Doors

- Variety of Styles and Finishes Available for Use With 3/8" or 1/2" Tempered Glass
- Each Unit Custom Built to Fit the Opening
- Saves Valuable Floor Space Will Not Project Out of the Door Opening



CRL Top Hung Single Track and Double Track Sliding Door System

- CRL80 and CRL180 Hardware Systems for 5/16", 3/8" or 1/2" Thick Tempered Glass
- R130 System for 3/8" and 1/2" Glass is Rated for Panels Weighing Up to 297 Lbs.
- An Easy-to-Install Bypass Door System
- No Notches or Holes Necessary for Installation
- Typical Applications Include Displays, Office Partitions, and Room Dividers



CRL Laguna Series Sliding Glass Door System

- Contemporary New Look for the Office or Home
- All 316 Alloy Brushed Finish Stainless Steel
- Ideal for Interior Room Applications
- For Use With 3/8" or 1/2" Tempered glass



CRL Laguna Series Pivot Door System

- Contemporary Look
- Mix and Match for Various Configurations
- Maximizes Glass and Minimizes Hardware
- For 3/8" or 1/2"
 Tempered Glass
- Free Swinging or Use With Floor Mounted Door Closer

CRL Patch Hardware System

- Provides Frameless Storefront Appearance
- Allows Combination of Aesthetics and Versatility
- A Complete Selection of Products Including Patch Fittings, Inserts and Pivots, Lever Locks and Latches, Concealed Overhead and Floor Closers, Door Handles, and Many More Accessories



6 GRL C.R. LAURENCE COMPANY

crlaurence.com

08 42 00/CRL **CRL STACKING GLASS DOOR AND GATE SYSTEMS** BuyLine 1676



As part of an ever-expanding architectural hardware line, CRL is proud to introduce their new Stacking Partition System (SPS), featuring Intelli-Track™. CRL used all of their resources to produce a product that their customers, architects, and designers will come to trust as a viable solution for 'all-glass' wall design needs.

The SPS, is engineered to provide virtually unlimited possibilities in the design of moveable glass dividing walls which can be rolled aside and "stacked" in a compact arrangement. They're ideal for storefronts and malls, allowing full visibility of merchandise combined with the flexibility to be stored conveniently out of the way quickly and easily. Restaurants, sidewalk cafes

CRL SPS Stacking Partition System for Glass, Wood, or Aluminum Doors

- Provides the 'All-Glass' Look When Closed and a Full Width Opening When Doors are "Stacked"
- Glass Panels Disappear From Sight When Parked in the Parking Closet

08 71 00.14/CR

7

• A Large Variety of Parking Configurations to Accommodate Almost Any Installation

TYPICAL APPLICATIONS:

- Retail Stores and Malls Convention Centers
- Restaurants and Eateries Automobile Dealerships
- Banquet Halls Reception Areas Stadium Club Boxes

and night clubs can easily expand their indoor/outdoor seating space. SPS utilizes CRL's patented Wedge-Lock[™] Glass Securing System, found in

their popular Door Rails. Available in a variety of rail configurations and finishes. CRL Engineers asked questions, made product comparisons, and designed

the most versatile Stacking Partition System available. The directional rollers can be positioned on either the inside or outside track, and when they come in contact with the switching block they will travel the direction the switching block is oriented. This prevents accidental panel rotation and directs the panel to the proper track in the parking area every time you open it.



- Intelli-Track[™] Rollers Work With Both Manual and Self-Guiding Intersections to Provide Directional Control and Prevent Accidental Panel Rotation
- Two Rollers per Panel Will Support 470 Pounds
- Compact Roller Design Allows for 2-7/8" Center-to-Center Door Rail Spacing in the Parking Area

Popular SPS Parking Configurations

Perpendicular Parking

Right Hand Illustrated



Parallel Parking





Right Hand Illustrated



- Variety of Applications: Mezzanine Railings, Stairways, Escalator Alcoves, Windbreaks, Observation Decks, Balustrades
- Systems for 1/2" and 3/4" Thick Tempered Glass
- Custom Fabricated to Your Dimensions, or Stock Lengths Available



Exterior Handle Combinations for Doors with CRL Panic, Deadbolt or Electronic Egress Control Handles


CRL EGRESS HANDLES

CRL Panic Handles and **Deadbolt Handles**

Certification: UL305, ULC/5132-93, and ANSI/BHMA A156.3-2001, Grade 1 Certified.







- For 1/2" or 3/4" Tempered Glass Doors
- Can Be Used as a Replacement for Older Panics and Deadbolts
- All Standard Finishes Ship Within 5 Working Days
- Optional Keyed Access and **Electric Strike**
- Available With a Wide Selection of Exterior Fixed Pull Handles on Special Order
- Matching Dummy Handles Available for All Styles
- Available in Polished or Brushed Stainless Steel, Satin and Polished Brass, and Oil Rubbed Bronze (Special Order)



CRL Electronic Egress Control Handles

- For 1/2" or 3/4" Tempered Glass Doors
- For Interior and Exterior Applications
- Maintain Security and Aesthetics
- Available in Polished or Brushed Stainless Steel, Satin and Polished Brass, and Oil Rubbed Bronze (Special Order)
- Custom Sizes With Standard Finishes Ship Within 5 Working Days

FOR MORE INFORMATION ON OTHER CRL PRODUCTS SEE SWEET'S SECTIONS:

05 58 00/CRL-8838 COLUMN COVERS 05 73 00/CRL-5341 STRUCTURAL HEAVY GLASS RAILING 07 42 00/CRL-8840 **ROOFING AND SIDING PANELS** 08 42 00/CML-4545 **ENTRANCES & STOREFRONTS:** Facilities & Owners 08 44 26.11/CRL-8621 STRUCTURAL GLASS CURTAIN WALLS 08 56 59/CRL-4964 SERVICE WINDOWS

08 71 00/CRL-3069 DOOR HARDWARE 08 71 00.14/CRL-7154 STACKING PARTITION SYSTEMS 10 28 19/CRL-3068 **TUB & SHOWER DOOR ENCLOSURES** 10 71 13/CRL-8843 EXTERIOR SUN CONTROL DEVICES 11 18 00/CRL-6331 **BULLET-RESISTANT PROTECTION** 11 46 16/CRL-75592 SNEEZE GUARDS/PARTITION POSTS

CRL **Specialty** Catalogs Can be viewed online at



Architectural Hardware



Frameless Shower Door Hardware and Supplies

SD08



Hospitality & Service Hardware

HS07



HROG

Architectural **Railing Systems**



Door Controls Hardware and

Accessories

DC07





Security Hardware

TH09



METALS

Architectural Metals

AM09

WEETS 09-AH GLASS ENTRANCE



AH07

VISIT THE WORLD of crlaurence.com

- Access to All CRL Products Through Our Easy-to-Use A to Z Product Index
 See all of the CRL Catalogs
- Technical Articles and Product Support Ordering and Shipping Information Help in Using the Site
- CRL Locations with Addresses, Directions, Phone and Fax Numbers Direct E-Mail Connections to CRL Departments
- Account Policies and Credit Terms
 A Calendar of Industry Trade Shows

Visit our "Installation Image Gallery" @ crlaurence.com for more beautiful glass entrance photos