



Worry Free. Fast. Legendary Service.



**MOVEABLE GLASS WALLS**



**Kwik-Wall**

MOVEABLE WALL SYSTEMS

# MOVEABLE GLASS WALLS

**CLEAR-DIVISIONS** - Moveable Glass Wall Systems consist of moveable walls made with glass in a variety of models for interior applications. The **CLEAR-DIVISIONS** Series is the perfect choice for space division where the beauty and elegance of glass compliment the architectural design of your facility.



## features of **CLEAR-DIVISIONS**

- For safety and years of worry free operation, CLEAR-DIVISIONS uses an exclusive cam lock system that provides positive mechanical fastening points to attach the hardware to the glass.
- Panel to panel locks and floor bolt locks provide security for any retail or secure application.
- The curve and diverter track and trolleys used on Variotec, Aperto and Cornertec models provide smooth operation thru radius curve tracks that take the effort out of panel movement.
- Superior track and hardware with optional finishes and glass treatments mean the only limitation to product design is your imagination.



**“Superior track and hardware with optional finishes and glass treatments...”**

### **KWIK-FACTS**

- A moveable glass wall is the perfect choice for the flexible use of security areas in airports.
- All glass used in **CLEAR-DIVISIONS** products is tempered and some applications may use laminated glass for additional safety.
- Variotec Trimless unlocks your creative potential. This system permits stationary glass fittings, swinging doors, sliding swinging doors and curved installations.



## KWIK-WALL PRODUCT SELECTION GUIDE

GLASS WALL OPERATION TYPE	Model	Max. Standard Panel Height*	Maximum Wall Width	Standard Stack Arrangement**
<b>INDIVIDUAL PANELS - CURVE &amp; DIVERTER</b>				
	Variotec Trimmed	12' - 0" (3.66 m)	Unlimited	Parallel, Remote, Perpendicular,
	Variotec Trimless	12' - 0" (3.66 m)	Unlimited	Parallel, Remote, Perpendicular,
	KVV-Tec	12' - 0" (3.66 m)	Unlimited	Parallel, Remote, Perpendicular,
	Cornertec	12' - 0" (3.66 m)	Unlimited	Parallel, Remote, Perpendicular
	Aperto	8' - 6 3/4" (2.61 m)	Unlimited	Parallel, Perpendicular
<b>CONTINUOUSLY HINGED PAIRS</b>				
	Variofold	8' - 6 3/4" (2.61 m)	17' - 8 1/2" (5.4 m)	Offset
	Centerfold	8' - 6 3/4" (2.61 m)	16' - 6 7/16" (5.04 m)	Center

\*Denotes single wall width. Bi-stacking walls may be available. See specific model information for more details.

\*\*Optional selections may be available depending on model, see specific model section for details or for additional information, visit [www.kwik-wall.com](http://www.kwik-wall.com) where you can also locate your local professional installing KWIK-WALL Distributor.

