



Metal Building Components for Roofing & Siding

07 40 00/CON
BuyLine 8645



**Consolidated
Components Group™**
a unit of **CSI®**


Toll Free 866 775-5002
Local 803 251-5000
Fax 803 251-5001

VR Panel – 100, 1000, 3000 and 4000 Series

Universal Panel for Roofing & Siding

VR Profile

Overlap with anti-siphon groove



SPECIFICATIONS

- > 100VR – for shade & shelter
- > 1000VR – for light-duty agriculture
- > 3000VR – for residential, agriculture, & light commercial/industrial
- > 4000VR – for residential, agriculture, & light commercial/industrial

OPTIONS

- > Standard & custom colors
- > Versa-Steel® trim components
- > Color-matched fasteners
- > Clear-coated Galvalume® steel
- > Bare galvanized steel
- > Standard & custom lengths
- > Installation accessories


APPLICATION

- > 3:12 pitch – recommended minimum slope

100VR Panel	1000VR Panel	3000VR Panel	4000VR Panel
Versa-Steel® 100 <ul style="list-style-type: none"> • 29 GA steel • Galvanized or Galvalume® coating • 80 Ksi yield strength • Versa-Clad™ Polyester Paint System • 12 standard colors • Formulated with standard pigments 	Versa-Steel® 1000 <ul style="list-style-type: none"> • 29 GA steel • Galvanized or Galvalume® coating • 80 Ksi yield strength • Versa-Clad™ Polyester Paint System • 12 standard colors • Formulated with standard pigments • 10-year limited warranty on paint system 	Versa-Steel® 3000 <ul style="list-style-type: none"> • 29 GA steel • Galvalume® coating • 80 Ksi yield strength • Versa-Clad™ Silicone-Modified Polyester Paint System • 19 standard colors • Formulated with energy-efficient cool pigments • ENERGY STAR® registered • 30-year limited warranty on paint system 	Versa-Steel® 4029 <ul style="list-style-type: none"> • 29 GA steel • Galvalume® coating • 80 Ksi yield strength • Versa-Clad™ Silicone-Modified Polyester Paint System • 19 standard colors • Formulated with energy-efficient cool pigments • ENERGY STAR® registered • 40-year limited warranty on paint system

STANDARD COLORS

100VR & 1000VR Series	3000VR & 4000VR Series
Black Blue Bright White Brown Charcoal Green Ivory Light Gray Light Stone Red Tan White	Black Blue Bright Red Bright White Brown Burgundy Burnished Slate Charcoal Clay Copper Penny (metallic) Gallery Blue Green Ivory Light Gray Light Stone Red Tan White Zinc Gray
All 3000 and 4000 series paint systems are ENERGY STAR registered. Painted metal sample available on request.	




Ink colors are an approximation of paint colors.

PBR Panel—2000 and 4000 Series

Purlin-Bearing R Panel for Commercial/Industrial Roofing & Siding

PBR Profile



SPECIFICATIONS

- > 2000PBR – for commercial/ industrial
- > 4000PBR – for commercial/ industrial

OPTIONS

- > Standard & custom colors
- > Versa-Steel® trim components
- > Color-matched fasteners
- > Clear-coated Galvalume® steel
- > Standard & custom lengths


APPLICATION

- > 1:12 pitch – recommended minimum slope

2000PBR Panel	4000PBR Panel
Versa-Steel® 2026 <ul style="list-style-type: none"> • 26 GA steel • Galvalume® coating • 80 Ksi yield strength • Versa-Clad™ Silicone-Modified Polyester Paint System • 19 standard colors • Formulated with standard pigments • 20-year limited warranty on paint system 	Versa-Steel® 4026 <ul style="list-style-type: none"> • 26 GA steel • Galvalume® coating • 80 Ksi yield strength • Versa-Clad™ Silicone-Modified Polyester Paint System • 19 standard colors • Formulated with energy-efficient cool pigments • ENERGY STAR® registered • 40-year limited warranty on paint system

STANDARD COLORS

2000PBR & 4000PBR Series
Black Blue Brown Burnished Slate Cayenne Red Charcoal Gray Dawn Gray Deep Green Gallery Blue Gold Light Stone Luster White Marine Green Polar White Rich Red Sage Green Tan Taupe USDA White
Painted metal sample available on request.



Ink colors are an approximation of paint colors.



www.ConsolidatedComponentsGroup.com



Standardized painted metal systems:

- > Uniform coatings
- > Consistent color
- > Dependable performance

650 Rosewood Drive
PO Box 1756
Columbia, SC 29202

Toll Free 866 775-5002
Local 803 251-5000
Fax 803 251-5001

Consolidated
Components Group[™]
a unit of **CSI**[®]