Siding Systems

Premium Siding, Soffit and Accessories

Residential Remodeling . Historic Renovation . New Construction . Light Commercial

Quality products to suit your needs with the service you expect.

For the complete Alside siding and window product offering visit www.sweets.com.

We pioneered the development of easy care exterior products for residential, multi-family and light commercial applications 60 years ago. Since then we've continued as an industry leader, widely recognized for innovative products such as Charter Oak® reinforced vinyl siding and soffit, Prodigy® Next Generation Insulated Siding and now, Revolution® wood polymer composite siding.















Alside Siding, a natural choice for the environment.

The green building movement is mainstream and here to stay. And, today's vinyl siding is being recognized for its sustainability and environmentally friendly benefits:

• During manufacturing and throughout its useful life, Alside vinyl siding supports the high standards and criteria set by leading green building certification programs

- Efficiently manufactured, Alside vinyl siding is derived of simple, natural ingredients with nearly all scrap and off-spec material reprocessed into other vinyl products
- Alside vinyl siding has low embodied energy and is friendlier to the environment than alternative products such as brick, stucco and fiber cement
- Alside vinyl siding is virtually maintenance-free, reducing toxins and maintenance related substances in the solid waste stream
- Using vinyl siding reduces the strain on natural resources including cedar and other wood
- Alside vinyl siding will last a lifetime on the house, not in the landfills
 (Alside siding is covered by a lifetime limited warranty. See printed warranty for
 complete details).





Prodigy®

Next Generation Insulated Siding.






Prodigy Next Generation Insulated Siding is designed and engineered with superior insulation, providing unsurpassed energy savings and extraordinary durability. Innovative, patent-pending and exclusive features create a superior siding panel for both residential and commercial applications.


Product Features:


- TrueFormTM one-piece insulated siding system provides exceptional durability and strength
- RigidLock secure interlocking panel design for a tight, secure fit with no insulation gap
- Industry-leading R-Values provide remarkable energy efficiency
- Extended panel length of 16' 8" for a cleaner, more attractive finished appearance
- Featuring a finely milled cedar finish and 21 contemporary colors including a collection of dark, rich hues











Charter Oak® & Charter Oak® XXL

Reinforced Vinyl Siding for Greater Rigidity.





Product Features:

- Exclusive TriBeamTM panel design for superior rigidity
- Authentic ¾" butt height for deeper shadow lines and rich detail
- · Double thick nail hem for strength and exceptional holding power*
- Available in 16' 8" and 25' lengths for fewer overlaps mix with standard length panels for greater cost effectiveness
- Available with a deep oak grain or matte finish in a wide variety of beautiful colors

Also, ask about Charter Oak* Energy Elite . . . providing beauty and energy efficiency.

*In independent tests, Charter Oak stayed nailed in place even in design pressures similar to those reaching the intensity of Category 5 hurricane winds (tested in accordance with ASTM 5206).









Advanced TriBeam[™] design for superior strength.

Revolution® Composite Siding

The Nature of Siding.





Revolution's* patent-pending composite formulation of 50% virgin material and 50% recycled content balances nature with the advances of technology.



WPC [Wood Polymer Composite]

High quality blend of wood fibers with strong polymers for long-lasting performance. Does not retain moisture. In laboratory moisture retention tests, Revolution outperformed fiber cement by 40%.



StackLockDesign

StackLock Design provides beautiful course lines, using standard installation tools. No caulking. No separation.



SeamTight

Patented joining and clip system secures panels tightly and permanently. Eliminates face nailing and caulking for cleaner appearance. Spans the wall to hide existing irregularities.



TrueWoodForm

Single 7" clapboard design with 6 7/8" exposure to capture the beauty of individual wood planks. Optimal 12' 6" length. Uniquely textured matte woodgrain finish.



StormFactor

Combination of StackLock Design and patented joining system achieves greater windload resistance. In independent tests, Revolution stayed nailed in place even in design pressures similar to those reaching the intensity of Category 5 hurricane winds.



ImpactResistance

Revolution's rigid wood/polymer core construction provides extreme resistance to impact. In laboratory tests, Revolution proved to be 25% more impact resistant than fiber cement and four times better than real cedar.



PermaFinish


Weatherable polymer top layer protects surface, helps color stay true, and makes your home's exterior virtually maintenance free. Prefinished . . . no priming, no painting, no staining.



EnviroSmart

Sustainable, so does not lead to environmental degradation or long-term depletion of natural resources. Made with recycled wood fibers, a renewable resource. Environmentally responsible manufacturing. No silica dust – providing a safe product installation.









*Available in select markets.

For more information call 800.922.6009 or visit revolutionsiding.com.



The right siding for your project.

Siding	Key Features	Profiles*	Exposure	Butt Edge	Thickness	Texture Col	ors
REVOLUTION"	Wood polymer composite siding, 50% virgin material, 50% recycled con Patented panel joining system.	C tent.	Single 6 ⁷ /8"	1/2"	¹ /5"	Wood polymer compo	9+ site
PRODIGY.	TrueForm™ Insulated Siding, RigidLock secure top locking system. Industry-best R-value.	C D C	Double 6" Double 5" Single 7"	3/4" 3/4" 3/4"	1 ¹ /2" overall panel thickness†	Finely milled cedar grain	21
Charter Oak®	TriBeam™ design with rolled nail hem. Superior rigidity and wind resistance. 12' 1", 16' 8" and 25' lengths.	C, D	Double 4 1/2"	3/4"	.046" (nom.)	Oak grain XL Oak grain & matte XXL (Oak grain only)	
CypressCreek 2	Variegated finish. Stained cedar appearance. Premium panel features.	C C, D BB	Double 4" Double 5" Single 7"	3/4" 3/4" 1/2"(batten)	.046" (nom.) .046" (nom.) .050" (nom.)	Cedar grain	6
BOARD & BATTEN PREMIUM VERTICAL VINYL SIDING	Authentic details. Extra-thick vertical siding.	BB	Single 7" (5 1/2" board, 1 1/2" batten)	¹ /2"(batten)	.050" (nom.)	Cedar grain	12
Williamsport* Colonial Boaded Premium Vinyl Siding	Historical details.	Beaded edge	Single 6 ¹ /2"	3/4"	.044" (nom.)	Subtle woodgrain	14
CENTERLOCK* Premium Vinyl Siding	Patented mid-panel lock. Excellent wind resistance. Individual "board" appearance.	C, D	Double 4 1/2"	3/4"	.044" (nom.)	Cedar grain	14
ODYSSEY*Plus	Staggered double nail slots. Fully rolled over nail hem. Exceptional wind resistance.	C, D C, D	Double 4" Double 5"	¹ /2" ⁵ /8"	.044" (nom.) .044" (nom.)	Subtle woodgrain	14
Coventry	Premium quality. Standard thickness. Rolled-top nail hem.	C, D C, D C	Double 4" Double 5" Triple 3"	1/2" 1/2" 1/2"	.042" (nom.) .042" (nom.) .042" (nom.)	Cedar grain	14
CONQUEST® QUALITY VINYL SIDING	Value emphasis.	C, D	Double 4 1/2"	1/2"	.040" (nom.)	Cedar grain	14
Charter Oak REINFORCED PREMIUM VINVL SOFFIT	TriBeam™ design for superior rigidity. Hidden ventilation. Solid panels can be used as vertical sidin	Aerated Solid/Vertical	Triple 3 ¹ /3" Triple 3 ¹ /3"	3/4" 3/4"	.042" (nom.) .042" (nom.)	Smooth Smooth	21 20
PELICAN BAY	Polypropylene accent panel. Continuous panel lock for secure fit. Extended length for less seams. Self-concealing seam lock.	Scallops HS Shakes Trad. Shakes CC Shingles	Single 6 ¹ /4" Single 9" Single 7" Double 5"	1/2" (nom.) 5/8" (nom.) 5/8" (nom.) 1/2" (nom.)		Natural cedar grain Deep cedar grain Deep cedar grain Natural cedar grain	26 26 26 26

^{*} C=Clapboard, D=Dutch lap, BB=Board & Batten, HS Shakes=Hand-Split Shakes, CC Shingles=Cape Cod Shingles. † \$7" is 11/8" thick.

For more information.

For products and support services, visit one of more than 95 Alside Supply Centers or Alside independent distributors across the United States. Call our FastBack™ teleresponse specialists at 1-800-922-6009 for addresses and telephone numbers.

You also can use that number for information on product specifications, application questions, code compliance, warranty coverage and product availability. Call, too, for more information on our professional support programs: *Profiles in Exteriors*,™a design seminar accredited by the AIA, CSI and AIBD; and *Partners in Performance*, a design CD ROM with specifications, code compliance, warranty coverage and product availability. Call, too, for more information on our professional support programs: *Profiles in Exteriors*,™a design seminar accredited by the AIA, CSI and AIBD; and *Partners in Performance*, a design CD ROM with specifications are considered by the AIA.

CAD drawings, installation details and specifications. Product information is available at our web site (www.alside.com). Specifications are subject to change without notice.







Alside PO Box 2010 Akron, Ohio 44309 1-800-922-6009 www.alside.com