



MULLICAN[®]

F L O O R I N G



SPECIALIZING IN:

- PREFINISHED AND UNFINISHED HARDWOOD FLOORING
 - SOLID AND ENGINEERED
 - OAK, MAPLE, HICKORY, CHERRY, BEECH, WALNUT, BIRCH, AND EXOTIC SPECIES
- HAND SCULPTED, DISTRESSED, WIRE-BRUSHED, AND LOC-TO-FIT
- MULLICAN'S UNMATCHED QUALITY AND PRECISION

PREFINISHED

DOMESTICS

- Aluminum Oxide Finish - 25 Year Finish Warranty - Random Lengths 9" - 84"

ST. ANDREWS OAK

- Micro Edge / Square End



Red Oak Natural
Widths: 2 1/4", 3", 4", 5"



Oak Gunstock
Widths: 2 1/4", 3", 4", 5"



Oak Caramel
Widths: 2 1/4", 3"



Oak Stirrup
Widths: 2 1/4", 3"



Oak Saddle
Widths: 2 1/4", 3", 4", 5"



Oak Merlot
Widths: 2 1/4", 3"



Oak Dark Chocolate
Widths: 2 1/4", 3", 4", 5"



Oak Butterscotch
Widths: 2 1/4", 3"

NATURE COLLECTION

- Micro Edge / Micro End



Cherry Nature
Width: 3", 4", 5"



Maple Nature
Width: 3", 4", 5"



Walnut Nature
Width: 3", 4", 5"



Red Oak Nature
Width: 3", 4", 5"



Hickory Nature
Width: 3", 4", 5"

BUCKINGHAM BEECH

- Micro Edge / Micro End



Ebony
Widths: 3", 4", 5"



Mink Brown
Widths: 3", 4", 5"

CHATHAM HILL CHERRY

- Micro Edge
- Square End



Cherry Natural
Widths: 2 1/4"

WIRE BRUSHED FRONTIER

- Bevel Edge / Bevel End
- 15 Year Finish Warranty



Oak Butternut
Widths: 4", 5"



Oak Midnight Cherry
Widths: 4", 5"



Oak Tuscan Brown
Widths: 4", 5"



Hickory Champagne
Widths: 4", 5"



Walnut Ebony Brown
Widths: 4", 5"

3/4" SOLID

09 64 00/MUL
BuyLine 2333

HAND SCULPTED CHATELAINE

- Bevel Edge / Bevel End



Merlot Brazilian Cherry
Widths: 4", 5"

Novella Brazilian Cherry
Widths: 4", 5"

Sundance Hickory
Widths: 4", 5", 6"

Provincial Hickory
Widths: 4", 5", 6"

Golden Maple
Widths: 4", 5"

Maple Cappuccino
Width: 4", 5"



Autumn Maple
Widths: 4", 5"



Ebory Oak
Widths: 4", 5", 6"



Cimmaron
American Cherry
Width: 5"



Heartland
Tobacco Barn Pine
Width: 3"



Colonial Walnut
Widths: 4", 5", 6"

HAND SCULPTED KNOB CREEK

- Bevel Edge / Bevel End



Oak Saddle
Widths: 2 1/4", 3", 4"

Oak Coffee
Widths: 2 1/4", 3", 4"

Oak Gunstock
Widths: 2 1/4", 3", 4"

Hickory Saddle
Widths: 3", 4"

Maple Cappuccino
Widths: 2 1/4", 3", 4"

Cherry Cabernet
Widths: 2 1/4", 3", 4"

Cherry Mocha
Widths: 2 1/4", 3", 4"

FOUR-SIDED BEVEL MUIRFIELD

- Micro Edge / Micro End



Red Oak Natural
Widths: 2 1/4", 3"

Oak Saddle
Widths: 2 1/4", 3"

Oak Stirrup
Widths: 2 1/4", 3"

Oak Tuscan Brown
Widths: 2 1/4", 3"

Oak Merlot
Widths: 2 1/4", 3"

Oak Dark Chocolate
Widths: 2 1/4", 3"

Maple Natural
Widths: 2 1/4", 3", 4", 5"

Maple Golden
Widths: 2 1/4", 3"



Maple Cappuccino
Widths: 2 1/4", 3"



Maple Bordeaux
Widths: 2 1/4", 3"



Autumn Maple
Widths: 3", 4", 5"



Hickory Natural
Widths: 3", 4", 5"



Hickory Saddle
Widths: 3", 4", 5"



Hickory Sundance
Widths: 3", 4", 5"



Hickory Provincial
Widths: 3", 4", 5"

EXOTICS

- Micro Edge / Square End



Andiroba
Widths: 3", 4", 5"

Cumaru
Widths: 3", 4", 5"

Canary Wood
Widths: 3", 4", 5"

Brazilian Cherry
Widths: 3", 4", 5"

Tigerwood
Widths: 3", 4", 5"



Lapacho
Widths: 3", 4", 5"



Amendoim
Widths: 3", 4", 5"



Patagonian Rosewood
Widths: 3", 4", 5"



Tiete Rosewood
Widths: 3", 4", 5"



Santos Mahogany
Widths: 3", 4", 5"

PREFINISHED

NORTHPOINT 9/16"

- 7-Ply
 - Sawn 3.0mm wear surface - Aluminum Oxide Finish - Glue or Staple Down / Floating
 - Micro Edge / Micro End - 25 Year Finish Warranty - Random Lengths 12" - 72"




Red Oak Natural Width: 3", 5" Oak Caramel Width: 3", 5" Oak Gunstock Width: 3", 5" Oak Saddle Width: 3", 5" White Oak Natural Width: 3", 5" Oak Stirrup Width: 3", 5" Oak Sangria Width: 3", 5" Santos Mahogany Width: 3", 5"



Cherry Natural Width: 3", 5" Cherry Cappuccino Width: 3", 5" Hickory Natural Width: 3", 5" Hickory Stirrup Width: 3", 5" Maple Natural Width: 3" Maple Mocha Width: 3" Walnut Natural Width: 3", 5" Walnut Colonial Width: 3", 5"

RIDGECREST 1/2"

- 7-Ply
 - Sliced 2.0mm wear surface - Aluminum Oxide Finish - Glue or Staple Down / Floating
 - Micro Edge / Micro End - 25 Year Finish Warranty - Random Lengths 12" - 72"



Red Oak Natural Widths: 3", 5" Oak Caramel Widths: 3", 5" Oak Gunstock Widths: 3", 5" Oak Saddle Widths: 3", 5" Hickory Natural Widths: 3", 5" Hickory Saddle Widths: 3", 5" Maple Natural Widths: 3", 5" Maple Caramel Widths: 3", 5"



Cherry Natural Widths: 3", 5" Brazilian Cherry Widths: 3", 5" Merbau Width: 5" Teak Widths: 3", 5" Sumatra Mahogany Width: 5" Sumatra Rosewood Width: 5"

HAND SCULPTED CHALMETTE 1/2"

- 7-Ply
 - Sliced 2.0mm wear surface - Aluminum Oxide Finish - Glue or Staple Down / Floating
 - Micro Edge / Micro End - 25 Year Finish Warranty - Random Lengths 12" - 72"



Oak Saddle Width: 5" Ebony Oak Width: 5" Autumn Maple Width: 5" Maple Brownstone Width: 5" Provincial Hickory Width: 5" Hickory Sunset Sand Width: 5"



Sundance Hickory Width: 5" Colonial Walnut Width: 5" Cherry Cinnamon Width: 5" Brazilian Cherry Width: 5" African Mahogany Width: 5" Ebony Merbau Width: 5"

MEADOWBROOKE 1/2"

- 7-Ply
 - Micro Edge / Micro End - 25 Year Finish Warranty
 - Aluminum Oxide Finish - Glue or Staple Down / Floating
 - Random Lengths 12" - 84"



Tigerwood Widths: 3", 5" Brazilian Cherry Widths: 3", 5" Santos Mahogany Widths: 3", 5"

ENGINEERED

09 64 00/MUL
BuyLine 2333

LOC-TO-FIT AUSTIN SPRINGS 1/2"

- 9-Ply
- Sliced .2mm wear surface
- Micro Edge / Micro End
- Aluminum Oxide Finish
- 5-G Locking System
- 25 Year Finish Warranty
- Floating Installation
- Random lengths 12" - 48"



Red Oak Natural Width: 3 1/2", 5" Oak Saddle Width: 3 1/2", 5" Oak Gunstock Width: 3 1/2", 5" Oak Caramel Width: 3 1/2", 5" Oak Provincial Width: 3 1/2", 5" Oak Sangria Width: 3 1/2", 5" Maple Natural Width: 3 1/2", 5" Maple Cappuccino Width: 3 1/2", 5" Brazilian Cherry Width: 3 1/2", 5" Hickory Natural Width: 3 1/2", 5" Hickory Stirrup Width: 3 1/2", 5"



Walnut Natural Width: 3 1/2", 5" Sapele Width: 3 1/2", 5" Sapele Dark Chocolate Width: 3 1/2", 5" Cherry Natural Width: 3 1/2", 5" Cherry Mocha Width: 3 1/2", 5" Oak Ebony Hand Sculpted Width: 5" Oak Saddle Hand Sculpted Width: 5" Maple Autumn Hand Sculpted Width: 5" Birch Provincial Hand Sculpted Width: 5" Birch Mocha Hand Sculpted Width: 5" Walnut Colonial Hand Sculpted Width: 5"

WIRE BRUSHED FRONTIER 1/2"

- 7-Ply
- Sawn 2.5mm wear surface
- Bevel Edge / Bevel End
- Aluminum Oxide Finish
- 25 Year Finish Warranty
- Glue or Staple Down / Floating
- Random Lengths 12" - 72"



Hickory Champagne Width: 5" Oak Tuscan Brown Width: 5" Teak Burnt Saddle Width: 5" Walnut Ebony Brown Width: 5" Oak Midnight Cherry Width: 5" Oak Butternut Width: 5"

DISTRESSED FRONTIER 1/2"

- 7-Ply
- Sliced 2.0mm wear surface
- Bevel Edge / Bevel End
- Aluminum Oxide Finish
- 25 Year Finish Warranty
- Glue or Staple Down / Floating
- Random Lengths 12" - 72"



Oak Sagebrush Width: 5" Maple Tuscan Brown Width: 5" Hickory Sunset Sand Width: 5" Hickory Antique Width: 5" Cherry Sangria Width: 5" Teak Burnt Saddle Width: 5" Walnut Canyon Brown Width: 5" Sumatra Mahogany Golden Wheat Width: 5"

MEADOWVIEW 3/8"

- 5-Ply
- Rotary 2.0mm wear surface
- Micro Edge / Micro End
- Aluminum Oxide Finish
- 15 Year Finish Warranty
- Glue Down / Floating
- Random lengths 12" - 72"



Red Oak Natural Widths: 3", 5" Oak Caramel Widths: 3", 5" Oak Saddle Widths: 3", 5" Oak Gunstock Widths: 3", 5" Oak Bordeaux Widths: 3", 5"

HILLSHIRE 3/8"

- 5-Ply
- Sliced 2.0mm wear surface
- Micro Edge / Micro End
- Aluminum Oxide Finish
- 15 Year Finish Warranty
- Glue Down / Floating
- Random Lengths 12" - 48"



Birch Auburn Widths: 3", 5" Birch Harvest Widths: 3", 5" Birch Mocha Widths: 3", 5" Maple Natural Widths: 3", 5" Maple Espresso Widths: 3", 5" Maple Caramel Widths: 3", 5"

FOOTHILLS 5/16"

- 5-Ply
- Sliced .8mm wear surface
- Micro Edge / Micro End
- Aluminum Oxide Finish
- 15 Year Finish Warranty
- Glue Down Only
- Random lengths 12" - 48"



Red Oak Natural Width: 3" Oak Caramel Width: 3" Oak Gunstock Width: 3" Oak Saddle Width: 3" Maple Caramel Width: 3" Maple Natural Width: 3" Brazilian Cherry Widths: 3", 5" Tigerwood Widths: 3", 5" Santos Mahogany Widths: 3", 5"

UNFINISHED 3/4"

DOMESTIC SPECIES



ASH
Select & Better, #1 and #2 Common



AMERICAN CHERRY
Select & Better, #1 and #2 Common, and Rustic



HICKORY
First, Second and Better, Third, and Rustic



HARD MAPLE
First, Second and Better, Third, and Rustic



Red Oak
Clear, Clear Quartered, Select Quartered, Select, No. 1 Common, No. 2 Common, and Rustic



White Oak
Clear, Clear Quartered, Select Quartered, Select, No. 1 Common, No. 2 Common



Walnut
Select & Better, Natural



Herringbone Slats
Select Red & White Oak is available as a stock item in 6 3/4" to 18" lengths (3/4" by 2 1/4" wide). All other species, grades and widths sold by special order only.

EXOTICS



Bloodwood
Widths: 3", 4", 5"



Brazilian Cherry
Widths: 3", 4", 5"



Tigerwood
Widths: 3", 4", 5"



Ipe (Brazilian Walnut)
Widths: 3", 5"



Cumaru
Widths: 3", 4", 5"



Tiete Rosewood
Widths: 3", 4", 5"



Dark Sucupira
Widths: 3", 4", 5"

UNFINISHED ENGINEERED 9/16"

- 7-Ply
- Sawn 3.0mm wear surface
- Square Edge / Square End
- Glue or Staple Down / Floating
- Random Lengths 12" - 72"



Red Oak Natural
Widths: 3", 5"



White Oak Natural
Widths: 3", 5"



American Cherry
Widths: 3", 5"



Hickory
Widths: 3", 5"



Walnut
Widths: 3", 5"

PRODUCT SPECIFICATIONS



09 64 00/MUL
BuyLine 2333

	Red Oak	White Oak	Ash	American Cherry	Hickory	Hard Maple	Walnut
Strip 2 1/4" x 3/4"	●	●	●	●	●	●	●
Plank 3" x 3/4"	●	●	●	●	●	●	●
Plank 4" x 3/4"	●	●		●	●	●	
Plank 5" x 3/4"	●	●		●	●	●	
Plank 6" x 3/4"	●	●					
Plank 7" x 3/4"	●	●					
Herringbone Slats	●	●	●	●	●	●	●
Grades Available:	Clear Clear Quartered Select Select Quartered #1 Common #2 Common Rustic	Clear Select Select Quartered #1 Common #2 Common Rustic	Select & Better #1 Common #2 Common	Select & Better #1 Common #2 Common	First Second & Better Third	First Second & Better Third	Select & Better #1 Common #2 Common
Hardness/ Janka (ASTM D2794)	1290	1360	1320	950	1820	1450	1010
Dimensional Stability	Average .00369	Average .00365	Above average .00274	Above average .00248	Below average .00411	Average .00353	Excellent .00274
Durability	Stiff and dense, high shock resistance	More durable than red oak	Elastic, hard, excellent shock resistance	Strong, mod. hard, excellent shock resistance	Strong, hard, tough, stiff	Dense, strong, tough, stiff	Mod. dense, very strong, good shock res.
Flame Spread (ASTM E84)	FSI: 100	FSI: 100	N/A	FSI: 160	FSI:100	FSI: 104 SDI: 157	FSI: 130-140



	Australian Cypress	Brazilian Cherry	Tigerwood	Bloodwood	Cumaru	Tiete Rosewood	Dark Sucupira	Ipe
Strip 2 1/4" x 3/4"								
Plank 3" x 3/4"	●	●	●	●	●	●	●	●
Plank 4" x 3/4"	●	●	●	●	●	●	●	
Plank 5" x 3/4"	●	●	●	●	●	●	●	●
Grades Available:	Clear	Clear Select & Better	Clear Select & Better	Clear	Clear	Clear	Clear	Clear
Hardness/ Janka (ASTM D2794)	1375	2350	2160	2900	3540	2800	2364	3680
Dimensional Stability	Average .00369	Average .00365	N/A	Average	Below Average*	Average	Average	Above Average
Durability	Stiff and dense, high shock resistance	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Flame Spread (ASTM E84)	FSI: 100	FSI: 100	N/A	N/A	N/A	N/A	N/A	N/A



* Prone to shrink in dry climates



MOLDINGS AND TRANSITIONS


A complete line of complementing moldings and transition pieces is available for all species and colors.




REDUCER




QUARTER ROUND



T-MOLD



THRESHOLD



STAIRNOSE

CARE AND MAINTENANCE

- Dust mop or vacuum your floor on a regular basis.
- Avoid using string mops or large amounts of water.
- Wipe up spills as soon as possible.
- Use walk-off mats at exterior entrances to avoid carrying in dirt and grit, and use area rugs in high traffic areas.
- Never use oil soap or wax.
- Use protectors under the legs of furniture.
- Clean with a Mullican Flooring approved wood floor cleaner, which can be purchased from your nearest hardwood flooring dealer. Also order by calling 800-352-9974, 800-949-0142, or 800-697-9687. Or order online at www.florstor.com, www.weloveyourfloors.com, or www.floorcleaners.net.

Just as Mullican Flooring is committed to making the finest hardwood flooring possible, we are also committed to the environment. We are dedicated to proper forest management and to providing a sustainable, renewable supply of raw materials to ensure there will be plenty of forest available for future generations. This environmental commitment has won Mullican Flooring the prestigious NHLA Forest Stewardship Award.



MULLICAN FLOORING®

The Clear Leader In Quality Hardwood Flooring.

www.mullicanflooring.com 1-800-844-6356

