



PREMIUM EXTERIOR  
SIDING & ACCESSORIES



# SUPER PREMIUM VINYL SIDING



**Double 4" Horizontal  
Double 5" Dutchlap**



**Double 4" Horizontal  
Double 5" Dutchlap**



For Product Specifications See Page 8

Sagebrush® and Reynolds Crossroads® vinyl siding panels are the best looking and performing vinyl siding products on the market today.

These Super Premium panels, with their advanced construction features, give your project these important advantages:

- Lay flatter and straighter on the wall
- Reduce installation problems that can make good panels look bad
- High windload resistance ratings
- Premium deep-rich toned designer colors featuring a proprietary acrylic finish with a Lifetime Fade Protection Warranty\*



### Summary Data

- Thickness: 0.050"
- Panel Projection: 3/4"
- Finish: Light brushed non-glare texture
- Warranty: Limited Lifetime Non-Prorated Transferable with Lifetime Fade Protection\*




SEAL HOLDER SINCE 1990

### Panel Features

1. **Dual parallel nailing slots** provide easy installation for nailing or stapling
2. **Hammer stop** inhibits incorrect nailing that could cause installation problems
3. **Patented nailing hem design**
4. **Larger nailing hem** places more product on the wall surface, helping protect against "blow-off" in high winds
5. **Extra heavy duty lock** adds strength to the panel to help prevent sagging
6. **0.050" nominal thickness** helps provide superior rigidity keeping panels straighter – even over uneven spots on walls. Extra thickness provides extra impact resistance
7. **3/4" butt with extended return leg** adds strength and rigidity, creates a tighter more secure lock between panels



**Sagebrush and  
Reynolds Crossroads  
Panel Features**



**Double 4" Horizontal  
Double 6" Horizontal  
Double 5" Dutchlap**



Extended lengths available on a made to order basis.

For Product Specifications On Vinyl Panel See Page 8

\* See actual warranty for details

Polar Wall® Plus! features heavy duty vinyl siding and a laminated polystyrene foam backing. This superior combination of materials yields important advantages to consider:

- Up to 4 times higher impact resistance than unreinforced panels
- Superior wind resistance ratings - over 200 mph
- Superior resistance to storm damage
- Improved R-values
- Reduced air infiltration
- Reduced noise transmission
- Premium deep-rich toned designer colors feature a proprietary acrylic finish with a Lifetime Fade Protection Warranty\*

### Polar Wall Plus! Panel Features

Reverse Rolled Over Nailing Hem

#### "R"-Values

- D/4 2.88
- D/6 3.57
- D/5 Dutchlap 3.53

High Impact Resistance



Laminated Polystyrene Foam Backing

Extended Return Leg



SEAL HOLDER SINCE 1990



WHEN CORRECTLY INSTALLED, POLAR WALL® PLUS! SIDING WITH THE FULLBACK™ THERMAL SUPPORT SYSTEM CAN HELP MEET THE PERFORMANCE GUIDELINES OF AN ENERGY STAR® QUALIFIED HOME.

For Assistance Call 800-528-0942



# PREMIUM VINYL SIDING

07 46 00/NOR  
BuyLine 3077




Cedar Reflections® XL Premium Vinyl Siding is engineered for lasting performance. With a thickness of 46 mils, this panel has superior rigidity, durability and resistance to dents and scratches.

### Product Features

- Innovative reinforced nail hem
- Extended 16' 8" length for fewer visible seams
- Unique locking system
- Lays flatter and straighter on the wall
- High windload resistance ratings
- Solid color construction will never chip, flake, blister or peel
- 3/4" panel projection and butt height for deep shadow lines
- Heavy duty extended return leg snaps into the top lock for a tight, secure installation
- Premium deep-rich toned colors featuring a proprietary acrylic finish with a Lifetime Fade Protection Warranty\*

**cedar**  
REFLECTIONS<sup>XL</sup>  
PREMIUM VINYL SIDING



**Double 4 1/2" Horizontal  
Double 4 1/2" Dutchlap**



### Summary Data

- Panel Thickness: 0.046"
- Panel Projection: 3/4"
- Finish: Embossed with a cedar grain pattern
- Warranty: Limited Lifetime Non-Prorated Transferable with Lifetime Fade Protection\*



SEAL HOLDER SINCE 1990

For Product Specifications See Page 8



Great Barrier® and Reynolds Grand Junction® vinyl siding panels are designed for long life and high quality cedar grain appearance.

These Premium panels have these important advantages for your project:

- High strength reverse-rolled over nailing hem
- Heavy duty panel-to-panel lock profile for maximum strength
- High windload resistance ratings
- Premium deep-rich toned designer colors featuring a proprietary acrylic finish with a Lifetime Fade Protection Warranty\*

**GREAT BARRIER**  
PREMIUM VINYL SIDING



**Double 4" Horizontal  
Double 5" Dutchlap**



### Summary Data

- Thickness: 0.044"
- Panel Projection: 3/4"
- Finish: Non-glare cedar texture
- Warranty: Limited Lifetime Non-Prorated Transferable with Lifetime Fade Protection\*



SEAL HOLDER SINCE 1990


Extended lengths available on a made to order basis.



**REYNOLDS GRAND JUNCTION**  
PREMIUM VINYL SIDING



**Double 4" Horizontal  
Double 5" Dutchlap**



Rolled-Over  
Reverse Nailing  
Hem

Panel Locking  
Assembly



In windload tests, the double thickness nailing hem was strong enough to bend the nail heads.

**Great Barrier and  
Reynolds Grand Junction  
Panel Features**

For Product Specifications See Page 8

\* See actual warranty for details


Visit Our Website @ [www.norandex.com](http://www.norandex.com)

# PREMIUM VINYL SIDING

Sterling® Premium Vinyl Siding delivers the genuine appeal of a hand-sawn siding in a lightly embossed woodgrain pattern. Our leading edge technology has produced a premium panel that adds character and dimension beyond the standard finish of traditional vinyl siding.



**Sterling**  
VINYL SIDING



**Double 5" Dutchlap  
Double 4", 5"  
8" Horizontal**

## Product Features

- Authentic light woodgrain texture in a rugged, low maintenance vinyl
- Low gloss finish provides an aesthetically pleasing look
- Solid color construction will never chip, flake, blister or peel
- 5/8" panel projection and butt height for deeper shadow lines and greater structural integrity
- Heavy duty extended return leg snaps into the top lock for a tight secure installation

## Summary Data

- Thickness: 0.044<sup>\*\*</sup>
- Panel Projection: 5/8"
- Finish: Woodgrain pattern
- Warranty: Limited Lifetime Non-Prorated Transferable with Lifetime Fade Protection\*



SEAL HOLDER SINCE 1990




<sup>\*\*</sup>Horizontal 8"—0.048"

# STANDARD VINYL SIDING



**WOODSMAN**  
SELECT  
PREMIUM VINYL SIDING



**Double 4" and 5" Horizontal  
Double 4" and 5" Dutchlap**

Woodsman Select and Reynolds Chesapeake® Select vinyl siding provide maximum versatility. Available in 4 classic panel styles that match the architectural taste of almost any part of the country, the rugged construction provides superior performance in either new construction or retrofit applications.

## Product Features

- Warm natural cedar wood grain texture in rugged, low maintenance vinyl
- Low gloss finish provides an aesthetically pleasing look
- Solid color construction will never chip, flake, blister or peel
- 5/8" panel projection and butt height for deeper shadow lines and greater structural integrity
- Heavy duty extended return leg snaps into the top lock for a tight secure installation

## Woodsman Select and Reynolds Chesapeake Select Profiles

- Double 4" and 5" Horizontal Profiles
- Double 4" and 5" Dutchlap Profiles

## Summary Data


- Thickness: 0.042"
- Panel Projection: 5/8"
- Finish: Woodgrain pattern
- Warranty: Limited Lifetime Non-Prorated Transferable with Lifetime Fade Protection\*



SEAL HOLDER SINCE 1990



**REYNOLDS**  
**Chesapeake**  
SELECT  
PREMIUM VINYL SIDING



**Double 4" and 5" Horizontal  
Double 4" and 5" Dutchlap**

\* See actual warranty for details

# ECONOMY VINYL SIDING PRODUCTS

07 46 00/NOR  
BuyLine 3077



Summit Manor® and Reynolds Easy Street® combine classic styling and competitive pricing.

The authentic, low-gloss woodgrain design of these panels features a deep shadow line for an “Old World” look. Panels are perfect for new construction or retrofit projects.


### Product Features

- Authentic woodgrain surface in rugged, low maintenance vinyl
- Solid color construction will never chip, flake, blister or peel
- 1/2" panel projection and butt height for deep shadow lines
- Heavy duty extended return leg snaps into the top lock for a tight, secure installation

### Summary Data

- Panel Thickness: 0.040"
- Panel Projection: 1/2"
- Finish: Woodgrain pattern
- Warranty: Limited Lifetime Non-Prorated Transferable with Lifetime Fade Protection\*

REYNOLDS  
**Easy Street**  
VINYL SIDING



**SUMMIT**  
*Manor*  
VINYL SIDING

Double 4" Horizontal  
Double 4 1/2" Horizontal  
Double 4 1/2" Dutchlap

LIMITED  
**LIFETIME**  
*Fade Protection*



SEAL HOLDER SINCE 1990



## SPECIALTY VINYL SIDING



Cambridge Beaded® Premium Vinyl Siding brings together the elements that set the architectural tradition of the early South apart: grace, charm, plus attention to detail and sturdiness.


Today any home can have the same feel with Cambridge Beaded. It has a distinctive hand sculptured edge at the base of each 6 1/2" panel, recalling the charm of old Southern Design.

The unique beaded detail provides a classic styling that sets the home apart. Subtle home owner preferred colors and a full line of accessories in matching or contrasting hues are available, offering a wide range of options.

### Summary Data

- Thickness: 0.048"
- Panel Projection: 5/8"
- Finish: Light brushed non-glare texture
- Warranty: Limited Lifetime Non-Prorated Transferable with Lifetime Fade Protection\*

**CAMBRIDGE**  
BEADED®  
PREMIUM VINYL SIDING



6 1/2" Beaded

LIMITED  
**LIFETIME**  
*Fade Protection*

For Product Specifications See Page 8



SEAL HOLDER SINCE 1990



Shenandoah® vinyl siding is available in two distinctive styles featuring unique design attributes. These are the affordable choices when recreating traditional architecture.

The beaded style replicates the old-world charm of hand carved beaded siding.


The triple 3 provides the narrow clapboard style made popular in colonial New England.

Both styles are suitable for new construction and retrofit projects.

### Summary Data

- Beaded Panel Thickness: 0.046"
- Triple 3 Panel Thickness: 0.040"
- Panel Projection: 5/8"
- Finish: Brushed pattern
- Warranty: Limited Lifetime Non-Prorated Transferable with Lifetime Fade Protection\*

**SHENANDOAH**  
VINYL SIDING



6 1/2" Semi-Beaded  
Triple 3" Horizontal

LIMITED  
**LIFETIME**  
*Fade Protection*



SEAL HOLDER SINCE 1990



\* See actual warranty for details





Cedar Reflections® Premium Vinyl Soffit is available in three styles; a solid panel, which can also be used in sidewall applications as a vertical siding, a full vent lanced, or with an efficient ventilation system hidden in the grooves of the vented panels.

**Summary Data**

- Thickness: 0.048"
- Panel Projection: 3/4"
- Finish: Woodgrain pattern
- Warranty: Limited Lifetime Non-Prorated Transferable with Lifetime Fade Protection\*



The Hidden Ridge® ventilation system features venting slots hidden in the U-grooves of the soffit panels. This provides efficient flow of air for proper ventilation, without the unattractive holes or lanced areas visible in standard soffit panels.



\* See actual warranty for details

SEAL HOLDER SINCE 1990



These solid vinyl panels will never rot or require repainting.

- Beaded Porch Panel can be used horizontally or as vertical accent panels.

Several perforation patterns let you choose the right amount of ventilation for your project.



Triple 4" Soffit Solid



Triple 4" Soffit Center Vent



Triple 4" Soffit Full Perforation



Double 5" Select Solid



Double 5" Select Lanced



Beaded Porch Panel Solid



Beaded Porch Panel Center Vent



T/4 Dual Hidden Ridge Soffit

**Panel Thickness**

- D/5 Select Matte: 0.040"
- T/4 Matte: 0.038"
- Beaded Porch Panel: 0.040"
- T/4 Dual Hidden Ridge Soffit: 0.044"

**Textures**

- D/5 Select and T/4 Matte: Pebble pattern
- Beaded Porch Panel: Brushed pattern

**Make sure the siding color you choose today will be the color you have tomorrow.**

All exterior colored surfaces tend to fade over time. Certain vinyl siding colors—especially the warmer, richer hues that are most popular today—are particularly susceptible to weathering. But Premium Colors feature a revolutionary, exclusive protective surface that provides superior resistance to fading far beyond any other vinyl siding product on the market. In fact, we're so sure of the superior weathering performance that we guarantee it. Premium products are warranted\* to be fade resistant for periods long beyond what many other manufacturers will guarantee.

**ColorHold® acrylic capping resins make the difference.**

ColorHold® is a UV-stable acrylic polymer that has superior fade-resistance properties. Proven since 1940 in demanding applications such as combat aircraft canopies, acrylic technology is non-reactive to the environment. That means acrylics retain their color over time better than other materials, which is why they are used today. Technicians have developed a way to use this tough acrylic technology on the surface of selected Premium Colors. The result? The first vinyl siding products that are virtually fade-free!

Home owners can also choose Designer Collection colors. It's a line of darker, fade-resistant hues not available in competitive siding lines.



\* See actual warranty for details

Don't let inferior siding ruin the good looks of your home





FinishWorks is a complete exterior design system that includes a full range of compatible solid vinyl accent and trim pieces to add the perfect finishing touch to your home.



### Wide Corner/Window and Door Surround System

Create a complete trim package that rivals real wood. Solid vinyl construction and our concealed fastener system means a clean finished look.

- 3-Piece Corners: 3 1/2" Flat or Fluted Lineal Corners with Beaded or Cove inserts in matching or contrasting colors (Flat Lineals also available in 5 1/2" - White only)
- Flat or Fluted Lineals may also be used as window or door surrounds
- Wide Corners: 6" One-Piece Fluted Corner with foam for added rigidity and energy efficiency
  - 6" Outside Corner with Step Down available in 2 styles:
    - 1 1/4" receiving pocket with foam for added rigidity and energy efficiency
    - 3/4" receiving pocket (not available with foam)



### The Accent is on Quality Performance.

Whether you're seeking a new look for your entire home, or a unique finishing touch in a gable or dormer, with Home Accents, the accent is on quality performance.

The full line of Home Accents products provides rich texture, deep shadow lines and natural design that combine authentic beauty with the remarkable, low-maintenance of solid vinyl. And every Home Accents product is protected with the exclusive Lifetime Fade Protection warranty\*, which means every Home Accents shape will maintain its natural appearance long into the future.

Hidden laps, a rainbow of colors and easy interlock between shapes, mean that Home Accents Shingles, Shakes, Staggered Shakes, Rounds and Fishscales may be used separately or mixed on the wall, providing endless design possibilities.

\* See actual warranty for details



7" exposure per panel  
3/4" panel projection

HOME ACCENTS  
SHINGLES



6" exposure per panel  
3/4" panel projection

HOME ACCENTS  
ROUNDS



7" exposure per panel  
3/4" panel projection

HOME ACCENTS  
SHAKES



6" exposure per panel  
3/4" panel projection

HOME ACCENTS  
FISHSCALES



10" exposure per panel  
1-1/8" panel projection

HOME ACCENTS  
STAGGERED SHAKES



SEAL HOLDER SINCE 1990

# PRODUCT SPECIFICATIONS

All products meet or exceed the Standard Specifications for Rigid Vinyl Siding (ASTM D-3679) and its referenced documents. An independent laboratory through unannounced inspection of all manufacturing facilities verifies the conformance to this specification. ASTM D-3679 is the specification used by building code authorities. Where not defined in ASTM D-3679, our products also meet the stringent quality control standards of Norandex Building Materials Distribution.

## PRODUCT TEST DATA

Heat Shrinkage . . . . .	<3% at 160°F
Impact Resistance Mean Failure Energy . . . . .	>60 in. x lb.
Surface Distortion . . . . .	None at 120°F
Squareness . . . . .	<1/8" of square
Length . . . . .	[Within - 1/4" of specification]
Warp/Camber . . . . .	<1/8"
Coefficient of Linear Expansion (in/in/F) . . . . .	3.15 x 10 <sup>-5</sup>

## FIRE RESISTANCE

All vinyl siding, soffit and accessories featured in this catalog have a Class I flame spread classification per 1997 Uniform Fire Code.

ASTM E84:

Flame Spread Index . . . . .	≤20
Smoke Developed Index . . . . .	>450
Fuel Contribution . . . . .	0

ASTM D1929:

Self-Ignition Temperature . . . . .	780°F
-------------------------------------	-------

ASTM D635:

Classified . . . . .	CC1**
----------------------	-------

\*\*Tested specimens did not burn to 25mm mark. Material was shown to be self-extinguishing. Therefore no average time of burning or average extent of burning can be calculated.

For more information, obtain a brochure on the fire properties of siding by contacting the Vinyl Siding Institute at [www.vinylsiding.org](http://www.vinylsiding.org).

## VINYL SIDING WINDLOAD TEST DATA

VINYL SIDING PRODUCTS	RESULTS*
Sagebrush/Reynolds Crossroads . . . . .	206 mph
Cedar Reflections XL . . . . .	190 mph
Great Barrier/Reynolds Grand Junction . . . . .	215 mph
Polar Wall Plus! . . . . .	215 mph
Cambridge Beaded . . . . .	188 mph
Sterling . . . . .	173 mph
Woodman Select/Reynolds Chesapeake Select . . . . .	173 mph
Summit Manor/Reynolds Easy Street . . . . .	175 mph
Shenandoah . . . . .	Beaded: 206 mph Triple 3: 206 mph

\*The MPH wind speeds reported above are calculated using the VSI Windspeed Calculation Guidelines. It is an estimate of wind speed resistance given one uniform set of assumptions. Please note that vinyl siding is a decorative covering that is not intended to provide structural reinforcement to a wall. The wind resistance of a wall system may be less than the maximum wind speed rating for a siding product and will not be increased as a result of installing vinyl siding.

## RELEVANT CODES AND REGULATIONS COMPLIANCE

ASTM D-3679, UBC 14-2, Florida Building Code Approval FL-920, FL-2633, FL-4617  
Texas Department of Insurance EC-43, ICC Evaluation Service Report #1020

## Quality Assurances



SEAL HOLDER SINCE 1990



THE VINYL MANUFACTURING PROCESS HAS EARNED THE IMPRESSIVE MARK OF THE UNDERWRITERS LABORATORIES



8450 South Bedford Road  
Macedonia, Ohio 44056

Tel: 800-528-0942  
330-468-2200  
Fax: 330-468-8118

For our CSI formatted 3-part specifications see [sweets.com](http://sweets.com)