



The Monogram Collection™

Designed expressly for the finest homes, the Monogram Collection offers an unmatched selection of appliances, with unlimited design and performance possibilities. So whether you want a professional kitchen that rises to every gourmet occasion or a patio that sets the stage for carefree entertaining, you'll find a selection of Monogram appliances that fit your plans beautifully.





Built-in refrigerators

Sleek, bold, subtle. Monogram® built-in refrigerators offer so many ways to personalize a home.

Stainless steel refrigerators are seamlessly finished at every edge and corner for a smooth, lustrous appearance. Professional models are a fitting choice for gourmet kitchens, and custom models allow you to create a look that's compatible with cabinetry.

For details on refrigerator specifications, configurations, customization options and features, visit monogram.com.



Built-in side-by-side refrigerators

Integrated

Sleek stainless appearance. Heavy-gauge stainless steel extends completely across the doors, wrapping beautifully around the edges. Long, slim tubular handles enhance the overall look and feel.



48" side-by-side refrigerator

ZISS480DRSS
48" stainless steel, 30.7-cu.-ft. refrigerator with dispenser

ZISS480NRSS
48" stainless steel, 30.6-cu.-ft. refrigerator without dispenser
Dimensions: 48" W x 84" H x 23-7/8" D



42" side-by-side refrigerator

ZISS420DRSS
42" stainless steel, 26.1-cu.-ft. refrigerator with dispenser

ZISS420NRSS
42" stainless steel, 26.0-cu.-ft. refrigerator without dispenser
Dimensions: 42" W x 84" H x 23-7/8" D



36" side-by-side refrigerator

ZISS360DRSS
36" stainless steel, 21.7-cu.-ft. refrigerator with dispenser

ZISS360NRSS
36" stainless steel, 21.6-cu.-ft. refrigerator without dispenser
Dimensions: 36" W x 84" H x 23-7/8" D



Professional

Professional appearance. Heavy-gauge stainless steel offers a look of polished sophistication that coordinates beautifully with other Monogram professional appliances.



48" professional side-by-side refrigerator

ZISP480DTSS
48" stainless steel, 30.7-cu.-ft. refrigerator with dispenser
Dimensions: 48" W x 84" H x 23-7/8" D



42" professional side-by-side refrigerator

ZISP420DTSS
42" stainless steel, 26.1-cu.-ft. refrigerator with dispenser
Dimensions: 42" W x 84" H x 23-7/8" D

Custom

Customization. Aluminum-trim refrigerator requires insertion of door and grille panels. Models shown are fitted with 1/4" door panels, which are available from your Monogram dealer. They also accept custom overlay panels and handles.



48" side-by-side refrigerator

ZIS480NR

48"-wide, 30.6-cu.-ft. non-dispenser refrigerator. Stainless steel and black door panels available.

ZISB480DR

48"-wide, 30.7-cu.-ft. refrigerator with black dispenser. Stainless steel and black door panels available.

ZISW480DR

48"-wide, 30.7-cu.-ft. refrigerator with white dispenser. Stainless steel or black door panels available.

Dimensions: 48" W x 84" H x 23-7/8" D

Custom wood panels and handles can be ordered from your cabinet maker.



42" side-by-side refrigerator

ZIS420NR

42"-wide, 26.0-cu.-ft. non-dispenser refrigerator. Stainless steel and black door panels available.

ZISB420DR

42"-wide, 26.1-cu.-ft. refrigerator with black dispenser. Stainless steel and black door panels available.

ZISW420DR

42"-wide, 26.1-cu.-ft. refrigerator with white dispenser. Stainless steel and black door panels available.

Dimensions: 42" W x 84" H x 23-7/8" D



36" side-by-side refrigerator

ZIS360NR

36"-wide, 21.6-cu.-ft. non-dispenser refrigerator. Stainless steel and black door panels available.

ZISB360DR

36"-wide, 21.7-cu.-ft. refrigerator with black dispenser. Stainless steel and black door panels available.

ZISW360DR

36"-wide, 21.7-cu.-ft. refrigerator with white dispenser. Stainless steel and black door panels available.

Dimensions: 36" W x 84" H x 23-7/8" D

Side-by-side refrigerators general features

Climate-control drawer chills beverages in minutes, thaws meats in hours and helps preserve a variety of fresh foods.

Direct airflow allows independent cooling of the generously sized fresh food and freezer compartments.

Halogen-light columns extend the full length of the interior cabinet, putting all contents within easy view.

Humidity-controlled vegetable compartments and sealed snack pans help preserve the freshness of foods.

Dispenser with proximity sensor lights up as you approach and automatically switches off when you walk away.



As an ENERGY STAR partner, GE has determined that all Monogram side-by-side refrigerators meet the ENERGY STAR guidelines for energy efficiency.

Optional kit, ZSAB1, allows Monogram side-by-side refrigerators to convert to Sabbath mode.



Built-in and free-standing refrigerators

Craftsmanship is a hallmark of the Monogram Collection™, and this is perfectly evidenced in the exquisite quality and artistry of Monogram®

built-in bottom-freezer refrigerators.

Available in stainless steel, custom and professional designs, these refrigerators are the perfect choice for homes with a fresh-food focus.

Equally captivating are built-in all-refrigerators and all-freezers, which dramatically increase food and beverage storage options wherever you need them. An attractive option for any kitchen décor is a free-standing side-by-side model, elegantly wrapped and finished in premium stainless steel.



Built-in bottom-freezer refrigerators

Custom



ZIC360NRLH

36"-wide, 20.6-cu.-ft. refrigerator with left-hinged door (stainless steel and black door panels available; custom wood panels can be ordered from your cabinetmaker)

ZIC360NRRH

36"-wide, 20.6-cu.-ft. refrigerator with right-hinged door (stainless steel and black door panels available; custom wood panels can be ordered from your cabinetmaker)

Dimensions: 36" W x 84" H x 23-7/8" D

Integrated



ZICS360NRLH

36"-wide, stainless steel 20.6-cu.-ft. refrigerator with left-hinged door

Dimensions:

36" W x 84" H x 23-7/8" D

ZICS360NRRH

36"-wide, stainless steel 20.6-cu.-ft. refrigerator with right-hinged door

Dimensions:

36" W x 84" H x 23-7/8" D

Professional



ZICP720SS

72"-wide, stainless steel 41.2-cu.-ft. refrigerator

Dimensions: 72" W x 84" H x 28-11/16" D



ZICP360SLSS

36"-wide, stainless steel

20.6-cu.-ft. refrigerator with left-hinged door

Dimensions:

36" W x 84" H x 28-11/16" D



ZICP360SRSS

36"-wide, stainless steel

20.6-cu.-ft. refrigerator with right-hinged door

Dimensions:

36" W x 84" H x 28-11/16" D

Bottom-freezer general features

Climate-control drawer chills beverages in minutes, thaws meats in hours and helps preserve a variety of fresh foods.

Advanced temperature management system with upfront electronic controls delivers cool, fresh air to every shelf and door bin.

Humidity-controlled vegetable compartments and sealed snack pans help maximize food freshness.

Split and adjustable shelves allow convenient access to contents in the fresh-food compartment.

Large, full-extension freezer drawer has an automatic icemaker with GE SmartWater™ filtration, as well as storage bins that slide out independently of one another for easy loading and unloading.

Adjustable, gallon-size door bins provide room for milk containers and two-liter bottles.

Built-in all-refrigerators and all-freezers

Custom



ZIR36NMLH

36"-wide, 21.9-cu.-ft. all-refrigerator with left-hinged door (stainless steel and black door panels available; custom wood panels can be ordered from your cabinetmaker)

ZIR36NMRH

36"-wide, 21.9-cu.-ft. all-refrigerator with right-hinged door

ZIF36NMRH

36"-wide, 21.9-cu.-ft. all-freezer with right-hinged door

ZIF36NMLH

36"-wide, 21.9-cu.-ft. all-freezer with left-hinged door

Dimensions: 36" W x 84" H x 24-3/4" D

Integrated



ZIRS36NMLH

36"-wide, stainless steel 21.9-cu.-ft. all-refrigerator with left-hinged door

ZIRS36NMRH

36"-wide, 21.9-cu.-ft. all-refrigerator with right-hinged door

ZIFS36NMRH

36"-wide, stainless steel 21.9-cu.-ft. all-refrigerator with right-hinged door

ZIFS36NMLH

36"-wide, 21.9-cu.-ft. all-refrigerator with left-hinged door

Dimensions: 36" W x 84" H x 24-3/4" D

All-refrigerator general features

Adjustable shelves and bins. Split shelves move up and down for custom storage arrangement, and raised edges help contain spills. Six adjustable door bins (two for gallon-size containers) add convenience. There are also two in-door dairy compartments that seal for longer freshness.

Produce and snack pans. Vegetable compartments with individual humidity controls, as well as sealed snack pans, glide open smoothly.

All-freezer general features

Adjustable shelves and bins. Five wire shelves move up and down for custom storage arrangement. Ten adjustable door bins (two for gallon-size containers) enhance flexibility.

Specialized storage baskets. Eight pullout wire baskets with clear-view fronts (two with a lid) allow compartmentalized storage for different food types.

Free-standing side-by-side refrigerators



ZFSB26DRSS

36"-wide, 26.0-cu.-ft. refrigerator with dispenser

Dimensions:

36" W x 72" H x 34" D

ZFSB23DRSS

36"-wide, 23.0-cu.-ft. counter-depth refrigerator with dispenser

Dimensions:

36" W x 72" H x 30-1/2" D

ZFSB25DTSS

36"-wide, 25.0-cu.-ft. counter-depth refrigerator with dispenser

Dimensions:

36" W x 72" H x 29-1/2" D

Side-by-side general features

All-over stainless appearance. At once dramatic and restrained, Monogram® stainless steel-wrapped refrigerators are smooth from edge to edge, with no exposed screws or rivets. For a built-in look, choose the counter-depth model, which aligns nearly flush with surrounding cabinetry.

Precise temperature management. A dual-evaporator system with multi-shelf air tower helps maximize food freshness throughout the fresh food and freezer compartments.

Flexible storage. In the fresh food compartment, adjustable shelves and door bins offer quick and easy access to contents. Full-extension freezer baskets enhance storage convenience.

Climate-control drawer. Precise controls allow you to express-chill beverages, express-thaw meats and select specific temperatures for perishable foods.

Extra-tall dispenser. Accommodates glassware of all sizes, from pitchers to tumblers.

Drinking water filtration. GE filtration system delivers clean, great-tasting water and ice through the dispenser.



As an ENERGY STAR partner, GE has determined that all Monogram bottom-freezer refrigerators, free-standing refrigerators and all-refrigerator models meet the ENERGY STAR guidelines for energy efficiency.

Optional kit, ZSAB1, allows Monogram bottom-freezer refrigerators to convert to Sabbath mode.



Refrigeration modules

A private cache of chocolates. A chilled chai latte. A relaxing predinner aperitif.

For all life's delicious and enticing little pleasures, GE Monogram® introduces refrigeration modules.

Amazingly versatile, these appliances offer ample room for storage of everything from chocolates to cheeses, yet fit the same opening as a standard dishwasher. They hold practically anything and go just about anywhere.




Wine reserves



ZDWT240PBS Wine reserve with privacy glass



ZDWR240PBS Wine reserve with digital control



ZDWI240WII Custom panel wine reserve with digital control

Available January 2008



ZDWC240NBS Wine chiller with dial control

Privacy glass. Innovative liquid-crystal technology allows you to turn glass from translucent to transparent with a simple press of a button. Opaque setting conceals contents from view.

Temperature control. Digital touch controls allow you to select precise temperature settings, which are essential for proper wine storage.

Storage convenience. Full-extension sliding racks store up to 57 wine bottles and keep them close at hand.

Flexible installation. The free-standing wine reserve may be built into cabinetry, and the door swing is easily reversed as needed.

Dimensions: 23-3/4" W x 34-1/4"-34-3/4" H x 23-3/4" D

Beverage center



ZDBT240PBS Beverage center with privacy glass



ZDBR240PBS Beverage center with digital control



ZDBI240WII Custom panel beverage center with digital controls

Available January 2008



ZDBC240NBS Beverage center with dial control

Privacy glass. Innovative liquid-crystal technology allows you to turn glass from translucent to transparent with a simple press of a button. Opaque setting conceals contents from view.

Temperature control. Digital touch controls provide precise temperature settings for cooling of all types of beverages.

Storage convenience. Three removable glass shelves, including a QuickSpace™ shelf, and two full-extension wine racks hold up to 10 wine bottles, as well as 12-ounce cans, quart-size bottles, and two-liter plastic containers.

Flexible installation. The free-standing beverage center may be built into cabinetry, and the door swing is easily reversed as needed.

Dimensions: 23-3/4" W x 34-1/4"-34-3/4" H x 23-3/4" D

Complete features and specifications on pg. 119.

monogram.com/sweets

Double-drawer refrigerator



ZIDS240PSS
stainless steel

ZIDI240PII custom panel

Temperature control. Digital touch controls maintain a consistent temperature for the upper and lower drawers, and an LED display allows you to monitor the temperature at a glance.


Storage convenience. A fold-down shelf, adjustable dividers and removable bottom-drawer bin maximize storage space and flexibility, allowing room for whole melons or large turkeys. The top drawer can hold up to 72 twelve-ounce cans, and the bottom drawer has room for eight two-liter bottles.

Interior lighting. Brilliant full-width LED lighting in both drawers puts contents into clear view.

Flush installation. The built-in configuration allows near-seamless integration with surrounding cabinetry. Model ZIDI240PII accepts custom 3/4" panel and handle for a personalized look.

Dimensions: 23-3/4" W x 34-1/4"-34-3/4" H x 23-3/4" D

Bar refrigerator with icemaker



ZIBS240PSS
stainless steel

ZIBI240PII custom panel

Automatic icemaker. Self-contained icemaker features a removable ice bin on full-extension slides and a heavy-duty ice scoop for serving convenience.

Temperature control. Digital touch controls allow a range of temperature settings for different cooling needs, and an LED display makes settings clearly visible.

Storage convenience. Beverage shelf on full-extension slides holds up to five wine bottles or ten 12-oz. cans, while spillproof glass shelves provide ample space for fresh foods and beverages.

Flexible installation. The free-standing bar refrigerator stands beautifully on its own, or may be built into cabinetry. Model ZIBI240PII accepts custom 3/4" panel and handle for a personalized look.

Dimensions: 23-3/4" W x 34-1/4"-34-3/4" H x 23-3/4" D

Fresh-food refrigerator



ZIFS240PSS stainless steel,
right-hinged door

ZIFI240PII custom panel,
right-hinged door

ZIFS240PLSS stainless steel,
left-hinged door

ZIFI240PLII custom panel,
left-hinged door

Temperature control. Digital touch controls offer a range of temperatures for precise chilling of a variety of fresh foods and beverages, and an LED display allows easy viewing of temperatures.

Storage convenience. Removable, spillproof glass shelves, along with a QuickSpace™ shelf and a clear Lexan® crisper on full-extension slides, provide easy access to contents.

Flexible installation. The free-standing fresh-food refrigerator stands beautifully on its own, or may be built into cabinetry. Model ZIFI240PII accepts a custom 3/4" panel and handle for a personalized look.

Dimensions: 23-3/4" W x 34-1/4"-34-3/4" H x 23-3/4" D

Outdoor/Indoor refrigerator



ZDOD240PSS stainless steel,
right-hinged door

ZDOD240PLSS stainless steel,
left-hinged door

Outdoor design. Sturdy, professional-grade stainless steel exterior stands up to the most demanding environmental conditions.

Temperature control. Digital touch controls maintain a proper climate for food preservation when outdoor temperatures range between 45°F and 120°F.

Storage convenience. Adjustable shelves and beverage racks allow flexible storage of fresh foods, drinks and condiments.

Door lock. Helps prevent unwanted access, ensuring the door remains closed.

Flexible installation. Finished on all sides in stainless steel, the outdoor/indoor refrigerator allows a wide range of installation possibilities outside and inside your home. For added flexibility, the top panel can be easily removed to allow built-in installation.

Dimensions: 23-3/4" W x 34-1/4"-34-3/4" H x 23-3/4" D



Fully integrated dishwashers

New Monogram® dishwashers blend seamlessly with today's kitchens and lifestyles.

The fully integrated design with top-mounted controls installs nearly flush with surrounding cabinetry. Inside, a powerful wash system and spacious stainless steel interior can handle everything from large pots and pans to fine stemware.



Icemakers and compactors

The simple, attractive design of these appliances integrates beautifully with any décor.

Fully integrated dishwashers with xenon lighting



High-intensity xenon lights. The entire dishwasher interior is illuminated, leaving no question as to whether dishes have been cleaned.

Integrated



ZBD0710NSS xenon-light stainless steel dishwasher with end-of-cycle indicator light

Dimensions:
24" W x 34-35" H x 24" D

Custom



ZBD0700NII xenon-light dishwasher with custom wood panel & handle (which can be ordered from a cabinetmaker)

Dimensions:
24" W x 34-35" H x 24-3/4" D (with panel)

Professional



ZBD0700NII xenon-light dishwasher with stainless professional panel ZPRO0700S

Dimensions:
24" W x 34-35" H x 24-3/4" D (with panel)



The spacious stainless steel interior with adjustable racks accommodates everything from fine stemware to oversized serving pieces.

Fully integrated dishwashers general features

High-intensity Xenon lights

illuminate the entire interior, leaving no question as to whether or not dishes have been cleaned.

Whisper-quiet operation (47 dBA) is made possible by advanced sound-absorbing materials and a smooth-running motor.

Generously sized interior provides the space and loading flexibility necessary to accommodate 16 place settings, and a three-arm wash system ensures every dish is sparkling clean.

Powerful, forced-air drying system continually extracts moist air from the tub, leaving dishes thoroughly dry and ready to use. No need to towel dry or touch up.

Fully integrated dishwashers



Integrated controls. All full-size dishwashers are equipped with integrated controls, which conceal the cycle panel from view.

18" dishwasher



ZBD1800GSS stainless steel dishwasher
Dimensions: 17-1/2" W x 32-1/2"-35" H
x 22-1/2" D

Integrated



ZBD6880NSS stainless steel dishwasher
Dimensions: 24" W x 34-35" H x 24" D



ZBD6800NBB black dishwasher
ZBD6800NWW white (not shown)
Dimensions: 24" W x 34-35" H x 24" D

Custom



ZBD6890NII dishwasher with custom wood panel & handle (which can be ordered from a cabinetmaker)
Dimensions: 24" W x 34-35" H x 24-3/4" D (with panel)

Professional



ZBD6890NII dishwasher with stainless professional panel ZPRO0700S
Dimensions: 24" W x 34-35" H x 24-3/4" D (with panel)

18" dishwasher general features

ADA-compliant. The compact configuration can be installed at a height that allows easy access.

Easy to use controls. The mechanical dial turns easily to the desired wash cycle: heavy wash, normal wash, light wash, china, crystal or rinse only.

Dual-motor, dual-wash arm system. Two motors and wash arms provide effective, yet quiet cleaning power.

Nylon-coated racks. Durable racks provide plenty of space and loading flexibility. Lower rack includes a StemSafe™ shelf for odd-shaped items and delicate stemware.

Icemakers



ZDIS150WSS stainless steel automatic icemaker
ZDIC150WWW white (not shown)
ZDISC150WBB black (not shown)
Dimensions: 14-13/16" W x 34-34-1/2" H x 23-5/16" D

Icemaker feature

High production, large capacity. The icemaker produces up to 50 pounds of clear ice per day and automatically shuts off when the 25-pound-capacity bin is full.

Compactors



ZCGS150LSS 15" stainless steel compactor
ZCGP150LII 15" custom panel compactor
Dimensions: 15" W x 33-3/4" H x 24" D
ZCG3500DSS 12" stainless steel compactor
ZCG3300VWW white (not shown)
ZCG3100VBB black (not shown)
Dimensions: 12" W x 34-35" H x 20-1/4" D

Compactor feature

Powerful pressure. Large 1.4-cu.-ft. capacity. Reduces trash volume by 75 percent, allowing easy transport and disposal.



As an ENERGY STAR partner, GE has determined that all Monogram fully-integrated dishwashers meet the ENERGY STAR guidelines for energy efficiency.



Professional ranges and cooktops

Boldly styled and brilliantly executed, Monogram® professional appliances make a dramatic culinary statement, whether it's a 48" dual-fuel range or 36" griddle-equipped cooktop.

Each model provides a full spectrum of power, from a low 140° simmer to an intense 17,000-BTU setting, with dual-flame heat on all burners. Above the burners, reversible grates allow cooking on a flat or contoured wok surface.



48" dual-fuel ranges and cooktops



ZDP48N4GHSS (natural gas)
ZDP48L4GHSS (liquid propane)
48" dual-fuel professional range with 4 gas burners, a grill and a griddle
Dimensions: 47-7/8" W x 35-1/4"-36-3/4" H x 28-1/4" D



ZGU48N4GHSS (natural gas)
ZGU48L4GHSS (liquid propane)
48" professional cooktop with 4 gas burners, a grill and a griddle
Dimensions: 47-7/8" W x 8-7/16" H x 26-5/8" D



ZDP48N6RHSS (natural gas)
ZDP48L6RHSS (liquid propane)
48" dual-fuel professional range with 6 gas burners and a grill
Dimensions: 47-7/8" W x 35-1/4"-36-3/4" H x 28-1/4" D



ZGU48N6RHSS (natural gas)
ZGU48L6RHSS (liquid propane)
48" professional cooktop with 6 gas burners and a grill
Dimensions: 47-7/8" W x 8-7/16" H x 26-5/8" D



ZDP48N6DHSS (natural gas)
ZDP48L6DHSS (liquid propane)
48" dual-fuel professional range with 6 gas burners and a griddle
Dimensions: 47-7/8" W x 35-1/4"-36-3/4" H x 28-1/4" D



ZGU48N6DHSS (natural gas)
ZGU48L6DHSS (liquid propane)
48" professional cooktop with 6 gas burners and a griddle
Dimensions: 47-7/8" W x 8-7/16" H x 26-5/8" D

36" dual-fuel ranges and cooktops



ZDP36N4RHSS (natural gas)
ZDP36L4RHSS (liquid propane)
36" dual-fuel professional range with 4 gas burners and a grill
Dimensions:
35-7/8" W x 35-1/4"-36-3/4" H x 28-1/4" D



ZGU36N4RHSS (natural gas)
ZGU36L4RHSS (liquid propane)
36" professional cooktop with 4 gas burners and a grill
Dimensions:
35-7/8" W x 8-7/16" H x 26-5/8" D



ZDP36N4DHSS (natural gas)
ZDP36L4DHSS (liquid propane)
36" dual-fuel professional range with 4 gas burners and a griddle
Dimensions:
35-7/8" W x 35-1/4"-36-3/4" H x 28-1/4" D



ZGU36N4DHSS (natural gas)
ZGU36L4DHSS (liquid propane)
36" professional cooktop with 4 gas burners and a griddle
Dimensions:
35-7/8" W x 8-7/16" H x 26-5/8" D



ZDP36N6HSS (natural gas)
ZDP36L6HSS (liquid propane)
36" dual-fuel professional range with 6 gas burners
Dimensions:
35-7/8" W x 35-1/4"-36-3/4" H x 28-1/4" D



ZGU36N6HSS (natural gas)
ZGU36L6HSS (liquid propane)
36" professional cooktop with 6 gas burners
Dimensions:
35-7/8" W x 8-7/16" H x 26-5/8" D

30" dual-fuel range



ZDP30N4HSS (natural gas)
ZDP30L4HSS (liquid propane)
30" dual-fuel professional range with 4 gas burners
Dimensions:
29-7/8" W x 35-1/4"-36-3/4" H x 26-3/4" D

Backsplash options



ZX22B48HSS (shown)
ZX22B36HSS
ZX22B30HSS
22" Backsplash with warming shelf



ZX12B48HSS (shown)
ZX12B36HSS
12" Backsplash



ZX9B30HSS (shown)
9" Backsplash

Monogram professional ranges and cooktops come equipped for island or noncombustible wall installations. For combustible wall installations, an optional 12" or 22" backsplash is available for 48" or 36" ranges and cooktops. An optional 9" or 22" backsplash is available for 30" ranges.



Gas, induction and electric cooktops

From dabblers to devotees of gourmet cooking, Monogram® offers a stunning cooktop to satisfy every culinary inclination. Gas models provide precise control over a full spectrum of heat settings. Electric cooktops also provide an impressive range of cooking power, along with an array of convenient extras.

Gas cooktops



ZGU385NSMSS (natural gas)
ZGU385LSMSS (liquid propane)
36" stainless steel gas cooktop
Dimensions: 36-3/4" W x 3-3/4" H x 21-3/16" D



ZGU36KSKSS 36" black, gas on glass cooktop with stainless steel trim
Dimensions: 36" W x 3-1/16" H x 21-7/16" D



ZGU384NSMSS (natural gas)
ZGU384LSMSS (liquid propane)
30" stainless steel gas cooktop
Dimensions: 30-3/4" W x 3-3/4" H x 21-5/8" D



ZGU36KWKWW 36" white, gas on glass cooktop
Dimensions: 36" W x 3-1/16" H x 21-1/4" D

Stainless steel gas cooktop general features

Sealed, dual-flame stacked burners provide complete low-simmer-to-rapid-boil flexibility (140°F simmer to 18,000 BTUs*). The burners are sealed to the recessed cooktop for easy cleaning.

Hand-finished, stainless steel knob controls rotate with smooth precision. A red indicator light in each knob makes it easy to view and select heat settings.

Interlocking, continuous grates create a steady surface for cookware, and are integrated into the cooktop for a clean, finished appearance.

Sophisticated design. Angled and hand-finished to perfection, a Monogram® stainless steel gas cooktop brings an incomparable mix of edge and elegance to the kitchen.

High-output cooking power. Intense heat ideal for searing and boiling is delivered by an 18,000-BTU* burner, featured on both 36" and 30" cooktops.

Silent, precise simmering. The simmer flame delivers a consistent 140°F temperature, without cycling on and off. No simmer plate required.

Electronic ignition with auto reignition. Instant ignition system ensures a continuous flame and reignites automatically if accidentally extinguished.

*Natural gas



ZGU36KBKBB 36" black, gas on glass cooktop
Dimensions: 36" W x 3-1/16" H x 21-1/4" D

Gas on glass cooktop general features

Five sealed burners deliver precise heat with more than 47,000 BTUs* of total cooking power.

Interlocking continuous grates allow easy movement of pots and pans from one burner to another. Each can be removed for safe cleaning in the dishwasher.

Sophisticated design. The front edge is slightly curved to form an attractive, soft arc that complements other Monogram appliances. Soft-touch control knobs enhance the overall appearance and allow easy adjustment of heat settings.

Soft-touch control knobs. Tactile knobs are pleasing to the touch and eye.

Precise, versatile temperature control. Five burners provide a range of heat intensities: one 15,000-BTU* burner, one 11,000-BTU* burner, one 9100-BTU* burner and two 6000-BTU* burners.



Induction and electric cooktops



ZHU36RSMSS 36" stainless metallic induction cooktop
Dimensions: 00" W x 00" H x 00" D



ZHU30RSMSS 30" stainless metallic induction cooktop
Dimensions: 00" W x 00" H x 00" D



ZHU36RMBB 36" black induction cooktop
Dimensions: 00" W x 00" H x 00" D



ZHU30RMBB 30" black induction cooktop
Dimensions: 00" W x 00" H x 00" D

Induction cooktops general features

Induction technology. Induction elements use electricity to produce a magnetic field that reacts with the iron in metal cookware—including cast iron and magnetic stainless steel pans—and transfers the heat directly to the cookware itself.

Sophisticated styling with a choice of two color options. Stainless steel-framed models have a reflective metallic finish that captures light and colors inside the kitchen. Black models are smooth from edge to edge, making them easy to clean. Digital controls embedded in the cooktop offer added style and convenience.

Flexible installation. Installation above a Monogram single oven is made possible by shallow-depth configuration with integrated cooling system.



ZEU36RSFSS 36" black, digital cooktop with stainless steel trim
Dimensions: 36-1/8" W x 3-1/4" H x 21-1/4" D



ZEU30RSFSS 30" black, digital cooktop with stainless steel trim
Dimensions: 29-7/8" W x 3-1/4" H x 21-3/4" D



ZEU36RBFBB 36" black, digital cooktop
Dimensions: 36" W x 3-1/4" H x 21-1/8" D



ZEU30RBFBB 30" black, digital cooktop
Dimensions: 29-3/4" W x 3-1/4" H x 21-5/8" D

Digital electronic cooktops general features

Dual elements. Designed to accommodate small to large pan sizes, these elements reduce energy loss and optimize cooking performance.

Pan size and presence sensors. Each dual element has an intuitive sensor that selects either a small or large element, depending on the size of the pan. If the pan is removed for more than a minute, the sensor will automatically shut off the element.

Full-function warmer. Positioned at center on 36" models and right rear on 30" models, the convenient warmer offers three warm settings, in addition to the 11 standard heat settings.



ZEU36KSKSS 36" solid black, electric cooktop with stainless steel accents, bridge and triple-ring burners
Dimensions: 36-1/8" W x 3-1/4" H x 21-1/4" D



ZEU36KWKWW 36" solid white, electric cooktop with bridge and triple-ring burners
Dimensions: 36" W x 3-1/4" H x 21-1/8" D



ZEU36KKB 36" solid black, electric cooktop with bridge and triple-ring burners
Dimensions: 36" W x 3-1/4" H x 21-1/8" D

Electric cooktop features

Sophisticated styling. The flush, frameless design offers a stunning look of sleek simplicity, and the surface is completely solid for a dramatic "true black" or "true white" appearance.

Expandable elements. Triple-ring and bridge elements allow you to create larger heating zones.

Cooking performance. Responsive ribbon elements allow you to simmer and sauté precisely.



Ventilation hoods

Meticulously crafted and finished, Monogram® stainless steel hoods offer an ideal combination of modern sophistication and innovation. The distinctive lines make an impressive statement in any décor, and different levels of ventilation provide effective power for any cooking occasion.

Chimney hoods



ZV1050SFSS 42" stainless steel island dual-blower hood, 1080 CFM (finished on all sides)
Dimensions: 42" W x 10" H x 31-1/2" D



ZV950SDSS 36" stainless steel wall-mounted dual-blower hood, 700 CFM (finished on three sides only)
Dimensions: 35-5/8" W x 10" H x 25" D

Optional 9'-10' ceiling recirculation kits available.



ZV850SB 36" stainless steel island hood, 360 CFM (finished on all sides)
Dimensions: 35-3/8" W x 8-1/4" H x 27-1/2" D

ZV750SY 36" stainless steel wall-mounted hood, 360 CFM (finished on three sides only)
Dimensions: 34-5/8" W x 8-1/4" H x 21-5/8"


Optional 8'-10' ceiling recirculation kits available.



ZV925SLSS 36" island glass canopy, 570 CFM
Dimensions: 35-7/8" W x 3-1/4" H x 27-9/16" D

ZV900SLSS 36" wall-mounted glass canopy, 570 CFM
Dimensions: 35-7/8" W x 3-1/4" H x 20-7/16" D

Not including duct work and covers.



ZV800JSS 36" stainless steel wall-mounted hood with retractable glass canopy, 500 CFM (under-cabinet or stand-alone installation)
Dimensions: 36" W x 1-1/2" H x 13-11/16" D
Ceiling recirculation kit included.



ZV800JBBS 36" black wall-mounted hood with retractable glass canopy, 500 CFM (under-cabinet or stand-alone installation)
Dimensions: 36" W x 1-1/2" H x 13-11/16" D
Ceiling recirculation kit included.

Chimney hoods general features

Stainless steel design with graceful contours and lines creates a distinct appearance that enhances any kitchen.

Halogen lights offer varying levels of intensity, from accent to ambient, to meet different needs.

Variable speed blower provides the power necessary to capture smoke and fumes produced by high-performance cooking equipment.

Removable stainless steel filters can be easily detached from the hood for safe cleaning in your dishwasher.



Professional hoods



These models include 22" stainless steel backsplash and warming shelf.



All three hoods above are shown with optional duct cover.



ZV48RSFSS 48" professional restaurant-style hood (shown), 1200 CFM
Dimensions: 48" W x 22-1/2" H x 25" D

ZV36RSFSS 36" professional restaurant-style hood, 640 CFM
Dimensions: 36" W x 22-1/2" H x 25" D

ZV30RSFSS 30" professional restaurant-style hood, 640 CFM
Dimensions: 30" W x 22-1/2" H x 25" D

ZV48TSFSS 48" professional tapered-sided hood (shown), 1200 CFM
Dimensions: 48" W x 18" H x 25" D

ZV36TSFSS 36" professional tapered-sided hood, 640 CFM
Dimensions: 36" W x 18" H x 25" D

ZV30TSFSS 30" professional tapered-sided hood, 640 CFM
Dimensions: 30" W x 18" H x 25" D

ZV48SSFSS 48" professional straight-sided hood (shown), 1200 CFM
Dimensions: 48" W x 18" H x 25" D

ZV36SSFSS 36" professional straight-sided hood, 640 CFM
Dimensions: 36" W x 18" H x 25" D

ZV30SSFSS 30" professional straight-sided hood, 640 CFM
Dimensions: 30" W x 18" H x 25" D

ZV54ISHSS 54" professional island hood (shown), 1200 CFM
Dimensions: 54" W x 24" H x 36-1/4" D

ZV42ISHSS 42" professional island hood, 1200 CFM
Dimensions: 42" W x 20" H x 31-1/2" D

Telescopic downdraft vents



ZVB36SHSS 36" stainless steel, telescopic downdraft vent, 500 CFM
Dimensions: 36" W x 8-1/2" H x 2-1/4" D

ZVB30SHSS 30" stainless steel, telescopic downdraft vent, 500 CFM
Dimensions: 30" W x 8-1/2" H x 2-1/4" D



ZVB36WHWW 36" white, telescopic downdraft vent, 500 CFM
Dimensions: 36" W x 8-1/2" H x 2-1/4" D



ZVB36BHBB 36" black, telescopic downdraft vent, 500 CFM
Dimensions: 36" W x 8-1/2" H x 2-1/4" D

ZVB30BHWW 30" black, telescopic downdraft vent, 500 CFM
Dimensions: 30" W x 8-1/2" H x 2-1/4" D

Telescopic downdraft vents feature

Powerful ventilation. Stainless steel vent "telescopes" 8-1/2 inches above the cooktop when you cook, then retracts nearly flush to the surface. A variable-speed fan blower exhausts the air at a rate of 500 CFM.

Professional hoods general features

Stainless steel design offers a smooth and polished appearance, with almost no evidence of seams or screws.

Powerful ventilation helps keep your kitchen free of fumes and excess heat.

Infrared warming lamps cast a warm glow over the cooktop surface, while generating the heat necessary to keep baked goods at ready-to-serve temperatures.

Halogen task lighting illuminates the cooking surface below and can be adjusted to complement the dining occasion.

Removable stainless steel filters trap airborne grease particles, and can be easily removed for safe cleaning in your dishwasher.

Custom hood inserts



ZVC48LSS 48" stainless steel-custom hood insert, 1200 CFM
Dimensions: 46-1/2" W x 18" H x 21-1/4" D



ZVC36LSS 36" stainless steel-custom hood insert (shown), 640 CFM
Dimensions: 34-1/2" W x 18" H x 21-1/4" D

ZVC30LSS 30" stainless steel-custom hood insert, 640 CFM
Dimensions: 28-1/2" W x 18" H x 21-1/4" D

Custom hood inserts general features

Patented installation process. Hood can be easily installed without adjusting or removing the canopy.

Control panel with remote-mount option. Controls can be detached from the insert at the time of installation for mounting on a wall, countertop or some other location.

Complete with blower, liner and filters. There are no additional components or accessory kits required.



Built-in convection wall ovens

If cooking is a fine art, then Monogram® convection wall ovens are its highest expression. Sleek, architectural lines and chamfered edges offer a look of polished refinement.

Culinary artistry extends to performance, as well. Electronic and professional-style models deliver convection cooking by means of a reverse-air system, which uses an innovative bi-directional fan to promote even heat circulation for consistent cooking results.



Integrated convection wall ovens with electronic dial controls



ZET2SMSS 30" stainless steel integrated double oven
Dimensions: 29-3/4" W x 52-7/8" H x 23-1/2" D



ZET1SMSS 30" stainless steel integrated single oven
Dimensions: 29-3/4" W x 28-1/4" H x 23-1/2" D



Integrated styling. Smooth, seamless exterior with tubular handle, electronic dial controls and expansive viewing window makes an unmistakable statement of quality and refinement.

Integrated convection wall ovens with LCD touchscreen controls



ZET2RMSS 30" stainless steel integrated double oven
Available March 2008.



ZET1RMSS 30" stainless steel integrated single oven
Available March 2008.



Integrated styling. Seamless, hand-finished design with LCD touchscreen controls offers an ideal combination of clean styling and ease of operation. The control has a proximity sensor that illuminates the screen as soon as you approach and automatically switches off when you walk away.

Professional convection wall ovens with electronic dial controls



ZET2PMSS 30" stainless steel professional double oven
Dimensions: 29-3/4" W x 52-7/8" H x 23-1/2" D



ZET1PMSS 30" stainless steel professional single oven
Dimensions: 29-3/4" W x 28-1/4" H x 23-1/2" D



Professional styling. Sculptural lines, chamfered edges and electronic dial controls of die-cast metal give depth and dimension to the premium-grade stainless steel surface.

Integrated convection wall ovens with electronic dial controls general features

Exclusive self-clean, full-extension oven racks glide in and out on stainless steel ball bearings for easy access. The adjustable, heavy-duty racks with porcelain coating are designed to remain in the oven during the self-clean cycle.

Halogen light columns on both sides of the oven enhance visibility, providing a clear view of food regardless of rack position.

Reverse-Air convection system uses dedicated elements and a bidirectional fan to provide consistent temperature throughout the oven.

Six-element design—two bake, two broil and two convection—provides precise cooking control, with fast preheating.

4.4-cu.-ft. total capacity accommodates even the largest meals, and true hidden bake elements add flexibility by allowing easy ash removal after the self-clean cycle.

Electronic convection wall ovens



ZET958SFMS
30" stainless steel, double
convection oven

Dimensions: 29-3/4" W x 52-7/8" H x 23-1/4" D



ZET958BMBB
30" black, double
convection oven



ZET958WMWW
30" white, double
convection oven



ZET938SMSS
30" stainless steel, single
convection oven

Dimensions: 29-3/4" W x 28-1/4" H x 23-1/4" D



ZET938BMBB
30" black, single
convection oven



ZET938WMWW
30" white, single
convection oven



ZEK958SMSS
27" stainless steel, double
convection oven

Dimensions: 26-5/8" W x 51" H x 23-1/4" D



ZEK958BMBB
27" black, double
convection oven



ZEK938SMSS
27" stainless steel, single
convection oven

Dimensions: 26-5/8" W x 29" H x 23-1/4" D



ZEK938BMBB
27" black, single
convection oven

Electronic convection wall oven general features

Sophisticated styling. Seamless, hand-finished doors and smooth controls offer a look of modern refinement.

Electronic glass touch controls. A gentle touch allows you to easily select the desired cooking function: convection bake or roast, variable or closed-door broiling, 24-hour delay bake, warm mode or proof mode.

Reverse-Air convection. A bi-directional fan delivers exceptionally consistent cooking performance, allowing heated air to circulate on all sides of food.

Self-clean racks. Porcelain-coated racks are designed to be left in the oven during the self-clean cycle for effortless cleaning.

Halogen lighting. Two halogen lights illuminate your culinary work in progress, putting it into bright, clear perspective.

Concealed bake element. A smooth surface simplifies ash removal after the self-clean cycle.



Certified Sabbath mode—all Monogram® wall ovens



Built-in speedcooking wall ovens

When time is of the essence, Monogram® built-in Speedcook ovens give you the time—and technology—you need to rise to the culinary occasion.

Using the power of intense halogen light, Advantium® ovens do what no other oven has done before—deliver delicious results in minutes.

Trivection® technology combines a trio of heating methods to transform everyday cooking. Thermal, convection and microwave processes work in concert to quickly roast, bake and broil foods to delicious perfection.



Integrated wall ovens with Trivection® technology



ZET3058SHSS
30" stainless steel,
double oven
Dimensions: 29-3/4" W x 52-7/8" H x 23-1/2" D



ZET3058BHBB
30" black,
double oven

A trio of heating methods—thermal heating, Reverse-Air convection and microwave energy.

Foods are prepared to delectable perfection—an average up to five times faster than a conventional oven.



ZET3038SHSS
30" stainless steel,
single oven
Dimensions: 29-3/4" W x 28-1/4" H x 23-1/2" D



ZET3038BHBB
30" black,
single oven

Integrated wall ovens with Trivection technology general features

Sleek, integrated design provides a striking look with clean lines and smooth, glass-touch controls.

In addition to award-winning Trivection™ technology, these ovens offer several other cooking methods and modes: baking, broiling, roasting and true convection, as well as 24-hour delay bake, warm mode and proof mode.

Full-size oven capacity. The spacious oven interior makes room for foods ranging from large roasts to rich, multi-tiered cakes and everything in between.

Electronic, touch-activated controls. Standard recipe temperatures and cooking times are automatically converted to proper Trivection settings.

Wall ovens with Advantium® Speedcook technology



ZSC2001FSS stainless steel, built-in oven with Advantium Speedcook technology



ZSC2000FWW white, built-in oven with Advantium Speedcook technology



ZSC2000FBB black, built-in oven with Advantium Speedcook technology

Dimensions: 29-25/32" W x 21-7/8" H x 15-27/32" D

Wall ovens with Advantium Speedcook technology general features

Sophisticated styling. The overall look is sleek. The oven's bold, horizontal lines are set off by simple graphics and a tubular handle on the pull-down door.

Speedcook technology. 4500-watt halogen cooking system uses heat generated from light to rapidly cook the outside of foods, sealing in natural juices. At the same time, heat penetrates the surface, evenly cooking the inside.

Powerful performance. Oven-quality foods cook up to eight times faster than a convectional oven, with no preheating required.

Easy-to-use controls. The control dial smoothly turns in both directions, making it easy to select from more than 100 preprogrammed recipes. For added convenience, Demo and Help programs guide you through the simple process of choosing a programmed recipe or customizing your own.

Full-function microwave oven. At the touch of a button, the oven converts to a high-performance, sensor-controlled microwave.

Wall ovens with Advantium 120 Speedcook technology



ZSC1001KSS stainless steel, built-in oven with Advantium 120 Speedcook technology



ZSC1000KBB black, built-in oven with Advantium 120 Speedcook technology

Dimensions: 26-3/4" W x 18-5/8" H x 21-1/2" D without trim.
29-3/4" W x 18-5/8" H x 21-1/2" D with trim.

Wall ovens with Advantium 120 Speedcook technology general features

Sophisticated styling. Clean lines offer a stylish, modern look that coordinates beautifully with other Monogram built-in cooking products.

Speedcook technology. Halogen-light system speedcooks your favorite foods to delicious perfection—in minutes, with no preheating.

Powerful performance. Oven-quality foods cook up to four times faster than a convectional oven, with no preheating required.

Remarkable versatility. Multiple cooking options create four ovens in one—Speedcook, true European convection, sensor microwave and warming ovens—to bake, broil, brown, roast, warm and proof foods.

Spacious interior. Rounded oven cavity and 16" turntable allow full and continual rotation of a 9" x 13" casserole dish. Removable oven rack offers the convenience of multi-level cooking.

Installation flexibility. Ovens can be installed in a 27" or 30" wall cabinet (with included trim kit).


Warming drawers



ZTD910SFSS
30" stainless steel
ZKD910SFSS
27" stainless steel



ZTD910WFWW
30" white



ZTD910BFBB
30" black
ZKD910BFBB
27" black

30" dimensions: 30" W x 10-1/2" H x 23-1/4" D
27" dimensions: 26-3/4" W x 10-1/2" H x 23-1/4" D

Warming drawer general features

Sophisticated styling. Built-in design with hidden controls offers a look of understated elegance. For a personal statement, customize the drawer with a cabinet-compatible wood panel and your choice of handles.

Temperature settings. Monogram warming drawers offer a range of temperature options, from a proof setting (approximately 75°F) to a high setting (approximately 230°F).

Humidity control. By opening or closing the warming drawer vent, you can keep foods crisp or maintain moisture.



Outdoor cooking products

Monogram® appliances make every cooking experience memorable—both inside the home and out. The same exceptional quality and design that distinguish Monogram appliances for the kitchen also characterize our selection of outdoor cooking products.



Shown with cart ZX36CTACSS

For faxable product features, dimensions and specifications on demand, call QuickSpecs at 800.432.3729.

Product improvement is a continuing endeavor at GE. Therefore, materials, appearance and specifications are subject to change without notice.

36" outdoor cooking center



ZGG36N31CSS (natural gas)
ZGG36L31CSS (liquid propane)
36" gas grill with three grill burners, one rotisserie burner, one smoker, one warming rack
Dimensions: 35-7/8" W x 22" H x 25-3/8" D

Dual-burner cooktop



ZX2NYSS (natural gas)
ZX2LYSS (liquid propane)
dual-burner outdoor cooktop
Dimensions: 13" W x 10-1/2" H x 25-3/4" D



SUSTAINED EXCELLENCE

2005 ENERGY STAR® Partner of the Year This prestigious honor, given by the US Dept. of Energy and the Environmental Protection Agency, reflects an ongoing commitment to developing energy-saving products for the home, including Monogram ENERGY STAR® qualified appliances. By choosing ENERGY STAR-qualified appliances, lighting and other products, the typical household can save up to 30% on their energy bills each year.

GE Consumer & Industrial
General Electric Company
Louisville, Kentucky 40225

monogram.com/sweets