



RELIABILITY BUILT IN™

22 42 39/TSB
BuyLine 2703

Foodservice
Plumbing
Industrial



see us at
Sweets.com

Pre-Rinse Units and Accessories

T&S has been the innovator in foodservice plumbing equipment since 1947. We introduced the world's first pre-rinse unit which quickly became the industry standard. Over the years, T&S has developed perhaps the most comprehensive line of premium quality, foodservice plumbing products available. Built with heavier commercial-grade castings, these products have established T&S as the premier manufacturer in the industry.



B-0133 Pre-Rinse Unit

Easy Install wall-mount pre-rinse unit with spring-action gooseneck on 8" centers



Easy Install

B-2370 Pre-Rinse Unit

Roto-flex pre-rinse unit with pull-down "on"/release "off" mechanism



B-0121 Pre-Rinse Unit

Deck-mount pre-rinse unit with overhead swivel gooseneck on 8" centers



B-2338 Pre-Rinse Unit

Complete spring-action pre-rinse unit with add-on faucet



B-0126 Pre-Rinse Unit

Deck-mount pre-rinse unit with balancer assembly



B-0107 Pre-Rinse Spray Valve



B-10-K Repair Kit (B-0107)



BR-10 Brush Attachment

For B-0107 spray valve



B-1420 Quick-Connect Valve

Attachments shown below are used with the B-1420 valve



B-1421 Spray Head



B-1424 Hook Nozzle



B-1427 Rose Spray



B-0109-01 Wall Bracket

Available in 9", 12", 18" or 24" lengths



B-0100 Pre-Rinse Spray with Flexible Hose



B-0156 Add-On Faucet

Available in various length swing nozzles



B-0044-H Stainless Steel Hose

Replacement hoses available in many standard lengths



Glass Fillers

**B-1205
Push Back Glass
Filler**



**B-1210
Pedestal Push Back
Single Glass Filler**



**B-1230
Water Station**

With drip pan and pedestal glass filler



**B-1255
Repair Kit for
Glass Filler**



Faucets

**B-0220
Swivel Mixing Faucet**

8" centers with 18" swing nozzle (065X)



**B-0230
Swivel Pantry Faucet**

8" centers with 18" swing nozzle (065X)



**B-0290
Big-Flo Faucet**

With 3/4" inlets



**B-0102
Pot and Glass Filler**

Drinking glass filler with shut-off valve and flexible stainless steel hose (B-0068-H)



**B-0190
Combination Kettle Filler
and Spray Stanchion**



**B-0270
Double Pantry Faucet with
Elevated Swing Nozzle**



**B-0580
Pot Filler**

With 18" double-joint nozzle



**B-0605
Pot and Kettle Filler**

With flexible stainless steel hose (B-0068-H)



**B-1105
Workboard Faucet**

Wall-mount faucet with 3-1/2" centers and 6" swing nozzle (059X)



**B-1120
Workboard Faucet**

Deck-mount faucet with 8" centers and 6" swing nozzle (059X)



**B-1171
Workboard Faucet**

Sink faucet with hose spray on 4" centers with 8" swing nozzle



Waste Valves

**B-2730
Single Lever Mixing
Faucet**



**B-2731
Single Lever Mixing
Faucet**



**B-3940
Twist Waste Valve
with Drain Adapter**



Hose Reels and Accessories

T&S offers a complete line of retractable hose reels in both enclosed and open design. They are built to withstand the most rigorous clean-up demands in any setting. They feature heavy-gauge steel housings and precision fittings to ensure long-term performance with minimal maintenance.

B-7122-C01 Enclosed Hose Reel

Enclosed reel with stainless steel finish, 30' (9 m) of heavy-duty blue hose, 3/8" I.D., and EB-0107 blue spray valve



B-7132-01 Open Hose Reel

Open reel with stainless steel finish, 35' (10.7 m) of heavy-duty blue hose, 3/8" I.D., and EB-0107 blue spray valve



B-7222-C01 Enclosed Hose Reel

Enclosed reel with epoxy coated steel finish, 30' (9 m) of heavy-duty blue hose, 3/8" I.D., and EB-0107 blue spray valve



B-2339 Control Unit/Hose Reel Assembly

Enclosed hose reel with epoxy coated finish, control box includes valves, gauges and connectors



B-0966 Vacuum Breaker

Spill-resistant in-line vacuum breaker, 3/8" NPT



ORK2 Shut Off Control Valve

3/8" NPT inlet and outlet



B-0512 Concealed Mixing Faucet

Wall-mount faucet with 3/8" NPT inlets and outlet



Safe-T-Link Gas Hoses and Connectors

HG-4D-48K Safe-T-Link Hose and Kit

Male to quick-disconnect, 3/4" NPT, 48" long, with Installation Kit



HG-4D-48SK Safe-T-Link Hose, Kit and SwiveLink Swivels

Male to quick-disconnect, 3/4" NPT, 48" long, with Installation Kit and SwiveLink swivels



Sink, Basin and Metering Faucets

B-0300
Rigid Mixing Faucet



B-0700
Single Sill Faucet

1/2" IPS female inlet



B-0710
Single Hole Base Faucet



B-0712
Push Button Metering Faucet



B-0871
Centerset Faucet



B-2360
Bubbler



B-2711
Single Lever Faucet




B-2386
Rigid Gooseneck Faucet




B-2820
Metering Faucet



B-2991
Metering Faucet



B-2992
Lavatory Faucet



Service Sink Faucets

B-0655-BSTP
Service Sink Faucet

Wall-mount faucet with bottom support brace, vacuum breaker and 8" centers



B-0665-BSTP
Service Sink Faucet

Wall-mount faucet with top support bracket, vacuum breaker and 8" centers



B-0669-POL
Service Sink Faucet

Wall-mount faucet with adjustable inlets and screwdriver stops



B-0672-POL
Service Sink Faucet

Wall-mount faucet with pail hook nozzle and 8" centers



ChekPoint™ Electronic Faucets

ChekPoint is T&S's newly redesigned hands-free electronic faucets for the foodservice and plumbing industries. They now come with the convenience of a control module which includes both electric plug-in (AC) and battery (DC).



EC-3100 Electronic Faucet

Deck-mounted gooseneck, AC /DC



EC-3101 Electronic Faucet

Splashback-mounted gooseneck, AC/DC



EC-3102 Electronic Faucet

Deck-mounted cast spout, AC/DC



EC-3103 Electronic Faucet

Deck-mounted cast spout, AC/DC



Medical and Lavatory Faucet, Foot and Knee Valves, Bedpan Washers

B-0322-04 Surgical Sink Faucet

Faucet with 4" wrist-action handles and 8" centers



B-2865-04 Medical Faucet

Widespread medical faucet with 4" wrist-action handles



B-0892 Medical Faucet

Centerset medical faucet with 4" wrist-action handles



B-0522 Rigid Gooseneck Spout

Deck-mounted



B-0475 Knee Action Valve



B-0504 Double Pedal Valve

Wall-mounted



B-0678 Bedpan Washer

Wall-mount faucet with pail hook nozzle and 8" centers



B-0525 Rigid Gooseneck Spout

Wall-mounted



B-0502 Double Pedal Valve

Floor-mounted



B-0690 Bedpan Washer

Self-closing extended spray valve



Lab Service Faucets, Hose Cocks and Turrets

**BL-5700-01
Double Ledge Faucet**

Lab faucet with 1/2" male inlets, single hole faucet with under counter spreader assembly



**BL-5709-01
Single Ledge Faucet**

Faucet with taper style body, gooseneck and ten serration hose tip



**BL-9515-01
Self-Closing PVC
Faucet**



**BL-6000-02
Combination Faucet**

Gas and water fixture with dual hose cocks



**BL-4250-02
Double Panel Flange**

Flange with two hose cocks



**BL-4010-01
Needle Hose Cock**



**BL-5725-01
Mixing Faucet**

Wall-mount sink mixing faucet with 8" centers



**BL-4203-01
Vandal Resistant
Turret**



**BL-4000-01
Hose Cock**

Ground key hose cock



Washdown Stations and Water Guns

**MV-0771-12CW
Washdown Station**

MV-0771 mixing valve, water gun, brass thermometer tee, stainless steel thermometer, 50 ft. (15.25 m) high-pressure hose with brass couplings and swivel fittings, stainless steel hose rack



**MV-2516
Rear Trigger Water Gun**



**MV-2522
Front Trigger Water Gun**



Warranty

All T&S products are warranted to be free from defects in material and workmanship for a period of one (1) year from the date of purchase. Liability is limited thereunder to factory repair and / or replacement of material found to be defective, after examination by T&S, during the warranty period. No claims for labor, shipping costs or consequential damages will be accepted or honored.

Replacement and / or repair under this warranty will be made within a reasonable time after receipt by T&S of the allegedly defective item.

Items which have received secondary finishing or have been altered in any way after purchase are not covered by this warranty. Claims resulting from damaged cartons must be filed with the carrier.

Some states do not allow limitations on how long an implied warranty lasts or on the exclusion of incidental or consequential damages, so all the limitations or exclusions appearing herein may not be permitted by your state and, therefore, your local statutes should be consulted with respect thereto or with respect to any other rights which your state statutes may specifically confer on you.

After receiving proper authorization, all returns of merchandise which are claimed defective under this warranty must be sent to T&S Brass and Bronze Works, Inc., P.O. Box 1088, 2 Saddleback Cove, Travelers Rest, SC 29690, clearly marked to the attention of the Warranty Repair Department. Shipping charges, both ways, shall be paid by the customer.



RELIABILITY BUILT IN™

www.tsbrass.com

T&S Brass and Bronze Works, Inc.
2 Saddleback Cove, P.O. Box 1088
Travelers Rest, SC 29690

Phone (800) 476-4103 • Fax (800) 868-0084
E-mail: tsbrass@tsbrass.com

West Coast Sales and Distribution • 709 E. Cochran Street,
Unit D & E • Simi Valley, CA 90365 • Phone (800) 423-0150
Fax (805) 527-7661

European Sales and Distribution • "De Veenhoeve"
Oude Nieuwveen 84 • 2441 CW Nieuwveen • The Netherlands
Phone 011-31-1725-83750 • Fax 011-31-1725-38971

Certification

As a leader in quality manufacturing, T&S proudly displays the certifications of the International Standardization Organization (ISO), Underwriters Laboratories (UL), and CSA International (Canadian Standards Association). These certifications demonstrate that T&S consistently delivers the quality products and services on which its customers depend.

The company's ISO-9001:2000 certification is based on an evaluation of its performance of the jobs and processes that potentially affect product quality. By proving itself under these strict regulations, T&S guarantees its products will be manufactured to the highest standards in the industry with the finest craftsmanship possible.

Underwriters Laboratories plays a key role in the T&S certifications to the ISO-9001:1994 standard. As the Quality Systems Registrar, UL was responsible for the entire registration process and will oversee periodic assessments to help T&S maintain its goal of exceeding customer expectations for quality manufacturing and service.

The CSA International certification T&S holds is further demonstration of the company's commitment to the needs of its customers and their communities. Following an evaluation for both the leaching of contaminants into drinking water from faucets and the mechanical quality standards, CSA International certified T&S to the ANSI/NSF Standard 61, Section 9 regulation for Drinking Water Systems (Health Effects). In short, this recognition certifies that T&S products are both safe for use within any drinking water system and adhere to the mechanical quality standards for ease of installation, operation, and reliability.

Holding certifications from three organizations recognized around the world is yet another demonstration of the T&S dedication to deliver quality to customers around the world.



Associations

