



RELIABILITY BUILT IN™

22 42 39/TSB  
BuyLine 2703

Foodservice  
Plumbing  
Industrial



**Pre-Rinse Units and Accessories**

T&S has been the innovator in foodservice plumbing equipment since 1947. We introduced the world's first pre-rinse unit which quickly became the industry standard. Over the years, T&S has developed perhaps the most comprehensive line of premium quality, foodservice plumbing products available. Built with heavier commercial-grade castings, these products have established T&S as the premier manufacturer in the industry.



**B-0133  
Pre-Rinse Unit**

EasyInstall wall-mount pre-rinse unit with spring-action gooseneck on 8" centers



**Easy Install**

**B-2370  
Pre-Rinse Unit**

Roto-flex pre-rinse unit with pull-down "on"/release "off" mechanism



**B-0121  
Pre-Rinse Unit**

Deck-mount pre-rinse unit with overhead swivel gooseneck on 8" centers



**B-2338  
Pre-Rinse Unit**

Complete spring-action pre-rinse unit with add-on faucet



**B-0126  
Pre-Rinse Unit**

Deck-mount pre-rinse unit with balancer assembly



**B-0107  
Pre-Rinse Spray Valve**



**B-10-K  
Repair Kit (B-0107)**



**B-0108  
JeTSpray Valve**



**B-1420  
Quick-Connect Valve**

Attachments shown below are used with the B-1420 valve



**B-1424 Hook Nozzle**

**B-1421 Spray Head**

**B-1427 Rose Spray**

**B-0109-01  
Wall Bracket**

Available in 9", 12", 18" or 24" lengths



**B-0100  
Pre-Rinse Spray with Flexible Hose**



**B-0156  
Add-On Faucet**

Available in various length swing nozzles



**B-0044-H  
Stainless Steel Hose**

Replacement hoses available in many standard lengths



**Glass Fillers**

**B-1205**  
Push Back Glass Filler



**B-1210**  
Pedestal Push Back  
Single Glass Filler



**B-1230**  
Water Station

With drip pan and pedestal glass filler



**Pot and Glass Fillers**

**B-0102**  
Pot and Glass Filler

Drinking glass filler with shut-off valve and flexible stainless steel hose (B-0068-H)



**Faucets**

**B-0220**  
Swivel Mixing Faucet

8" centers with 18" swing nozzle (065X)



**B-0230**  
Swivel Pantry Faucet

8" centers with 18" swing nozzle (065X)



**B-0290**  
Big-Flo Faucet

With 3/4" inlets



**B-0580**  
Pot Filler

With 18" double-joint nozzle



**B-0190**  
Combination Kettle Filler  
and Spray Stanchion



**B-0270**  
Double Pantry Faucet with  
Elevated Swing Nozzle



**B-0605**  
Pot and Kettle Filler

With flexible stainless steel hose (B-0068-H)



**B-1105**  
Workboard Faucet

Wall-mount faucet with 3-1/2" centers and 6" swing nozzle (059X)



**B-1120**  
Workboard Faucet

Deck-mount faucet with 8" centers and 6" swing nozzle (059X)



**B-1171**  
Workboard Faucet

Sink faucet with hose spray on 4" centers with 8" swing nozzle



**Waste Valves**

**B-3940**  
Twist Waste Valve  
with Drain Adapter




**B-2730**  
Single Lever Mixing  
Faucet



**B-2731**  
Single Lever Mixing  
Faucet



**B-3960**  
Lever Waste Valve  
with Drain Adapter





## Hose Reels and Accessories

T&S offers a complete line of retractable hose reels in both enclosed and open design. They are built to withstand the most rigorous clean-up demands in any setting. They feature heavy-gauge steel housings and precision fittings to ensure long-term performance with minimal maintenance.

### B-7122-C01 Enclosed Hose Reel

Enclosed reel with stainless steel finish, 30' (9 m) of heavy-duty blue hose, 3/8" I.D., and EB-0107 blue spray valve



### B-7132-01 Open Hose Reel

Open reel with stainless steel finish, 35' (10.7 m) of heavy-duty blue hose, 3/8" I.D., and EB-0107 blue spray valve



### B-7222-C01 Enclosed Hose Reel

Enclosed reel with epoxy coated steel finish, 30' (9 m) of heavy-duty blue hose, 3/8" I.D., and EB-0107 blue spray valve



### B-2339 Control Unit/Hose Reel Assembly

Enclosed hose reel with epoxy coated finish, control box includes valves, gauges and connectors



### B-0966 Vacuum Breaker

Spill-resistant in-line vacuum breaker, 3/8" NPT



### ORK2 Shut Off Control Valve

3/8" NPT inlet and outlet



### B-0512 Concealed Mixing Faucet

Wall-mount faucet with 3/8" NPT inlets and outlet



## Safe-T-Link Gas Hoses and Connectors

### HG-4D-48K Safe-T-Link Hose and Kit

Male to quick-disconnect, 3/4" NPT, 48" long, with Installation Kit



### HG-4D-48SK Safe-T-Link Hose, Kit and SwiveLink Swivels

Male to quick-disconnect, 3/4" NPT, 48" long, with Installation Kit and SwiveLink swivels



**Sink, Basin and Metering Faucets**

**B-0300**  
Rigid Mixing Faucet



**B-0871**  
Centerset Faucet



**B-2820**  
EasyInstall Metering Faucet



**B-0700**  
Single Sill Faucet

1/2" IPS female inlet




**B-2360**  
Bubbler



**B-2991**  
EasyInstall Metering Faucet

**EasyInstall**



**B-0710**  
Single Hole Base Faucet



**B-2711**  
Single Lever Faucet



**B-2992**  
EasyInstall Lavatory Faucet



**B-0712**  
Push Button Metering Faucet



**B-2386**  
Rigid Gooseneck Faucet



**Service Sink Faucets**

**B-0655-BSTP**  
Service Sink Faucet

Wall-mount faucet with bottom support brace, vacuum breaker and 8" centers



**B-0665-BSTP**  
Service Sink Faucet

Wall-mount faucet with top support bracket, vacuum breaker and 8" centers



**B-0669-POL**  
Service Sink Faucet

Wall-mount faucet with adjustable inlets and screwdriver stops



**B-0672-POL**  
Service Sink Faucet

Wall-mount faucet with pail hook nozzle and 8" centers





## ChekPoint™ Electronic Faucets

**ChekPoint** is T&S's **redesigned** hands-free electronic faucets for the foodservice and plumbing industries. They include a control module which provides both electric plug-in (AC) and battery (DC).



**NEW! EC-Hydrogen Series Faucets!** Our ChekPoint Electronic Sensor Faucets can now be modified with an **EC-Hydrogen kit**, which includes a hydro-generator that generates and stores its own power, eliminating the need for a battery or electricity.

### EC-3100 Electronic Faucet

Deck-mounted gooseneck, AC/DC



\* For second generation series T&S sensor faucets, March 2007 and later

### EC-3101 Electronic Faucet

Splashback-mounted gooseneck, AC/DC



Order a new Hydrogen model by adding -HG to any of the four existing\* Sensor Faucets. For example, EC-3102-HG.

### EC-3102 Electronic Faucet

Deck-mounted cast spout, AC/DC



### EC-3103 Electronic Faucet

Deck-mounted cast spout, AC/DC



## Medical and Lavatory Faucet, Foot and Knee Valves, Bedpan Washers

### B-0322-04 Surgical Sink Faucet

Faucet with 4" wrist-action handles and 8" centers



### B-2865-04 Medical Faucet

Widespread medical faucet with 4" wrist-action handles



### B-0892 Medical Faucet

Centerset medical faucet with 4" wrist-action handles



### B-0522 Rigid Gooseneck Spout

Deck-mounted



### B-0475 Knee Action Valve



### B-0504 Double Pedal Valve

Wall-mounted



### B-0678 Bedpan Washer

Wall-mount faucet with pail hook nozzle and 8" centers



### B-0525 Rigid Gooseneck Spout

Wall-mounted



### B-0502 Double Pedal Valve

Floor-mounted



### B-0690 Bedpan Washer

Self-closing extended spray valve



## Lab Service Faucets, Hose Cocks and Turrets

### BL-5700-01 Double Ledge Faucet

Lab faucet with 1/2" male inlets, single hole faucet with under counter spreader assembly



### BL-5709-01 Single Ledge Faucet

Faucet with taper style body, gooseneck and ten serration hose tip



### BL-9515-01 Self-Closing PVC Faucet



### BL-6000-02 Combination Faucet

Gas and water fixture with dual hose cocks



### BL-4010-01 Needle Hose Cock



### BL-5725-01 Mixing Faucet

Wall-mount sink mixing faucet with 8" centers



### BL-4203-01 Vandal Resistant Turret



### BL-4250-02 Double Panel Flange

Flange with two hose cocks



### BL-4000-01 Hose Cock

Ground key hose cock



## Washdown Stations and Water Guns

### MV-0771-12CW Washdown Station

MV-0771 mixing valve, water gun, brass thermometer tee, stainless steel thermometer, 50 ft. (15.25 m) high-pressure hose with brass couplings and swivel fittings, stainless steel hose rack



### MV-2516 Rear Trigger Water Gun

Heavy-duty stainless steel with adjustable stream. See the G-8 Catalog for various models available (add suffix to model number)



### MV-2522 Front Trigger Water Gun

Heavy-duty stainless steel with adjustable stream. See the G-8 Catalog for various models available (add suffix to model number)



### MV-3516-25 Aluminum Rear Trigger Water Gun

NEW! Water gun with 5/16" flow orifice and blue rubber cover



## Warranty

All T&S products are warranted to be free from defects in material and workmanship for a period of one (1) year from the date of purchase. Liability is limited thereunder to factory repair and / or replacement of material found to be defective, after examination by T&S, during the warranty period. No claims for labor, shipping costs or consequential damages will be accepted or honored.

Replacement and / or repair under this warranty will be made within a reasonable time after receipt by T&S of the allegedly defective item.

Items which have received secondary finishing or have been altered in any way after purchase are not covered by this warranty. Claims resulting from damaged cartons must be filed with the carrier.

Some states do not allow limitations on how long an implied warranty lasts or on the exclusion of incidental or consequential damages, so all the limitations or exclusions appearing herein may not be permitted by your state and, therefore, your local statutes should be consulted with respect thereto or with respect to any other rights which your state statutes may specifically confer on you.

After receiving proper authorization, all returns of merchandise which are claimed defective under this warranty must be sent to: T&S Brass and Bronze Works, Inc., P.O. Box 1088, 2 Saddleback Cove, Travelers Rest, SC 29690, clearly marked to the attention of the Warranty Repair Department. Shipping charges, both ways, shall be paid by the customer.



**RELIABILITY BUILT IN™**

[www.tsbrass.com](http://www.tsbrass.com)

T&S Brass and Bronze Works, Inc.  
2 Saddleback Cove, P.O. Box 1088  
Travelers Rest, SC 29690

Phone (800) 476-4103 • Fax (800) 868-0084  
E-mail: [tsbrass@tsbrass.com](mailto:tsbrass@tsbrass.com)

West Coast Sales and Distribution • 4596 Ish Drive,  
Unit 220 • Simi Valley, CA 93063 • Phone (800) 423-0150  
Fax (805) 527-7661

European Sales and Distribution • "De Veenhoeve"  
Oude Nieuwveen 84 • 2441 CW Nieuwveen • The Netherlands  
Phone 011-31-1725-83750 • Fax 011-31-1725-38971

## Certification

As a leader in quality manufacturing, T&S proudly displays the certifications of the International Standardization Organization (ISO), Underwriters Laboratories (UL), and CSA International (Canadian Standards Association).

The company's ISO-9001:2000 certification is based on an evaluation of its performance of the jobs and processes that potentially affect product quality. T&S guarantees its products will be manufactured to the highest standards in the industry with the finest craftsmanship possible.



Underwriters Laboratories plays a key role in the T&S certifications to the ISO-9001:2000 standard. As the Quality Systems Registrar, UL was responsible for the entire registration process and will oversee periodic assessments to help T&S maintain its goal of exceeding customer expectations for quality manufacturing and service.

The CSA International certification T&S holds is further demonstration of the company's commitment to the needs of its customers and their communities. Following an evaluation for both the leaching of contaminants into drinking water from faucets and the mechanical quality standards, CSA International certified T&S to the ANSI/NSF Standard 61, Section 9 regulation for Drinking Water Systems (Health Effects). In short, this recognition certifies that T&S products are both safe for use within any drinking water system and adhere to the mechanical quality standards for ease of installation, operation, and reliability.



Holding certifications from three organizations recognized around the world is yet another demonstration of the T&S dedication to deliver quality to customers around the world.

## Associations

