PRESRAY CRITICAL CONTAINMENT SOLUTIONS



Thousands of Presray installations protect hospitals, schools, nuclear power plants, government labs, Fortune 500 headquarters and defense installations around the globe. Presray provides today's most advanced watertight and airtight barriers. Many customers find that Presray flood barriers allow them to recapture the ground floor in FEMA flood zones, planning ground level entrance rather than elevated structures. Materials include aluminum, A36 Steel and Stainless Steel.

All doors and hatches are uniquely engineered to exact specifications ensuring a solid, tight fit. Presray offers both pneumatically sealed and compression gasket airtight doors for a choice of sealing technologies that make an ideal combination of security, accessibility and value at demanding BSL classifications. Presray provides service from the planning stage to drawings and specifications to installation, maintenance and testing. Many installations provide quick, easy deployment by one person, and in some cases self-contained inflation systems and double leaf models are available. Presray can even provide accessories such as wall hangars and transport dollies.

CGSL Stackable Gasketed Stop Log

- Clamp in place aluminum stackable log system (stainless steel frame/still available)
- Patented Fast Clamp System allows for rapid deployment
- No loose parts
- Minimal tools/expertise required to deploy
- 6" high aluminum logs make for easy remote storage
- Can be deployed by no more than two staff









FB33 Expandable Flood Barrier

- Patented hand-crank expandable steel frame
- Easy to use
- Economical
- Lightweight—one person can deploy







FB11/22
Lightweight Liftout
Flood Barrier
with inflatable seal



CG11FS
Bolt In Place Liftout
Flood Barrier
with compression seal



CG22
Bolt in Place Windows/
Louver Protection
with compression seal



FB44
Side Hinged Flood Gate
with Flush Threshold
with inflatable seal



CG11HA
Side Hinged Flood Gate
with compression seal



CG3S
Sliding Flood Gate with
Concealment Pocket
with compression or inflatable seal



FB55
Bottom Hinged "Flip-Up"
Flood Gate
with inflatable seal



FB77
Hinged Watertight Door
with Flush Threshold
with inflatable seal



D3C/D3DQA
Quick Acting Submarine
Style Watertight Door
with compression seal





D5B Sliding Watertight Door with inflatable seal




D3HA
Watertight Hatch
with compression seal



Bio4-X Airtight Door Pneumatic seal for accessibility

- Configurable for BSL 4 and 3AG
- Flush threshold ideal for wheeled traffic and pedestrian flow
- Ideally suited for bio-hazard labs, pharmaceutical and industrial clean rooms, gastight enclosures and other controlled areas
- Double pneumatic seal provides redundant protection (single seal available for less critical applications)
- Electronic vestibule control synchronizing seals and electromagnetic locks
- Can be fabricated as impact resistant from either side






Note: These doors are available in several configurations; these pictures may not accurately resemble final product.

D4BQA Airtight Door Compression seal for simplicity

- Configurable for BSL 4 and 3AG
- Highly engineered latching system provides for smooth, one-handed operation
- Ideally suited for bio-hazard labs, pharmaceutical and industrial clean rooms, gastight enclosures, water treatment and other controlled areas
- 2" floor sill required
- Can be fabricated as impact resistant from either side







Note: These doors are available in several configurations; these pictures may not accurately resemble final product.

Presray Corporation P.O. Box 200 32 Nelson Hill Rd. Wassaic, NY 12592 phone 845-855-1220 fax 845-855-8034 e-mail info@presray.com