



# Pro•Tek® Entrances Matting Systems



A Systems  
Approach to  
Distinctive  
Impact Protection  
Design Since 1945



Engineered  
by the  
Pawling  
Corporation

[www.pawling.com](http://www.pawling.com)

# Pawling Entrance Solutions and LEEDs

Pawling Entrance Matting Systems can contribute to LEED certification in a variety of ways. LEED's Indoor Environment Quality Credit 5 encourages employing permanent entryway systems (such as Pawling's grilles and grates) to capture dirt and particulates and keep them from entering the building in all high volume entryways. In addition, several of our Rol-Dek and Drain-Well products are constructed using recycled aluminum rails (contributing to credits 4.1 and 4.2 of Materials & Resources). And don't forget that if your job is within 500 miles of our Wassauc, New York plant, Credit 5.1 under Materials & Resources allows consideration for materials manufactured regionally.

- 1 Rol-Dek® & Drain-Well® Series
- 2 Metal Gratings & Harmony Series
- 3 Heavy-Duty Rubber and Vinyl Entrance Mats
- 4 Heavy-Duty Carpet and Vinyl Backed Mats
- 5 Rol-Dek® & Drain-Well® Tread Insert Color Guide
- 5 Frame Selector Charts
- 6 Color Selection Guide

# Rol-Dek® Series

Protecting your building from moisture and debris starts with Pawling's complete line of Pro-Tek® entrance mats—like our Rol-Dek® and Drain-Well® Series. With Rol-Dek®, you can achieve a sleek, architectural look with a quality product that rolls back 180° quickly for easy maintenance and cleaning. And Rol-Dek® can be used in both recessed and surface applications. Trapping grime is easier with our Drain-Well® Series—moisture and dirt scrapes off shoes and gets trapped beneath the surface. Standard level bed frame systems and optional deep pit frames are available with Drain-Well® entrance mats. And both Rol-Dek® and Drain-Well® have three popular styles from which to choose, creating bold entrances that work hard to protect your entryways from moderate to the heaviest traffic.

Rol-Dek® and Drain-Well® entrance mats feature:

- Six different tread insert options for up to 39 combinations of colors and functions
- Custom fabrication, including angles, arcs/radii, and cutouts
- Continuous resilient vinyl cushions
- Aluminum rail options that feature fabrication from at least 70% recycled aluminum




Tucson International Airport, Tucson, AZ  
 Photographer: Balfour Walker



EM-500




EM-650




EM-800


# Drain-Well® Series



Environmental Interiors,  
 Harrisburg, PA  
 Photographer: Canon & Shea



RG-250



RG-300



RG-400

 Uses Recycled Materials


# Metal Gratings




Tucson International Airport, Tucson, AZ  
Photographer: Balour Walker

Our Pro-Tek® entrance gratings (available in 3/8", 5/8" and 1-1/8") combine the beauty of metal with the exceptional strength of grid systems that are designed to stand up to the toughest traffic. Use in conjunction with our Maxi-Tuft Long Wear Carpet Matting (pg.4) to brush and remove moisture while providing a dramatic look for your entryway. With their smooth rollover capability, metal gratings such as our RG-200 are also excellent for applications involving wheelchairs or gurneys. And our metal gratings are well suited for both interior and exterior applications. All styles feature:

- Clean architectural lines for an elegant, high-tech appearance
- Safe, heel-proof design
- All-weather durability and easy cleaning



**RG-200**  
Aluminum/Bronze Grating



**RG-700/710/720**  
Stainless Steel Grating

## The Harmony Series


With a choice of plain tile, carpet or a combination of both, the Harmony Series combats maintenance problems, extends the life and appearance of interior floors and prevents slips in entrance areas. EM-100 modular tiles provide exceptional dirt scraping and moisture retention with the ease of interlocking installation, while EM-110 adds extra cleaning capability with the brushing action of tufted cut-pile nylon carpet strips. EM-120 provides an option to intermix solid carpet sections with the tile, yet is attractive and functional enough to stand on its own. With two designer styles and eleven carpet choices, these long-lasting, attractive and versatile pieces will provide slip resistance and effective dirt removal for years to come.



**EM-100**



**EM-110**



**EM-120**

# Heavy-Duty Rubber and Vinyl Entrance Mats


Pawling's selection of heavy-duty rubber and vinyl entrance mats provides alternatives to aluminum or stainless steel gratings and mats. Our Hi-Rib rubber entrance mats (EMB-203/EM-205) feature deep groove corrugations to trap debris and minimize soil tracked into your building. With a patented flexible "Wiper Blade" design, Hi-Rib mats remove debris efficiently from shoes. Our premium rubber compound remains flexible in sub-freezing conditions, and maintains outstanding slip resistance in wet and dry conditions.

If it's tough "brush and dry" entrance protection you need, consider our Dura-Tile—100% recycled rubberized tire strips buffed to a chenille finish and bonded to a durable fiberglass backing. The parquet-style installation provides a versatile, non-directional traffic surface. Both Hi-Rib and Dura-Tile offer excellent coverage for both interior and exterior high traffic areas, with slip resistance that exceeds ADA recommendations.


Pawling's Parco-Link vinyl entrance mats (LM-100/400) combine performance and style to suit any entry requirements. Make an impression with your company logo featured on Parco-Link Mats, with flexible wiper blades to scrape and squeegee shoes clean and slip resistance that exceeds ADA recommended standards in both wet and dry areas (0.67 Dry and 0.89 Wet per ASTM D-2047). LM-100 features a closed weave, high heel proof construction that allows the dirt to sift between the small spaces between the links, and is the recommended style for logos or lettering. LM-400 features an open weave construction that, while not heel proof, does provide the maximum amount of dirt trapping between the links. Pawling's Vinyl Entrance Mats feature a variety of colors to create the patterns and logos you need, as well as UV stabilizers to resist fading.




Warner Theatre, Torrington, CT  
 Photographer: Brad Stanton Photography



**EMB-203**  
 Molded Hi-Rib®



**EM-205**  
 Hi-Rib® Tiles



**LT-50/51**  
 Dura-Tile



Town College, 1700 Union Boulevard,  
 Bay Shore, NY; Photographer: Brad Stanton



**LM-100/400**  
 Parco-Link Mat

# Heavy-Duty Carpets



The durable, rugged blend of heather fiber of our Heavy-Duty Carpets provides excellent resistance to fading and UV light degradation, making them perfect for interior and exterior applications. High traffic locations such as fitness clubs, country clubs, hotels and other lobby entrances will benefit from the non-woven needle punched construction that makes Pawling's carpet more durable than conventional commercial carpet. Our Berber and Protector carpet lines offer hot melt beveled edging or attached vinyl beveled nosing for surface applications. The popular Berber is also available in a 19-11/16" square glue-down carpet tile (EM-22). All Berber, Protector and Jaguar carpets feature:

- A wide variety of colors to complement any décor
- Coarse fibers that effectively trap soil and debris
- Easy to clean durability
- Fiberbond construction allowing on-site custom cutting without unraveling
- Nonskid composite rubber backing



EM-20/22 Berber



EM-40 Protector



EM-50 Jaguar

# Vinyl Backed Mats

Maxi-Tuft Long Wear Carpet and Natural Cocoa Mats provide densely-tufted fiber construction for exceptional brushing and drying performance. The unique tetra-lobal shaped fibers of Maxi-Tuft collect three times the dirt of ordinary standard nylon type carpets. Used in combination with our Rol-Dek® and Drain-Well® Series entrance mats, Maxi-Tuft will provide the best combination of style and performance to keep your entryways beautiful for years to come. If sand, dirt and moisture are the problems, turn to our EM-300 series of Natural Cocoa Mats (available in 5/8", 3/4" and 1"), with fibers that aggressively remove soil from shoes like a brush. Pro-Tek's Vinyl Backed Mats include features such as:

- Custom sizing and a variety of thicknesses
- Long-wearing coarse fibers that minimize and prevent the spread of dirt
- Standard colors that won't show wear and tear
- Choice of loose lay or glue down installation and optional bevel nosing for surface applications



EM-701  
Maxi-Tuft



EM-300/301/302  
Cocoa Mat

## Rol-Dek® and Drain-Well® Tread Insert Color Selection Guide

Rigid-Back Nylon Carpet (SNC)		Bristle Filament (BF)	Rigid Corrugated Vinyl (RCV)	Maxi-Tuft Long Wear (MLW)	Aluminum Abrasive (AA)	Corrugated Aluminum (CA)
38 Charcoal	518 Lancaster Gray	4 Brown	1 Black	1 Black	1 Black	405 Mill Finish Aluminum
510 Orchid	519 Near Black	519 Near Black	7 Terra Cotta	4 Brown	7 Terra Cotta	Exterior or interior scraping applications
511 Plum Beige	591 African Violet	18 Sand	289 Pearl Gray	8 Blue	5 Gray	
512 Desert Plum	592 Chrome	38 Charcoal	374 Ash Brown	16 Cocoa	4 Brown	Exterior or interior scraping application
513 Terra Clay	593 RAF Blue	344 Teal	385 Beige Desert	38 Charcoal	157 Hunter Green	
514 British Green	594 Sugar Plum	Exterior or interior scraping/absorption applications	Interior scraping applications	546 Red/Brown	Heated interior scraping/absorption applications	Exterior or interior scraping application
515 Harbor Brown	595 Truffle					
516 Mushroom	596 Winter Slate	<ul style="list-style-type: none"> <li>Aggressive brush action for maximum cleaning</li> <li>Superior indoor/outdoor performance</li> </ul>	<ul style="list-style-type: none"> <li>Low maintenance / excellent scraping</li> <li>Moderate rolling loads</li> </ul>	<ul style="list-style-type: none"> <li>Carborundum chip surface provides exceptional all weather traction for pedestrian traffic</li> <li>Not recommended for heavy, pivoting rolling loads</li> </ul>	<ul style="list-style-type: none"> <li>Most durable</li> <li>Requires least maintenance</li> <li>Only insert recommended to accommodate "pivoting" rolling loads</li> <li>Recommended for supermarket and wheeled cart applications</li> </ul>	
517 Crayon Blue						

**Heated interior absorption applications**

- Effective moisture/dust control in light traffic areas

All tread inserts (except Bristle Filament) pass Critical Radiant Flux Flammability test (ASTM E-648/NFPA-253: Class 1). Bristle Filament inserts pass Self Extinguishing Flammability test (FF1-70 & FF2-70). All tread inserts exceed ADA Accessibility Guideline A4.5.1 for recommended static coefficient of friction for accessible routes in wet and dry conditions.

\*Frame Styles shown may be used with any of our 3/8"-5/8" mats, including Rol-Dek®, Harmony Dura-Tile, Hi-Rib®, Vinyl Look, Modular Vinyl Tile, Link Mats, Vinyl Backed Mats, and Carpet.

## Frame Selector Charts

Rol-Dek® *	MRF-1002*	MRF-1005*	SSF-125*	BSF-225*
<b>APPLICATION</b>	Recessed Level Bed	Recessed Level Bed	Recessed Level Bed	Surface Level Bed
<b>ALUMINUM FINISHES</b>	Mill, Clear Anodized, Bronze Anodized, Black Anodized	Solid Architectural Bronze	Mill, Clear Anodized, Bronze Anodized, Black Anodized	Mill, Clear Anodized, Bronze Anodized, Black Anodized Abrasive Strips available in Black, Brown, Grey, Terra Cotta
<b>FRAME PROFILE</b>				

Drain-Well®	RG-250		RG-300/400	
	RGF-250	SSF-250	RGF-300	RGF-500/600
<b>APPLICATION</b>	Recessed Level Bed	Recessed Level Bed	Recessed Level Bed	Recessed Deep pit
<b>ALUMINUM FINISHES</b>	Mill, Clear Anodized, Bronze Anodized, Black Anodized	Mill, Clear Anodized, Bronze Anodized, Black Anodized	Mill, Clear Anodized, Bronze Anodized, Black Anodized	Mill, Clear Anodized, Bronze Anodized, Black Anodized
<b>FRAME PROFILE</b>				

Metal Grating	RGF-200	RGFB-200	RGFS-710-720	RGFA-700/710/720
	<b>APPLICATION</b>	Recessed Level Bed	Recessed Level Bed	Recessed Level Bed
<b>FINISHES</b>	Mill Finish Aluminum	Solid Architectural Bronze	Mill Finish Stainless Steel	Mill Finish Aluminum
<b>FRAME PROFILE</b>				

# Color Selection Guide

EM-110 & EM-120 Barrier Reef Design	Street Smart Design	EM-20/22 Berber	EM-40 Protector	EM-50 Jaguar	EM-701 Maxi-Tuft	EM-300/301/302 Cocoa Mat
748 Nutmeg	748 Nutmeg	66 Beige	66 Beige	38 Charcoal	1 Black	17 Natural
749 Charcoal	749 Charcoal	176 Taupe**	17 Natural	57 Chocolate	38 Charcoal	4 Brown
750 Sapphire	750 Sapphire	17 Natural**	71 Slate Gray		16 Cocoa	38 Charcoal
751 Marine	751 Marine	441 Zinc	38 Charcoal			
752 Slate	752 Slate	71 Slate Gray	122 Blue Gray			
753 Clover	753 Clover	38 Charcoal				
754 Khaki	754 Khaki	122 Blue Gray				
755 Granite	755 Granite	260 Medium Blue**				
756 Taupe	756 Taupe	261 Medium Green**				
757 Raisin	757 Raisin	360 Midnight Blue**				
758 Garnet	758 Garnet	1 Black**				

LM-100/400 Parco-Link		
1 Black	7 Terra Cotta	12 Yellow
3 Tan	8 Blue	73 Maroon
4 Brown	10 White	206 Light Blue
5 Gray	11 Red	261 Medium Green

\*\* Not available for EM-22

## Why Choose Pawling?

With over sixty years of experience, Pawling Corporation provides a complete line of impact protection, entrance mats, athletic tile and parking products to protect your entire facility—front to back, inside and outside. Let us provide you with responsive, results-oriented design capabilities to satisfy any customer design requirement.

[www.pawling.com](http://www.pawling.com)

Due to limitation of printing, colors are representational only and may vary. Please request a sample when choosing final colors.

For detailed technical information on all Pawling products, including CADs and Specifications, visit [www.pawling.com](http://www.pawling.com).

Pro•Tek®  
Entrance  
Matting  
Systems

© 2008 The Pawling Corporation  
Pawling Corporation reserves the right to discontinue or modify a design without prior notice.  
Design: [www.namato.com](http://www.namato.com)

### Pawling Catalogs in Sweets

Pro•Tek® Impact Protection Systems: **10 26 00/PAW**, General Building  
 Pro•Tek® Athletic Flooring: **09 65 66/PAW**, General Building  
 Pro•Tek® Entrance Matting & Gratings: **12 48 13/PAW**, General Building  
 Pro•Tek® Parking & Traffic Safety Products: **32 17 13/PAW**, General Building

Pawling Corporation products may also be found at [www.arcacat.com](http://www.arcacat.com), [www.4specs.com](http://www.4specs.com), and <http://products.construction.com>.



### Pawling Corporation

Architectural  
Products Division

32 Nelson Hill Road  
P.O. Box 200  
Wassaic, NY 12592

Tel: **(800) 431-3456**  
 or **(845) 373-9300**  
 Fax: **(800) 377-4403**  
 or **(845) 373-7827**

