


09 65 66/PAW
BuyLine 0415

Pro•Tek[®] Athletic Flooring



A Systems
Approach to
Distinctive
Impact Protection
Design Since 1945



Engineered
by the
Pawling
Corporation

www.pawling.com

Interlok® Tiles

University of Miami, George A. Smathers Wellness & Recreation Center, Coral Gables, FL; Photography: Lanny Provo




Our six choices of interlocking virgin rubber tiles offer you the variety you need to create the environment and aesthetics you desire while also providing the right impact surface for the right area. Create traffic patterns or basic designs by choosing two or more colors in the same tile design. Your imagination is the only limitation. See back cover for specific color options for each tile.

Our six interlocking tiles all feature:

- Beveled border and corner accessories for non-wall-to-wall installations
- Class 1 Flammability Rating (ASTM E-648/NFPA-253)
- Slip resistance that exceeds ADA recommendations in wet and dry conditions

And best of all—Pawling Pro-Tek® Athletic Flooring tiles require no adhesives. Our loose lay interlocking design provides for easy installation, saving you valuable labor costs.

Hammered Surface Series



HL-155 Hid-N-Lok® II




FL-150 Flip-It®

Raised Square Designer Series




HL-100 Hid-N-Lok®



HL-175 Dec-O-Lok™

Knob Back Series



PL-200 Aerobic Tile™



PL-100 Pro-Lok®

Compare our athletic flooring options to see which works best for your facility.

	Material	FREE WEIGHTS		Fitness Area	Aerobics	Ice Rink	Ski Lodge	Golf or Country Club	Multi-purpose Lobby	Locker Room	Standard Residential	High-End Residential
		Standard	Heavy-Duty									
Flip-It®	Virgin Rubber	■		■		■	■		■		■	
Hid-N-Lok®	Virgin Rubber	■	■	■		■			■			■
Hid-N-Lok® II	Virgin Rubber	■		■	■	■			■	■	■	■
Dec-O-Lok™	Virgin Rubber	■		■		■			■	■		■
Aerobic Tile™	Virgin Rubber	■		■	■				■			■
Pro-Lok®	Virgin Rubber					■	■					
Punishment Pad	Recycled Rubber	■	■	■				■	■		■	
Protect-O-Pad	Recycled Rubber	■	■	■		■		■	■	■	■	
Berber Carpet	Polypropylene			■			■	■	■	■	■	■
Protector Carpet	Polypropylene			■			■	■	■	■	■	■

For detailed product information, visit www.pawling.com.




Recycled Rubber Tiles and Pads

For heavy-duty use in free weight areas, choose from Pawling's Protect-O-Pad and Punishment Pad Series. Our premium grade recycled rubber products are manufactured using a homogeneous pre-consumer compound that is revulcanized, allowing the flooring to maintain its dimensional integrity in heavy-duty fitness areas. These recycled products are non-absorbent and non-marking, require no adhesive to install and pass both MIL-W 5044C and UL 94HB tests for flammability.



**P-40/50/60
Punishment Pads**



P-80 Protect-O-Pad

 Uses Recycled Materials

Heavy-Duty Carpet



When carpeting is required in high traffic/high abuse areas, consider our durable, rugged Berber and Protector heavy-duty matting. For use both indoor and outdoor, Berber and Protector are available in a choice of popular colors, and provide an upscale appearance that offers greatly enhanced durability over conventional commercial carpet. The coarse fibers effectively trap soil and debris, yet are easy to clean. And our fiberbond construction allows factory or on-site custom cutting without unraveling. Our popular Berber carpet is also available in a 19-11/16" square glue-down carpet tile (EM-22).



EM-20/22 Berber



EM-40 Protector

Color Selection Guide

**Standard Interlok®
Tile Colors:
HL-155, FL-150,
HL-100, PL-200
and PL-100
(except as noted†)**

Standard Interlok® Tile Colors: HL-155, FL-150, HL-100, PL-200 and PL-100 (except as noted†)	School Colors: HL-155	Dec-O-Lok™ Tile Colors: HL-175	Berber: EM-20/22	Protector: EM-40
1 Black	308 Emerald Green	1 Black	66 Beige	66 Beige
3 Tan	224 Purple	344 Teal Green	176 Taupe**	17 Natural
7 Terra Cotta	15 Gold	379 Mojave Sand	17 Natural**	71 Slate Gray
8 Blue	14 Crimson	297 Chinchilla	441 Zinc	38 Charcoal
38 Charcoal	19 Navy Blue	265 Windsor Blue	71 Slate Gray	122 Blue Gray
176 Taupe†	117 Orange	289 Pearl Gray	38 Charcoal	Protect-O-Pad: P-80
344 Teal Green†			122 Blue Gray	1 Black
			260 Medium Blue**	664 Black w/Gray
			261 Medium Green**	665 Black w/Blue
			360 Midnight Blue**	666 Black w/Red
			1 Black**	667 Black w/Green

†unavailable in PL-100 style

** Not available for EM-22

Why Choose Pawling?

With over sixty years of experience, Pawling Corporation provides a complete line of impact protection, entrance mats, athletic tile and parking products to protect your entire facility—front to back, inside and outside. Let us provide you with responsive, results-oriented design capabilities to satisfy any customer design requirement.

www.pawling.com

Due to limitation of printing, colors are representational only and may vary. Please request a sample when choosing final colors.

For detailed technical information on all Pawling products, including CADs and Specifications, visit www.pawling.com.

Pro•Tek®
Athletic
Flooring

© 2008 The Pawling Corporation
Pawling Corporation reserves the right to discontinue or modify a design without prior notice.
Cover Middle Photograph: Cape Canaveral Air Force Station, Kennedy Space Center, FL; Photography: Roger Scruggs
Design: www.namario.com

Pawling Catalogs in Sweets

Pro•Tek® Impact Protection Systems: **10 26 00/PAW**, General Building
Pro•Tek® Athletic Flooring: **09 65 66/PAW**, General Building
Pro•Tek® Entrance Matting & Gratings: **12 48 13/PAW**, General Building
Pro•Tek® Parking & Traffic Safety Products: **32 17 13/PAW**, General Building

Pawling Corporation products may also be found at www.arcacat.com, www.4specs.com, and <http://products.construction.com>.



Pawling Corporation

**Architectural
Products Division**

32 Nelson Hill Road
P.O. Box 200
Wassaic, NY 12592

Tel: **(800) 431-3456**
or **(845) 373-9300**
Fax: **(800) 377-4403**
or **(845) 373-7827**

