

Nelson-Harkins

Directories
Bulletin Boards
Display Systems

Nelson-Harkins welcomes you to the most exciting new line of directories available today. These units are sure to be the industry standards of tomorrow.

Examine this catalog fore the most extensive selection of building directories available anywhere. Creative design combined with functional simplicity has been the hallmark for each new directory system. You are sure to find a directory in the following pages to fulfill your exacting requirements.

For Nelson-Harkins complete catalog go to www.Nelson-Harkins.com



Black-Out™ Directory Sytems



Directgories



Bulletin Boards



Display Systems

Black-Out™ Directory Sytems

224 Black-Out™	Series 3
225 Black-Out™	Series 4
227 Black-Out™	Series 5
Pedistals	6
Info Black-Out™	

Directories

254 Series	8
242 Series	9
259 Series	10
216 Series	11
250 Series	12
256 Series	13
Info Namestrips	14-15

Bulletin Boards

214 Series	16
217 & 247 Series	17
244 Series	18
241 Series	19
240 Series	20
245 Series	21
238 Series	22


Display Systems

248 Series	23
Information	24-25
Directouch 2000	26

Nelson-Harkins Industries


5301 North Kedzie Avenue Chicago, Illinois 60625 Phone 773 478.6243 FAX 773 478.8227 Toll Free 800 882.8989

Email nhi@nelson-harkins.com Web www.nelson-harkins.com





Construction Detail



Extruded Aluminum Frame

Framed

Greylite Glass Door Header Panel

Removable Namestrip Sections

Namestrips Engraved

Height x	Width
³⁄8" X	7" or 11"
½" X	7" or 11" standard
5⁄8" X	7" or 11"
3/4" X	7", 11" or 18"
1" x	7", 11" or 18"

Imprinted Namestrip Service 3 to 5 days.

Options

Panel

Lamps

- Unframed version
- · Semi or fully recessed mounting
- Recess mounting lips in aluminum, bronze and stainless steel
- · Pedestal bases (see page 6)
- Custom enclosures
- Film strips

Sizes and Capacities

Overall Width

Number of Sections	Strip Capacity 1/2"	Section 7"	Section 11"	Section 18"
1	46	121/8"	161/8"	23"
2	92	191/8"	261/8"	401/8"
3	138	27%"	371/8"	58%"
4	184	341/8"	481/8"	761/8"
5	230	423/8"	59%"	941/8"
6	276	491/8"	701/8"	
8	368	641/8"		

Standard Frame Height is 36" Optional Heights 26" and 48"

Illuminated **Interior Use**





The 4" deep Model 224 is the solution when limited space is available. The 224 is designed to fit within standard wall joints, yet still provides the same features found on our 227 Black-Out™. This unit is available in both a framed and unframed version.

Construction

- Interior use only
- Extruded aluminum frame
- Frame: 3/8" face, 4" depth
- 1/4" Greylite 14% glazing
- · High output cool white fluorescent illumination
- · Concealed hinges and locking system
- · 3" header with copy

Finishes

Anodized:

Clear Satin

Black Dark Bronze

Plated:

Mirror Brass

Mirror Chrome

Graphics [Carriers]

Film Carriers for:

Maps, Logos

Color Photo Transparencies

Duraclears







The 225 Series offers a Bright Silver/Bright Brass finish to the Black-Out™ directory system. These elegant high-end anodized finishes offer a cost effective alternative to expensive plated finishes. This 4" deep unit when surface mounted presents a bright frame finish with a attractive visual appeal.

Construction

- Interior use only
- · Extruded aluminum frame
- Frame: 3/8" face, 4" depth
- 1/4" Greylite 14% glazing
- High output cool white fluorescent illumination
- Concealed hinges and locking system
- 3" header with copy



Finishes

Anodized:

Bright Silver

Bright Brass

Graphics [Carriers]

Film Carriers for:


Maps, Logos

Color Photo

Transparencies

Duraclears





Extruded Aluminum Frame 4" Deep

Greylite Glass Door **Header Panel** Removable

Namestrip Sections

Options

- · Semi or fully recessed mounting
- Pedestal bases (see page 6)
- · Custom enclosures
- Film strips

Namestrips Engraved Height x Width

3/8" x 7" or 11" 1/2" x 7" or 11" standard

5/8" x 7" or 11"

3/4" x 7", 11" or 18" 1" x 7", 11" or 18"

Imprinted Namestrip Service 3 to 5 days.

Sizes and Capacities

Overall Widths

Number of Sections	Strip Capacity 1/2"	Section 7"	Section 11"	Section 18"
1	46	12%"	161/8"	401/8"
2	92	191/8"	261/8"	581/8"
3	138	273/8"	37%"	767/8"
4	184	341/8"	481/8"	941/8"
5	230	423/8"	591/8"	
6	276	491/8"	701/8"	
8	368	641/8"		

Standard Frame Height is 36" Optional Heights 26" and 48"





Metal Back Panels

Fluorescent Lamps Extruded Aluminum
Frame 6" Deep
Greylite Glass Door
Header Panel
Removable Namestrip
Sections

Options

Namestrips Engraved

- Semi or fully recessed mounting
- Recess mounting lips in aluminum, bronze and stainless steel
- Pedestal bases (see page 6)
- · Custom enclosures
- Film strips

Height x Width

3/6" x 7" or 11"

1/2" x 7" or 11" standard

5/6" x 7" or 11"

3/4" x 7", 11" or 18"

1" x 7", 11" or 18"

Imprinted Namestrip Service 3 to 5 days.

Sizes and Capacities

		Overall	Width		Overall Width
Number of Sections	Strip Capacity 1/2"	Section 7"	Section 11"	Strip Capacity 3/4"	Section 18"
1	46	125/8"	161/8"	30	23"
2	92	191/8"	261/8"	60	401/8"
3	138	273/8"	371/8"	90	581/8"
4	184	341/8"	481/8"	120	761/8"
5	230	423/8"	591/8"	150	941/8"
6	276	491/8"	701/8"		
8	368	641/8"			

Standard Frame Height is 36" Optional Heights 26" and 48"

Illuminated Interior Use





The Black-Out™ Directory Systems offer a spectacular visual effect. The unique floating graphic effect is achieved through a union of rear illumination, a patented namestrip holder and Greylite glazing. Manufactured to meet a wide variety of applications and finishes, the Black-Out™ will enhance any environment.

Construction

- Interior use only
- · Extruded aluminum frame
- Frame: 3/8" face, 6" depth
- ¼" Greylite 14% glazing
- High output cool white flourescent illumination
- Concealed hinges and locking system
- 3" header with copy

Finishes

Anodized:

Clear Satin

Black

Dark Bronze

Plated:

Mirror Bronze

Bright Chrome

Graphics [Carriers]

Film Carriers for:

Maps, Logos

Color Photo

Transparencies Duraclears





Free Standing Directories

When free-standing directories are preferred, a variety of standard pedestal and post mount options are available.







NATIONAL ASSOCIATES, INC.

3240

Second Indent

First Indent Flush Left Margin

Namestrip Sizes



Available widths: 11" and 18"

3/4"

Available widths: 11" and 18"

NATION 3/8"

Available widths: 7", 11" and 18"

NATIONAL AS

Available widths: 7", 11" and 18"

NATIONAL ASSOCIATE

Available widths: 7", 11" and 18"

Rear-Illuminated Namestrips

Standard Black-Out™

Profile

Standard Heights: 3/8", 1/2", 5/8", 3/4", and 1"

Film Strip Profile

[Optional]

Standard Height: 5/8" overall to accept

¹/₂" Film Negative Insert

Letter Styles

ABCDEFabcdef1234 ABCDEFabcde1234 ABCDEFabcdefg1234 ABCDEabcdefgh1234 ABCDabcdef1234 ABCDEFabcdefg12345 Fonts available include:

Helvetica Family

Futura

Optima

Times Roman

Clarendon

Goudy

Finishes



Dark Bronze Anodized

Satin Bronze Plated

Mirror Bronze Plated


Mirror Chrome Plated

Satin

Anodized

Black Anodized Black-Out™ Directories | **NeISon-HarkinS**











The 254 Series is designed as a non-illuminated directory system with a unique visual appeal. Offered in a variety of frame profiles, the 254 is sure to have the look to match your environment. Easy to replace namestrips are accessible from under a clear removable lens.

Construction

- Interior use only
- Frame: 4" face, 2" depth
- Frame profiles: square, radius, beveled
- · Clear acrylic lift-off lens
- Easy changeable namestrip system with Messagetrack™
- Header

Namestrips Reveal strip

Finishes

Acrylic Polyurethane Colors: See page 25 for available frame and strip colors


Graphics

- Map and Logo graphic Carriers
- Custom Layouts

Options

- 24" and 48" heights
- Graphic and Map holders
- Custom PMS frame colors

Construction Detail



Frame Profiles



Square



Round




Beveled

Sizes and Strip Capacities

Number of Columns	Strip Capacity 1/2"	Strip Capacity 3/4"	Strip Capacity 1"	10" Strip Unit Width	15" Strip Unit Width
2	108	72	54	22"	261/8"
3	162	108	81	32½"	473/4"
4	216	144	108	43"	631/4"

Standard Frame Height is 36"



Glass Acrylic Namestrips Construction Detail Extruded Aluminum Frame 1/4" Face, 13/4" Deep Extruded Aluminum Door 1" Face

Sizes and Capacities

Number of Columns	Strip Capacity 1/2"	Strip Capacity 3/4"	Strip Capacity 1"	Directory Size W" x H"
1	24	16	12	13 x 18
1	36	24	18	13 x 24
1	60	40	30	13 x 36
1	80	52	40	13 x 48
2	48	32	24	23¼ x 18
2	72	48	36	23½ x 24
2	120	80	60	23¼ x 36
2	160	106	80	23¼ x 48
3	180	120	90	33½ x 36
3	240	160	120	33½ x 48

Non-Illuminated Interior Use





The 242 Series provides a contemporary

non-illuminated namestrip directory. A minimal frame enhances the overall visual appearance. The 242 Series is well suited to the small building lobby directory or floor directory in a larger facility. The Messagetrack™ system provides movable easy sliding namestrips front snap-in/out replacement.

Construction

- · Interior use only
- · Extruded aluminum frame
- Frame: 11/4" face, 13/4" depth
- Double strength ½" clear glass
- · Acrylic extruded namestrips
- Concealed hinges
- 3" header with copy

Namestrips Reveal strip

Height	X	Wid	th
1/2"	Χ	10"	standard
3/4", 1"	Χ	10"	optional

Finishes

Anodized:

Clear Satin

Black

Dark Bronze

Bright Silver

Bright Brass

Acrylic Polyurethane Colors

Options

- Map and logo panels available
- Custom Graphics
- With or without header
- Recess mounting
- · Custom PMS frame colors







The 259 Series with its unique curved face results in the maximum viewing angle in a unrivaled and contemporary design. Access

unrivaled and contemporary design. Access is easy with removal of a clear lens make this a new industry standard.

Construction

- Interior use only
- Frame: 4" face, 2" depth
- Clear acrylic lift-off lens
- Easy changeable namestrip system with Messagetrack™
- Header

Graphics

- Map and Logo graphic Carriers
- Custom Layouts

Options

- 24" and 48" heights
- Graphic and Map holders
- Custom PMS frame colors


Finishes

Acrylic Polyurethane Colors: 30 Standard Polyurethane Colors

Namestrips Reveal strip

(see page 25)

Height x	Width
½" X	10"
3/4" X	10", 15"
1" x	10", 15"
3/4" X	15"
1" x	15"
1½" x	15"



Cover Profiles

Square

Sizes and Capacities

Number of Columns	Strip Capacity 3/4"	Strip Capacity 1"	Strip Capacity 1½"	10" Strip Unit Width	15" Strip Unit Width
1	40	30	20	19½"	24½"
2	80	60	40	30"	40"
3	120	90	60	40½"	55½"
4	160	120	80	51"	









The contemporary styling of this non-illuminated namestrip directory system will enhance any building's lobby. The 216 Series features a rounded aluminum extruded frame with radius corners. Combined with Messagetrack™, the movable namestrip system provides easy sliding namestrips and front snap-in/out replacement— a directory system whose time has come.

Construction Detail Extruded Aluminum Frame 1" Face, 2" Deep Acrylic Namestrip Extruded Aluminum Door 1½" Face

Sizes and Capacities

Number of Columns	Strip Capacity 1/2"	Strip Capacityy ³ / ₄ "	Strip Capacity 1"	Directory Size W" x H"
1	30	20	15	16 x 24
1	48	32	24	16 x 36
1	80	53	40	16 x 48
2	60	40	30	26½ x 24
2	96	64	48	26½ x 36
2	160	106	80	26½ x 48
3	90	60	45	37 x 24
3	144	96	72	37 x 36
3	240	159	120	37 x 48

- ConstructionInterior use only
- Extruded aluminum frame
- Frame: 21/2" face, 2" depth
- Double strength plate glass glazing
- 3" header standard
- Messagetrack™ namestrip system

Options

- 24" and 48" heights
- Graphic map carriers available
- Custom sizes and layouts
- Custom PMS frame colors


Finishes

Standard Polyurethane Colors (see page 25)

Namestrips Engraved

Height	X	Width
1/2"	Χ	10" standard
3/4" 1"	x	10" optional

- 30 standard strip colors see page 25
- Custom colors available
- Easy replacement system





The Director is a versatile namestrip, graphic map, or combination directory. The lift-off frame covers one or two columns of acrylic namestrips in the easy changeable Messagetrack™ system. The thin profile frame combined with a 4" high header provides a distinctive visual appeal.

Construction

- Interior use only
- · Extruded aluminum frame
- Frame: ³/₄" face, 1¹/₂" overall depth
- · Clear Acrylic glazing
- Messagetrack[™] namestrip system with easy to change message strips

Namestrips Reveal strip

Height x Width

1" x 13", 18"

1 ½" x 13", 18"

Finishes

Anodized:

Clear Satin

Black

Dark Bronze

Options


- Graphics and Map graphic panels
- Custom PMS frame colors





Sizes and Capacities

Overall Size Width x Height	Number of Columns	Strip Capacity 1" High	Strip Capacity 1½"	Namestrip Width
13½" x 28"	1	22	14	13"
13½" x 36"	1	30	20	13"
26½" x 26"	2	44	28	44"
26½" x 36"	2	60	40	13"
18½" x 28"	1	22	14	18"
18½" x 36"	1	30	20	18"
36½" x 28"	2	44	28	18"
36½" x 36"	2	60	40	18"





The 256 is simple yet elegant with brass or chrome accenting. This unit is standard with 5% user updateable strips that user prints on paper. A lift off metal frame with clear acrylic lens provides security.

Construction

- Interior use only
- · Lift-off clear cover
- User updateable white namestrips for paper inserts

Options

- Colored namestrips for engraved or vinyl letters
- · Graphic map

Finishes

Chrome or Brass

Namestrips

Height	X	Wid	th
5/8"	Х	10"	for 1/2" insert
11/8"	Х	15"	for 1" insert

Reveal strips optional



Metal Back

Construction Detail

Number of Columns	Strip Capacity 5/8"	Strip Capacity 1½"	Strip Width 10"	Strip Width 15"
1	36	20	15" <u>+</u>	20" <u>+</u>
2	72	40	25" <u>+</u>	35" <u>+</u>

Windsor Square

FEDERATED CONSTRUCTION SERVICE 109

267

200 075

147

560

The Water's Edge

Post Side Frame

Acrylic Window

Acrylic Namestrips

Header

ELEGANT LIMOS SERVICE

GILDED LILY DECORATING

JAPANESE CONSULATE

MICHIGAN TOURS INC NATIONAL DISTRIBUTORS OPERATIONAL STRATEGIES LLC

PLEASANTVIEW JAYCEES

TRIBUNE MARKETING

QARRY DUSTIN & MARCH ROTATIONAL DEVICES

Standard Frame Height is 30"

NATIONAL ASSOCIATES, INC.

3240

Second Indent

First Indent
Flush Left Margin

Flush Right Margin

Namestrip Sizes



Available widths: 15" and 18"



Available widths: 10", 11", 13", 15" and 18"



1/4" NATIONAL AS

Available widths: 10", 11", 13", 15" and 18"

200-A BIOIO 140 G 150 HE

Non-Illuminated Namestrips

Reveal Strip Profile

Standard Heights: 1/2", 3/4", 1", and 11/2" 30 standard Colors—(see page 25) Core color is White or Black

Square Cut Profile

Standard Heights: ½", ¾", 1", and 1½"
Primary Colors Only
Core color is White
or Black

Window Strip

Patent Pending
(User Updateable)

Standard Heights:

5/8" (for 1/2" insert);

11/8" (for 1" insert)

Unique, one-piece

design

Window Strips are

white with crystal

clear acrylic window

to view paper insert

through.


Software available.

Nelson-Harkins



Dark Bronze Anodized Satin Bronze Plated Mirror Bronze Plated Mirror Chrome Plated Satin Anodized Black Anodized

Namestrip Format and Profiles



Rear-Illuminated Namestrips

Letter Styles

Fonts available include:

Helvetica Family

Futura

Optima

Times Roman

Clarendon

Goudy

ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrs1234567890
ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstu1234567890
ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstu1234567890
ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstu1234567890
ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghij1234567890
ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuv1234567890







The graceful 214 Series offers maximum flexibility in a directory/bulletin board system. The unique rounded frame with radius corners accents with a variety of background options. The extruded aluminum door provided with a continuous hinge and key lock.

Construction

- Interior use only
- Extruded aluminum frame
- Frame: 21/2" face, 2" depth
- Double strength plate glass

Backgrounds

- Felt grooved for changeable letters
- Tan cork
- Cork with premium fabric covering (see page 24)
- Magnetic metal

Finishes


Acrylic Polyurethane Colors: 30 Standard Colors (see page 25)

Options

- Single or double door
- Header with copy
- Custom sizes
- Custom PMS frame colors
- Changeable letters (see page 24)







Extruded Aluminum Frame 1" Face, 2" Deep

Extruded Aluminum Door 1½" Face

Acrylic Window

Grooved Background

Sizes (Width x Height)

Single Door	Double Door
18" x 24"	48" x 36"
24" x 30"	60" x 36"
24" x 36"	72" x 36"
30" x 36"	60" x 48"
36" x 36"	72" x 48"
36" x 48"	96" x 48"




217 Series







Construction Detail 247



Sizes (Width x Height)

48" x 36"	60" x 48"
60" x 36"	72" x 48"
72" x 36"	96" x 48"
96" x 36"	

The 217 Series, a sliding glass door system provides a large unobstructed viewing area. The rounded frame with radius corners creates a contemporary appearance. The safety glass doors are provided with rolling tracks, finger pulls, and display lock. Offered with a choice of backgrounds, this system adds elegant appearance to any environment.

The 247 Series sliding glass door directory features uninterrupted viewing and easy access to display area. A choice of cork or felt grooved backgrounds is available in a variety of colors. The safety glass doors slide smoothly on rollers complete with finger pulls and display lock.

217/247 Construction

- · Interior use only
- Non-illuminated
- Surface mount
- Extruded aluminum frame
- 217 Series Frame: 1" face, 2" depth
- 247 Series Frame: 15%" face, 2" depth

Finishes

217 Series

Acrylic Polyurethane Colors: 30 Standard Colors (see page 25)

247 Series Anodized:

Silver

Black

Dark Bronze

Options

- Custom PMS frame colors
- Changeable letters (see page 24)

217/247 Backgrounds

- Tan cork
- Cork covered with premium fabric
- Felt grooved background for changeable letters (see page 24)







Functional design and sturdy construction make the 244 Series a favorite as a multi-purpose directory/bulletin board. Available in one, two, or three door models, the background can combine to fit your specific needs. An optional header is available with copy of your choice, interior construction is standard; exterior construction otional.

Construction

- Interior and exterior use
- · Extruded aluminum frame
- Frame: 31/8" face, 2" depth
- Non-illuminated
- Surface or recess mount

Options

- 3" Header with copy in standard style
- Posts for freestanding mount
- **Custom PMS frame colors**
- Changeable letters (see page 24)

Finishes

Anodized:

Clear Satin

Black

Dark Bronze

Standard Colors

Acrylic Polyurethane Colors (see page 25)

Backgrounds


- Felt grooved (interior use)
- Vinyl grooved (exterior use)
- · Cork with fabric covering (see page 24)
- · Tan cork

Non-Illuminated **Interior and Exterior Use**










Sizes (Width X Height)

Single Door	Double Door	Triple Door
18" x 24"	48" x 36"	72" x 36"
24" x 30"	60" x 36"	72" x 48"
24" x 36"	60" x 48"	96" x 48"
28" x 40"	72" x 36"	
32" x 44"		
36" x 48"		







Illuminated, Non-Illuminated **Interior and Exterior Use**







Sizes (Width X Height)

18" x 24"	36" x 48"
24" x 30"	42" x 48"
24" x 36"	48" x 48"
30" x 40"	60" x 48"
36" x 36"	72" x 48"

Construction

· Interior and exterior use

either surface or semi-recessed.

- Frame: 15/8" Face, 4" Depth
- Non-illuminated
- Surface or semi-recessed mount

Models

- 241-N Non illuminated
- 241-I Illuminated

Finishes

The 241 Series offers a seamless thin face profile yet is suitable for both interior and exterior use.

With unique concealed hinge system, and sidewall lock this single frame face provides a minimal look

contemporary feel. The 4" deep non-illuminated

unit offers a variety of background options mount

Anodized:

Satin

Black

Dark Bronze Acrylic Polyurethane Colors (see page 25)

Styles

- · Custom PMS frame colors
- Changeable letters (see page 24)

Options

3" Header with copy in standard styles





Construction

- Interior and exterior use
- · Extruded aluminum frame
- Frame: 13/8" face, 2" depth
- · Surface or recess mount

Backgrounds

- Felt grooved for changeable letters
- Tan cork
- Cork with premium fabric covering (see page 24)
- Magnetic metal

Finishes

Anodized:

Clear Satin

Black

Dark Bronze


Acrylic Polyurethane Colors (see page 25)

Options

- Header with copy
- Custom PMS frame colors
- Changeable letters (see page 24)
- · Recessed Lip







Non-Illuminated Interior and Exterior Use

Sizes (Width x Height)

18" x 24"	28" x 40"
24" x 30"	32" x 44"
24" x 36"	36" x 48"



For both interior and exterior use, the 245 Series offers great versatility. Options such as illumination, freestanding posts, and headers are available to meet your specific needs. The 245 Series heavyduty aluminum construction provides years of unsurpassed durability.

Extruded Aluminum Door Frame 11/2" Face

Extruded Aluminum

Frame 1/2" Face,

4" Deep

Header

Removable Background

Interior and exterior use

Construction

- · Extruded aluminum frame
- Frame: 2" face, 4" depth
- Continuous hinged door with key lock
- Double strength glass glazing

Finishes

Anodized:

Clear Satin

Black

Dark Bronze

Acrylic Polyurethane Colors (see page 25)

Sizes (Width x Height)

Interior and Exterior Use

Illuminated, Non-Illuminated

Construction Detail

Metal

Fluorescent

(Optional)

Back

Light

20" x 30"	36" x 48"
24" x 30"	42" x 48"
24" x 36"	48" x 48"
30" x 40"	60" x 48"
36" x 36"	72" x 48"

Backgrounds

- Felt grooved for changeable letters (interior)
- Vinyl grooved for changeable letters (exterior)
- Tan cork

Models


- 245-N Non illuminated
- 245-I Illuminated

Options

- Illumination
- Copy header
- Posts for freestanding mount
- Custom PMS frame colors
- · Changeable letters (see page 24)
- · Recess mounting



Blue





A truly contemporary appearance offered in this bulletin board series. The 238 Series is available in three profile frames each with its own distinctive look. It is in both a felt grooved background for changeable letters or cork/tack background.

Construction

- Interior use only
- · Extruded aluminum frame
- Frame: 11/4" face, 21/4" depth

Backgrounds

- Tan cork
- Felt grooved for changeable letters (see page 24)
- Cork with premium fabric covering (see page 24)
- Graphic panel for maps and logos

Frame Profiles

Square: 238S Round: 238R Beveled: 238B

Finishes

Anodized:

Clear Satin

Black


Dark Bronze

Acrylic Polyurethane Colors (see page 25)

Options

- · Header with graphics
- Custom sizes available
- Graphic/map panel
- Custom PMS frame colors

Construction Detail



238S Extruded Aluminum Frame Square Face

238R Extruded Aluminum Frame Round Face 238B

Extruded Aluminum Frame Bevel Face

Non-Illuminated Interior Use



Sizes (Width x Height)

24" x 36"	30" x 36"	36" x 36"
24" x 40"	30" x 40"	36" x 48"
24" x 48"	30" x 48"	








The 248 Series graceful appearance is perfect

as an exterior changeable letter message center. A church, school, or community center will find the easy changeable letter background system the ideal unit for getting your message to the public.

Construction Detail



Extruded Aluminum Frame 3/8" Face, 6" Deep Header

Extruded Aluminum Door Frame 21/2"

Removable, Changeable Letter Background

Internal Illumination Exterior Use





Sizes (Width x Height)

48" x 36"	60" x 36"	72" x 48"
54" x 36"	60" x 42"	96" x 48"
54" x 42"	60" x 48"	

Construction

- Exterior use
- · Extruded aluminum frame
- Internal top illumination
- 3" high header with copy
- Surface mount
- Frame: 3" Face, 6" Depth

Finishes

Anodized:

Clear Satin

Black

Dark Bronze

Acrylic Polyurethane Colors (see page 25)

Backgrounds

- Vinyl grooved for changeable letters (see page 24)
- Tan cork

Options

- Single or double face
- Freestanding posts

Felt Colors for Changeable Letters



Red



Black



Green



Beige



Blue



Aqua



Grey

Burgundy



Orange



Brown



Wedgewood

Fabric Covered

Cork Backgrounds



Wheat



Aqua



Light Grey



Lavender



Apricot



Deep Burgundy



Dark Grey



Black

Changeable Letters and Figures Styles (White)

Gothic

1/2" 3/4" 1" 11/2" 2"

Helvetica

1/2" 3/4" 1" 11/2"

Roman

1/2" 3/4" 1" 11/2" 2" 3"

Standard Letters and Figures

300 font with storage box



Gothic Helvetic Roman















23906 Orange





10211 Yellow

Acrylic Polyurethane

Finishes

10209 Red

25851 Blue

Acrylic Polyurethane

10221 Burgundy

Finishes

25771 Blue

28073 Blue

24100 Blue

25550 Purple

25829 Beige







25833 Bone White

10217 Brown

25900 Cream







24510 Green

11477 White

30133 Gold

30135 Copper

10225 Green

25849 Grey

25066 Green

25836 Grey































Dark Bronze

Color Chart

Please note the printed colors may not be totally accurate due to printing limitations.



Computer Directory System for a New Century

Directouch 2000 is a new computerized directory system from Nelson-Harkins, the nation's leading directory manufacturer. This innovative new system developed by Nelson-Harkins and TTSS Interactive Products is specifically for the office building market. The Directouch 2000 is loaded with the features you are looking for at a price you can afford. The 15" touch-sensitive screen is available in a traditional monitor, flat screen, or through-glass version. This state-of-the-art unique visual presentation includes your building's picture, listings by companies and individuals, the time and date as well as bulletin board feature.

The Directouch 2000 offered both in a hardware/ software package or installed in a variety of Nelson-Harkins kiosks provides a finished look: the option is yours. With unlimited name capacity and our Direct Access management software, information and updates are a finger's touch away.





Management Screen



Main Screen



Main Screen Bulletin Board Activated



en Bulletin Data Update



Company Screen



Company Listings



Company-Employee Listings Activated



Individual Screen

A B C D E F G H

I J K L M N O

P O R S K U V W

X Y Z A JOSE NOSE

EMER

Individual Listings

Data Management

- Complete with Direct Access data management program
- Easy-to-use icon menu access a variety of options system analysis
- Easy changes to company or individual listings
- Enter new information, click icon system is updated
- New entry inserts automatically in correct alphabetic position
- Remote updating may occur via network, modem, or diskette

Hardware

- · Highest quality hardware
- · Innovative software
- · Windows-based computer
- Host storage system delivers unmatched speed
- Standard high-resolution 15" touch screen monitor options
- Installation in almost any mounting condition
- 4" deep flat-screen through-glass monitor for special situations