14 20 00.11/IND BuyLine 1686



BEAUTIFULLY DESIGNED.
MASTERFULLY ENGINEERED.

INCLINATOR JAMERICA









# THE INDUSTRY'S **MOST CUSTOMIZABLE HOME ELEVATORS.**

- Car sizes in any dimension up to 15 sq. ft.
- Door openings on 1, 2 or 3 sides
- Nearly all wood species available
- Stained or painted in factory or on-site
- Many accessory options
- Install in new home or add to existing home

Consult your local codes before ordering. Tax deductible when doctor recommended.

### Choose from two home elevator brands:

### **INCLINATOR® LX ELEVETTE®**

Get downloadable specifications and CAD drawings at inclinator.com

## Featuring the industry's most advanced home elevator technology ...





900

Solid wood with raised hardwood marguetry veneer panels standard panel designs or fully custom designs



400

raised or recessed center panels 2-over-2 or 1-over-1 panel configuration



300

**Gearless Motor Traction Drive Machine Roomless** 

Solid wood with hardwood veneer Smooth hardwood center panels with crown, chair, baseboard and picture molding



200

Smooth hardwood veneer panels with square, flush corners

# DRIVE SYSTEM



earless Traction Motor (Patented)





Microprocessor-Based Controller

- Super smooth ride
- Virtually noiseless operation
- Cable traction for raising/lowering
- Double rail chassis
- 950 lb. capacity
- Can accommodate car size up to 15 sq. ft.
- Emergency battery lowering
- Microprocessor-based controller
- Self-diagnostic

### aoina areen

### **Environmentally-Friendly Operation**

- Slower motor speed reduces energy consumption
- No hydraulic or gear oils no smell or potential spills
- Gearless motor longer life cycle
- Machine roomless –less sq. ft. and construction materials

# **CUSTOM FEATURES**

Both INCLINATOR® LX and ELEVETTE® include these custom features:



Wood species and finish



Car Operating Plates



Matching existing interior finishes





Handrails





### **ELEVETTE®**

# **CAR STYLES**



**500**Metal frame with acrylic panels no shaft; machine room only



Solid wood with hardwood veneer raised or recessed center panels 2-over-2 or 1-over-1 panel configuration



Smooth hardwood center panels with crown, chair, baseboard and picture molding



**200**Smooth hardwood veneer panels with square, flush corners



**100**Aluminum frame with hardwood veneer or laminate veneer snap-in panel machine room only

## **DRIVE SYSTEMS**



**Gear Motor Chain Drive** Machine Roomless

- Simple and reliable
- Chain for raising/lowering
- Double rail chassis
- 950 lb. capacity
- Can accommodate car size up to 15 sq. ft.
- Emergency battery lowering
- Microprocessor-based controller
- Self-diagnostic



Cable Drum Drive Machine Room

- Quietest in the industry
- Soft start enhancement
- Patented monorail guiding system
- 500 lb. and 750 lb. capacity
- Can accommodate car size up to 12 sq. ft.
- Emergency battery lowering
- Microprocessor-based controller
- Self-diagnostic




**Hydraulic Drive** Machine Room

Call 800-343-9007

- Smooth, quiet ride
- Patented monorail guiding system
- 750 lb. and 950 lb. capacity
- Can accommodate car size up to 15 sq. ft.
- Emergency battery lowering

# **CAR CONFIGURATIONS**

INCLINATOR® LX and ELEVETTE® cars can have door openings on 1, 2 or 3 sides.



inclinator.com

# SE CONTRACTOR DE LA CON

### **AIA Continuing Education**

Inclinator offers a one-hour AIA/CES Program for architects. To learn more about our certified residential elevator training seminar, call us at 800-343-9007.





# **OTHER INCLINATOR PRODUCTS**



### **Dumbwaiters**

- Custom sizes and features
- Dumbwaiter (commercial & residential)
- Homewaiter® (residential)



### Wheelchair Lifts

- Indoor and outdoor use
- SpectraLift® (fiberglass)
- Inclinator® VL (steel)



### **Stair Package Lifts**

- 18" x 36" platform
- 250 lb. capacity
- Folds up to 9" from wall or railing when not in use





601 Gibson Boulevard, Harrisburg, PA 17104

Phone: 717-939-8420 • Toll-Free: 800-343-9007 • Fax: 717-939-8075

Email: isales@inclinator.com • www.inclinator.com

