07 42 13/ATA BuyLine 0302



#### ATAS International, Inc. Allentown, PA ~ Mesa, AZ ~ Maryville, TN 800.468.1441 ~ info@atas.com ~ www.atas.com

REPTIL

# Design Wall™



- Wall or Soffit System
- Louvered Venting Optional
- ♦ Structural
- ♦ 30 Standard Colors
- ♦ Wall, Soffits, Fascia, and Equipment Screen Applications
- ♦ Tested and rated for the following standards: UL 790 / ASTM E 108

Visit www.atas.com/designwall for more details.

#### nww.atas.com www.atas.com www.atas.com www.atas.com

### Multi-Purpose Panels™

- ♦ Wall or Soffit System
- ♦ Four Styles, Various Sizes
- Structural
- ♦ 30 Standard Colors
- Wall, Fascia, Mansard, and Equipment Screen Applications
- ♦ Tested and rated for the following standards: UL 790 / ASTM E 108, and UL580

Visit <u>www.atas.com/multipurpose</u> for more details.

IWW.atas.com WWW.atas.com WWW.atas.com WWW.atas.com



Offered in four styles: two of which are ribbed for interesting breaks, and two other styles provide a smooth, elegant line. The Opaline panel installs as a basic tongue and groove system with mechanical fasteners.

- ♦ Wall or Soffit System
- ♦ Structural
- ♦ 30 Standard Colors
- ♦ Alternative for E.I.F.S.
- Wall, Vertical Fascia, Soffit, and Ceiling or Sign Band Applications

Visit <u>www.atas.com/opaline</u> for more details.

with a concealed, clip-less fastening system, the Multi-Purpose panel variations are sure to enhance the latest design styles. The variations of this profile start with the standing seam, to the "batten style", to the plank and barn board. A slight "V" is formed into the plank or barn board for a variance of style.

Providing a smooth, but sleek, appearance

07 42 13/ATA BuyLine 0302

Providing a distinctive appearance, Metafor, a concealed fastener, square corrugated panel, is lightweight, strong and may be installed vertically or horizontally. Curving the panel into Arc-Metafor adds marked design flair.

- ♦ Ribbed Wall System
- Convex (min. radius 5'-9"), Concave (min. radius 10')
- Structural
- ♦ 30 Standard Colors
- Wall, Ceiling, Fascia, Mansards, Equipment Screen, Walkways, Balconies, Entrances, Vestibules, and Soffit Applications

Visit <u>www.atas.com/metafor</u> for more details.

### metafor™ arc-metafor™

#### www.atas.com www.atas.com www.atas.com www.atas.com

Best known for its dramatic shadow line, Rigid-Wall is a versatile, structural wall panel that can be used for unique metropolitan and modern designs. The panel is installed with concealed fasteners either vertically or horizontally.

- ♦ Ribbed Wall System
- ♦ Structural
- ♦ 30 Standard Colors
- Wall, Mansard, and Equipment Screen Applications
- Tested and rated for the following standards: UL 790 / ASTM E 108

Visit <u>www.atas.com/rigidwall</u> for more details.



www.alas.com www.alas.com www.alas.com www.alas.com

Uninterrupted fluid lines comprise the newest addition to the ATAS line of products, the concealed fastener corrugated panel. In addition, Corra-Lok panels do have a positive interlock that are compatible with Metafor and the Multi-Purpose Panel for the ability to create interesting patterns and breaks.

- Concealed Fastener Corrugated System
- ♦ Structural
- ♦ 30 Standard Colors
- Wall, Fascia, Equipment Screen, and Roofing (4:12) Applications

Visit <u>www.atas.com/corralok</u> for more details.

## Corra-Lok™

ALADAUS



The Belvedere series encompasses 3 products: a standard Rib panel (7.2" o.c.), a Short Rib panel (6" o.c.) and the Grand R panel (13" o.c.). All three of these wall panels add quality and symmetry to any project.

- ♦ Ribbed Wall System
- ♦ Structural
- ♦ 30 Standard Colors
- Wall, Mansard, Fascia, and Equipment Screen Applications
- ♦Tested and rated for the following standards: UL 790 / ASTM E 108

Visit <u>www.atas.com/exposedfasteners</u> for more details.

#### IWW.atas.com WWW.atas.com WWW.atas.com WWW.atas.com

## Corrugated Panels Curved Corrugated Panel

EDUCATION & REPTLE BUILDING

Providing design movement, the exposed fastener Corrugated Panel is the traditional, economical wall or roof panel. This panel can also be curved with a minimum radius of 10'-0"

- ♦ Corrugated Wall System
- Horizontal, Vertical, Convex, Concave (min. radius 10')
- ♦ Structural
- ♦ 30 Standard Colors
- Wall, Mansard, Fascia, and Equipment Screen Applications
- ♦ Tested and rated for the following standards: UL 790 / ASTM E 10

Visit <u>www.atas.com/corrugated</u> for more details.

#### yww.atas.com www.atas.com www.atas.com www.atas.com



Four-inch high ribs, 12 inches on center, make Span Wall an interesting design statement for any building. Span Wall can be installed vertically or horizontally to suit either preference.

- ♦ High Ribbed Wall System
- ♦ Structural
- ♦ 30 Standard Colors
- Wall, Mansard, and Equipment Screen Applications

Visit <u>www.atas.com/spanwall</u> for more details. Grand V panels provide a durable and economical solution to the metal roofing and metal siding needs of today. Panels are designed for use over solid substrates or open framing with support members spaced a maximum of 24 inches on center.

- ♦ Economical Wall System
- ♦ Structural
- ♦ 7 Standard Colors
- Commercial and Residential Walls, Fascia, Mansard, and Equipment Screen Applications

Visit <u>www.atas.com/grandv</u> for more details.

#### www.atas.com www.atas.com www.atas.com www.atas.com

Both economically and aesthetically attractive, the Grand C panel provides a 2-3/4" on center, ribbed appearance.

- Economical Wall System
- ♦ Structural
- ♦ 7 Standard Colors
- Commercial and Residential Walls, Fascia, Mansard, and Equipment Screen Applications



Grand V

07 42 13/ATA

BuyLine 0302

Visit <u>www.atas.com/grandc</u> for more details.

#### www.atas.com www.atas.com www.atas.com www.atas.com

Used in wall applications, the diamondshaped shingle is designed to make a bold statement using interesting patterns and contrasting colors. Castle Top can also aid in achieving a historical look with more muted tones.

- ♦ Diamond-shaped Shingle
- ♦ Non-structural
- ♦ 30 Standard Colors
- Commercial and Residential Roofing and Walls
- ♦ Florida Building Code Approved
- ♦ Tested and rated for the following standards: UL 790 / ASTM E 108, UL 1897, and UL 2218

Visit <u>www.atas.com/castletop</u> for more details.





TO DESTRUBUTION DUCTING

Not just a wall panel, InSpire wall provides solar heated fresh air to supplement the primary heat source of a building and to provide needed ventilation air.

#### Function:

The InSpire wall panel, a transpired solar collector, is mounted several inches from the outer wall of the building. The precision perforations in the wall panels allow outside air to travel through the face of the panel. Solar heated air at the surface of the panel is drawn through the perforations where it rises between the two walls and either enters the building directly or enters the building through the ventilation system.

- ♦ Heats Fresh Air
- ♦ Lowers Heating Costs by \$2-\$8 per sqft. of Panel
- ♦ Qualifies for LEED<sup>®</sup> Credits
- Destratification of Indoor Air
- Payback Generally within 3-7 Years
- ♦ Tax Incentives
- Reduces "Sick Building Syndrome"
- ♦ Recaptures Heat Loss Through Walls
- Reduces Greenhouse Gases

"Transpired Collectors provide the most reliable, best performing, and lowest cost solar heating for commercial and industrial buildings available on the market today." - US Department of Energy

- ♦ Solar Heated Wall System
- Available in .032 Aluminum and .027 Zinc
- Non-structural
- ♦ 30 Standard Colors, Darker Colors are Best for Absorption
- Commercial, Industrial, and Institutional Wall Application, Roofing Applications for Crop Drying Only
  Visit <u>www.atas.com/inspire</u> for more details.

Many ATAS products and custom shapes may be lanced, louvered or perforated for ventilation purposes or for aesthetics, creating unique architectural designs.

The following panels are available in the below perforation styles:

Lanced: Wind-Lok Soffit Louvered: Design Wall, Opaline, Linear Ceiling and a variety of vent strips Perforated: Linear Ceiling and a variety of wall panels (contact ATAS for details)