


# Table of Contents

## Discoveries® Vertical Blinds

	PAGE
Discoveries Vertical Blinds Product Index . . . . .	3
Discoveries Vertical Blinds Pricing . . . . .	4-7
Discoveries Vertical Blinds Product Information	
Decomatic® Headrail System . . . . .	8
Panogram™ Headrail System . . . . .	9
Discoveries Vertical Blinds Specialty and Valance Options . . . . .	10
Discoveries Vertical Blinds Design Features . . . . .	11
Discoveries Vertical Blinds Installation and Measuring Information . . . . .	12
Discoveries Vertical Blinds Decomatic Stacking Charts . . . . .	13
Discoveries Vertical Blinds Panogram Stacking Charts . . . . .	14
Discoveries Vertical Blinds Pattern and Color Chart . . . . .	15
Warranty . . . . .	17



\* Click [BACK](#) on any page to return to the Table of Contents\*

# Product Index

## Discoveries® Vertical Blinds Information

Pattern	Price Chart	Free Hanging (FH) Channel Panel (CP)	Fabric Type	# Of Colors	Opacity	FR	Eco Friendly	Genesis Companion
Avenue	6	FH	Vinyl	5	5	✓		
Avenue-S▽	6	FH	Vinyl	5	5	✓		
Avery	5	FH	Vinyl	4	5	✓		
Barnabas	2	FH	Vinyl	4	5	✓		
Basic Curved	1	FH	Vinyl	4	5	✓		
Berber Slub	6	FH/CP	Fabric	3	2		✓	✓
Bollywood	6	FH	Vinyl	5	5	✓		
Cabaret	5	FH	Vinyl	4	5	✓		
Cabos	5	FH/CP	Fabric	2	1		✓	✓
Cambric	4	FH/CP	Fabric	6	2			
Castile	4	FH	Vinyl	5	5	✓		
Chameleon	7	FH	Fabric	4	3		✓	
Crosby	8	FH/CP	Fabric	1	2		✓	
Crystalline	8	FH	Vinyl	2	1/2	✓		
Curved	2	FH	Vinyl	6	5	✓		
Delfino	4	FH	Vinyl	4	5	✓		
Dupioni	7	FH	Vinyl	3	5	✓		
Embroidery	6	FH	Vinyl	5	5	✓		
Fiji	6	FH	Vinyl	5	5	✓		
Frontier	4	FH	Vinyl	6	5	✓		
Gavin	7	FH/CP	Fabric	2	5			
Glacier	4	FH	Vinyl	7	5	✓		
Greenwich	4	FH/CP	Fabric	2	2		✓	
Grover	3	FH/CP	Fabric	2	3			
Hombre	6	FH/CP	Fabric	3	2		✓	✓
Island Breeze	5	FH/CP	Fabric	1	3			
Justin	4	FH	Vinyl	4	5	✓		
La Palma	7	FH	Vinyl	4	5	✓		
Lagoon	5	FH	Vinyl	6	5	✓		
Lisbon	6	FH	Vinyl	5	5	✓		
Loyola-S▽	6	FH	Vinyl	4	5	✓		
Mont Clare	5	FH	Vinyl	5	5	✓		
Montana	5	FH	Vinyl	5	5	✓		
Niagara	4	FH	Vinyl	4	5	✓		
NightLife	2	FH/CP	Fabric	3	2		✓	
OpenWeave	8	FH/CP	Fabric	5	3			
Palisade	3	FH	Vinyl	4	5	✓		
Presley	7	FH	Fabric	2	3		✓	
Quaker	7	FH	Fabric	2	3			
Reflection	8	FH/CP	Fabric	3	2	✓	✓	
Ridgefield	3	FH	Vinyl	3	5	✓		
Sahara	5	FH	Vinyl	5	5	✓		
South Pacific	5	FH/CP	Fabric	3	5			
Stonegate	6	FH	Vinyl	5	5	✓		
Strie	5	FH/CP	Fabric	3	2		✓	✓
Summer Rain	6	FH	Vinyl	4	5	✓		
Sunscreen	5	FH	Vinyl	3	1	✓		
Text	8	FH/CP	Fabric	1	3			
Timberland	4	FH	Vinyl	4	5	✓		
Times Square	8	FH	Vinyl	4	5	✓		
Townhouse	8	FH	Vinyl	4	5	✓		
Urban	8	FH	Aluminum	2	5	✓		
Venus	1	FH	Vinyl	4	5	✓		
Venus-S▽	4	FH	Vinyl	4	5	✓		
Vertex	3	FH	Vinyl	5	5	✓		
Village	8	FH/CP	Fabric	2	2		✓	
Virtuoso-S▽	3	FH	Vinyl	3	5	✓		
Watergate	6	FH	Vinyl	5	5	✓		
Watergate-S▽	6	FH	Vinyl	5	5	✓		
Weave	6	FH/CP	Fabric	3	2		✓	✓
Wicker	6	FH	Vinyl	6	5	✓		
Yellowstone	5	FH/CP	Fabric	1	3		✓	✓

S = S-Shaped Louver


▽ Louver Orientation is required at time of order, see page 11 for description.

# Product Information

## Discoveries® Vertical Blinds - Decomatic® Headrail Systems


### Product Features - Decomatic Headrail

- Fits rectangular window or door openings
- One Way or Split Draw Operation (Right control standard)
- Nickel-plated Steel chain operating system
- Anodized Aluminum Track
- Smooth and quiet traversing
- Replaceable vane carriers for easy onsite repair
- Automatic Clutch protected vane alignment



### Product Features - One-Wand Headrail

- Eliminates risk of strangulation from exposed cords
- Anodized Aluminum Track
- Wand operation for smooth and quiet traversing
- Replaceable vane carriers for easy on site repair
- Automatic Clutch protected vane alignment
- **One-way draw only**
- Wand size will be 2/3 of the blind length standard.



### Size Standards


- Dimensions
  - Maximum width: 191"
  - Minimum width: 10"

### Mounting Requirements

- Inside Mount (IB)
  - Minimum Mounting Depth: 2 3/4"

### Finished Dimensions

- Inside Mount (IB): -1/8"
- Outside Mount (OB): Ordered Width
- Light Gaps
  - Inside Mount (IB)
    - ♦ Control Side: 1/4"



### Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires that blinds with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

### Standard Cord Drops

Traverse cord loop is 6" above ordered vertical length. Tilt chain is 1/2 the length of the ordered vertical length.

### Hardware Included

- Installation Brackets
- Cord Tensioner Bracket

### Options

- No Charge
  - Chain and Clips on Fabric Louvers
  - Keyhole and Chain PVC Louvers
  - Sewn-In Weights on Fabric Louvers
  - Stack Right / Left / Split
  - Control Side: **Must be requested at time of order**
  - One-Wand System Draw up to 191" wide
  - Optional wand sizes up to 99".
  - Butted Blinds: **Must be requested at time of order**
- Surcharge
  - Cut-Outs
  - Striping
  - Verticlip
  - Majesty Valance
- **Exclusions:** Motorization

### Ordering Notes

- To match dye lots for several verticals in same room, designate a room number.
- Hems are sewn in both top and bottom of fabric vanes. Thus, shortening vanes less than 1" may be impossible. Please measure carefully.
- Product warranty covers louver lengths up to 120". If exceeded, twisting may occur and order will require a signed Warranty Waiver.
- To price, use price chart specific to selected material and use line pricing based on louver option. Add valance and optional surcharges to line price.

### Blind Operation

- Decomatic Headrail System
  - Pull down on front/back of cord loop to traverse vertical blinds side to side.
  - Pull down back chains to rotate louvers and adjust light diffusion.
- One-Wand Headrail System
  - Pull wand right or left to traverse vertical blinds. Rotate wand to rotate louvers and adjust light diffusion.

### Caution


- Dye lot variations are inherent qualities of any textile fabric.
- Colors appear different under varied light conditions.
- Heat registers, electric baseboard heat or other heat sources can emit heat intense enough to scorch fabric or melt PVC vanes.

# Product Information

## Discoveries® Vertical Blinds - Panogram™ Headrail System


### Product Features - Panogram Headrail

- Fits rectangular window or door openings
- One Way or Split Draw Operation (Right control standard)
- Nickel-plated Steel chain operating system
- Anodized Aluminum Track
- Smooth and quiet traversing
- Automatic Clutch protected vane alignment



### Product Features - Wand-Draw Headrail

- Eliminates risk of strangulation from exposed cords
- Anodized Aluminum Track
- Wand operation for smooth and quiet traversing
- Automatic Clutch protected vane alignment
- **One-way draw only**
- 30" wand



### Size Standards


- Dimensions
  - Maximum width: 191"
  - Minimum width: 10"

### Mounting Requirements

- Inside Mount (IB)
  - Minimum Mounting Depth: 2 3/4"

### Finished Dimensions

- Inside Mount (IB): -1/8"
- Outside Mount (OB): Ordered Width
- Light Gaps
  - Inside Mount (IB)
    - ♦ Control Side: 1/4"



### Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires that blinds with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

### Standard Cord Drops

Traverse cord loop is 6" above ordered vertical length. Tilt chain is half the length of the ordered vertical length.

### Hardware Included

- Installation Brackets
- Cord Tensioner Bracket

### Options

- No Charge
  - Chain and Clips on Fabric Louvers
  - Keyhole and Chain PVC Louvers
  - Sewn-In Weights on Fabric Louvers
  - Stack Right / Left / Center / Split
  - Control Side: **Must be requested at time of order**
  - Wand-Draw System up to 191" wide
  - Butted Blinds: **Must be requested at time of order**
- Surcharge
  - Cut-Outs
  - Striping
  - Verticlips
  - Majesty Valance
- **Exclusions:** Motorization

### Ordering Notes

- To match dye lots for several verticals in same room, designate a room number.
- Hems are sewn in both top and bottom of fabric vanes. Thus, shortening vanes less than 1" may be impossible. Please measure carefully.
- Product warranty covers louver lengths up to 120". If exceeded, twisting may occur and order will require a signed Warranty Waiver.
- To price, use price chart specific to selected material and use line pricing based on louver option. Add valance and optional surcharges to line price.

### Blind Operation

- Panogram Headrail System
  - Pull down on front/back of cord loop to traverse vertical blinds side to side.
  - Pull down back chains to rotate louvers and adjust light diffusion.
- Wand-Draw Headrail System
  - Pull wand right or left to traverse vertical blinds. Rotate wand to rotate louvers and adjust light diffusion.

### Caution


- Dye lot variations are inherent qualities of any textile fabric.
- Colors appear different under varied light conditions.
- Heat registers, electric baseboard heat or other heat sources can emit heat intense enough to scorch fabric or melt PVC vanes.

# Product Information

## Discoveries® Vertical Blinds - Specialty Applications and Valances

### Product Features - Angle Windows

- Decomatic® Slope
  - Available for sloping, cathedral-type windows
  - Most blinds will be TILT ONLY
  - Available in Anodized
  - One-Way (must stack to high side)
  - Chain operating system only



Decomatic Slope

### Size Standards


- Maximum Angle: 55 degrees
- Maximum Width: 240"
- Minimum Width: 10"
- Maximum Blind Weight: 45 lbs.

### Ordering Notes

- Exact dimensions required!
  - Slope Track Width
  - Bottom Width
  - Low-Side Height
  - High-Side Height
- Specify Control Side
- Traversing capability depends on overall specifications.
- If blinds both tilt and traverse, controls must be on same side
- To price: Add vertical blind price (use slope width of track and longest vane length) to Slope/Angle Track Surcharge.
- Exclusion: Wand Draw

### Options

- Control available on either left or right side
- Channel Panel Valance (Only)



Four different size hooks are used (one size per track).  
The length of the hook is determined by the angle of the track.

### Product Features - Dust Cover Valance

- Pricing includes Dust Cover Valance
- Round Wrap
  - Standard for all outside or inside mounts with returns, using fabric louvers. However, Tailored Corners are available.
- Tailored Corner
  - Standard for all outside or inside mounts when using PVC louvers
- Utilizes a non-yellowing clear edge groover insert

Valance Type	OB or IB with returns Fabric	OB or IB with returns PVC/Aluminum	IB with no returns Fabric	IB with no returns PVC/Aluminum
Tailored Corner	Optional	Standard	Not available	Standard
Round Wrap	Standard	Not available	Not available	Not Available




Tailored Corner



Round Wrap

### Wood Valance

- Majesty Valance is available in eight colors: Buckeye, Cottage Pine, Ebony Wash, Gardenia, Java Roast, Mahogany, Natural, Navajo White. Color samples can be found in the Allure, Heartland Woods, Manh Truc and Genesis sample books.
- Standard return is 5 1/2" from back of valance to wall.
- If wood valance width is over 96" the valance will be spliced.
- Wood Valance is stapled to a channel panel piece for attachment to the vertical headrail.



Majesty Valance  
4 1/2" height  
5/8" thick

# Product Information


## Discoveries® Vertical Blinds - Design Features

### Louver Options


- Free Hanging
  - Fabric verticals are available free hanging with enclosed weights standard. Sewn-in weights with open pocket sides are optional at no charge. Bottom weights with chains and clips can be requested for sewn-in only. **Note:** Several fabrics are too delicate for shipping with weights and chains inserted.
- Channel Panel Insert
  - Channel Panel insert in color Ivory or White, with crystal clear edges, is available for most fabrics to provide energy efficiency.
- Channel Panel only
  - Channel Panel may be purchased separately (use FH row in price chart to price). Will be supplied with insert adhesive backing. Testing is recommended on a small area as some fabrics and wallpapers may adhere more strongly than others. **We cannot guarantee the insert backing material will adhere to all fabrics.**
- Vinyl
  - May have a keyhole punched and chains inserted as a no charge option. S-shaped vinyl materials cannot be keyhole punched.
- Louver Orientation and Light Diffusion
  - **S-shaped louvers** have distinct left-facing/right-facing louver orientations that affect light diffusion. **Louver orientation must be specified at time of order and cannot be changed in the field.** S-shaped louver materials are designated on page 3.

### Other Special Installations and Options

- Abutted Blinds
  - Channels may be ordered to butt together when dimensions exceed maximum widths. **Exact measurements required.**
- Cut-Outs
  - Free hanging verticals may be ordered for cut-out installations when objects interfere with louvers, i.e. air conditioner, heat register, etc.
- Striping
  - Using same louver material with a different colorway. Number of louvers in each colorway must be specified. (See page 13 for # of louvers in stacking charts for respective headrail systems)
- Verticlip
  - Verticlip allow a louver to be hung at each end to form a blind length return and help minimize light gap. (One pair of Verticlip and two louvers are shipped with this option)



#### Louver Orientation



### Product Features - Palladian Window Shelf


- Double beaded hardwood shelf designed to mount horizontally in arched or angled openings to serve as divider and mounting surface for any window fashions product
- Allows area above shelf to be covered differently or uncovered
- Finishes available from Woodland Harvest and Heartland Woods
- Inside Mount Applications only

### Size Standards

- Dimensions
  - Height: 1 1/2"
  - Depth: 4" (Can be cut down to 2" minimum upon request)
  - Maximum Length: 8'

### Ordering Notes

- Must be installed below the radius of window as routed ends are square
- Specify exact width from jamb to jamb. A 1/16" deduction will be taken by Lafayette.
- Ordered separate from Vertical Blind (Priced by lineal foot - round up from exact width to next highest lineal foot.)



### Online Template Service

- Lafayette produced - Flat fee.
- To order a factory-made template visit the Lafayette web site at [www.lafvb.com](http://www.lafvb.com)
  - Print and complete template order form to be submitted via fax
  - Complete and submit web-based order form online.

# Product Information


## Discoveries® Vertical Blinds - Installation and Measuring Information

### Brackets


- The chart below shows the number of brackets that will be shipped as recommended by the manufacturer of the vertical track.

Width	# of Brackets	Width	# of Brackets
Up to 36"	2	100" to 129"	5
37" to 66"	3	130" to 159"	6
67" to 99"	4	160" to 189"	7

- Inside mount
  - Ceiling mount: Clip style, designed to screw directly to ceiling.
  - Wall mount: L-brackets must be added by installer
- Outside mount
  - Ceiling mount: Rivets must be drilled out by installer
  - Wall mount: Clip style with riveted on L-bracket
- If different bracket is desired other than the standard for type of mount (IB or OB), **must be ordered separately at time of blind order.**



Decomatic Wall Bracket Adjustable  
Item# 98282



Decomatic and Panogram  
Mounting Clip  
Item# 98286




Panogram Wall Bracket

### Replaceable Carrier Stems - Decomatic

- Stems can be removed with stem removal pliers, without un-mounting the headrail. Hook Replacement Kit and Hook Removal Pliers are available for purchase.
- 5/16" wide
- 185 degree rotation capability
- Maximum vane weight is 1 1/4 lbs.



Item# 90570HOBP



Carrier stem Replacement Kit Item# 95559KIT  
Carrier stem Removal Pliers Item# 95559

### Carrier Stems - Panogram

- These stems are not removable.




### Best Practices for Measuring

- Always use a steel tape or a metal ruler for measuring.
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of the shade.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of the area to be covered.
- Measure the width in at least three places and specify the narrowest width.
- Measure the length in at least three places and specify the shortest length.
- Take two diagonal measurements. If there is a greater than 3/8" difference in diagonal measurements, outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure the exact width and height of the area to be covered.

### Measuring Information

- Inside Mount
  - For verticals installed inside an area (jamb to jamb in a window or door, wall to wall in a room) give EXACT inside to inside width measurements, and top to bottom length measurements of area to be covered. **DO NOT MAKE ALLOWANCES.** Factory will make all adjustments. Louvers will clear bottom between 1/4" and 1/2".
  - See Mounting Requirements - pages 8 -9
- Outside Mount
  - Measure exact width and height of area to be covered. No allowances will be made by factory for width or length. When measuring from top of headrail to floor or ceiling to floor, a deduction of 1/2" to 3/4" is recommended. **You must make this deduction!**
  - To cover a window or door, vertical blind should overlap by minimum 3" - 6" on each side to reduce light gap.
  - When installing above a window frame, vertical track should be installed at least 2" above frame or molding. Adjust length of vertical accordingly.



### General Advisories

Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included **before** sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and **we cannot be responsible for trip charges or reinstallation charges. Repairs or remakes must be requested within 30 days of invoice date.**

# Product Information

## Discoveries® Vertical Blinds - Decomatic Stacking Charts

**Decomatic 3 1/2" Louvers**  
**One-Way Draw Window Clearance**

Ordered Width	Clear Opening	No. of Louvers	Stack Back
16 1/4	12 3/4	5	3 5/8
19 3/8	15 1/2	6	3 7/8
22 1/2	18 3/8	7	4 1/4
25 1/2	21	8	4 1/2
28 5/8	23 7/8	9	4 7/8
31 3/4	26 5/8	10	5 1/8
34 7/8	29 1/2	11	5 1/2
38	32 1/4	12	5 3/4
41 7/8	35 1/8	13	6 1/8
44 1/4	37 7/8	14	6 3/8
47 3/8	40 3/4	15	6 3/4
50 3/8	43 3/8	16	7
53 1/2	46 1/4	17	7 3/8
56 5/8	49	18	7 5/8
59 3/4	51 7/8	19	8
62 7/8	54 5/8	20	8 1/4
66	57 1/2	21	8 5/8
69 1/8	60 1/4	22	8 7/8
72 1/4	63 1/8	23	9 1/4
75 1/4	65 3/4	24	9 1/2
78 3/8	68 5/8	25	9 7/8
81 1/2	71 3/8	26	10 1/8
84 5/8	74 1/4	27	10 1/2
87 3/4	77	28	10 3/4
90 7/8	79 7/8	29	11 1/8
94	82 5/8	30	11 3/8
97 1/8	85 1/2	31	11 3/4
100 1/4	88 1/4	32	12
103 1/4	91	33	12 3/8
106 3/8	93 3/4	34	12 5/8
109 1/2	96 5/8	35	13
112 5/8	99 3/8	36	13 1/4
115 3/4	102 1/4	37	13 5/8
119 7/8	105	38	13 7/8
122	107 7/8	39	14 1/4
125 1/8	110 5/8	40	14 1/2
128 1/8	113 3/8	41	13 7/8
131 1/4	116 1/8	42	15 1/8
134 3/8	119	43	15 1/2
137 1/2	121 3/4	44	15 3/4
140 5/8	124 5/8	45	16 1/8
143 3/4	127 3/8	46	16 3/8
146 7/8	130 1/4	47	16 3/4
150	133	48	17
153 1/8	135 7/8	49	17 3/8
156 1/8	138 1/2	50	17 5/8
159 1/4	141 3/8	51	18
162 3/8	144 1/8	52	18 1/4
165 1/2	147	53	18 5/8
168 5/8	149 3/4	54	18 7/8
171 3/4	152 5/8	55	19 1/4
174 7/8	155 3/8	56	19 1/2
178	158 1/4	57	19 7/8
181	160 7/8	58	20 1/8
184 1/8	163 3/4	59	20 1/2
187 1/4	166 1/2	60	20 3/4
190 3/8	169 3/8	61	21 1/8

**Decomatic 3 1/2" Louvers**  
**Center Draw Window Clearance**

Ordered Width	Clear Opening	No. of Louvers	Stack Back*
18 3/4	12 7/8	6	3
25	18 1/2	8	3 1/4
31 1/8	24	10	3 5/8
37 3/8	29 5/8	12	3 7/8
43 5/8	35 1/4	14	4 1/4
49 7/8	40 7/8	16	4 1/2
56	46 3/8	18	4 7/8
62 1/4	52	20	5 1/8
68 1/2	57 5/8	22	5 1/2
74 3/4	63 1/4	24	5 3/4
81	68 7/8	26	6 1/8
87 1/8	74 3/8	28	6 3/8
93 3/8	80	30	6 3/4
99 5/8	85 5/8	32	7
105 7/8	91 1/4	34	7 3/8
112	96 3/4	36	7 5/8
118 1/4	102 3/8	38	8
124 1/2	108	40	8 1/4
130 3/4	113 5/8	42	8 5/8
136 7/8	119 1/8	44	8 7/8
143 1/8	124 3/4	46	9 1/4
149 3/8	130 3/8	48	9 1/2
155 5/8	136	50	9 7/8
161 3/4	141 1/2	52	10 1/8
168	147 1/8	54	10 1/2
174 1/4	152 3/4	56	10 3/4
180 1/2	158 3/8	58	11 1/8
186 3/4	164	60	11 3/8
191	169 1/2	62	11 3/4

\* Split stack blinds must have an even number of louvers.  
Stack width given is the measurement per side.



# Product Information

## Discoveries® Vertical Blinds - Panogram Stacking Charts

**Panogram 3 1/2" Louvers**  
**One-Way Draw Window Clearance**

Ordered Width	No. of Louvers	Stack Back
13 1/4 - 16 3/8	4	3 3/4
16 1/2 - 19 1/2	5	4 1/8
19 5/8 - 22 5/8	6	4 1/2
22 3/4 - 25 7/8	7	5
26 - 29	8	5 1/2
29 1/8 - 32 1/8	9	6
32 1/4 - 35 1/4	10	6 3/8
35 3/8 - 38 1/2	11	6 3/4
38 5/8 - 41 5/8	12	7 1/4
41 3/4 - 44 7/8	13	7 5/8
45 - 48	14	8
48 1/8 - 51 1/8	15	8 1/2
51 1/4 - 54 1/4	16	8 7/8
54 3/8 - 57 3/8	17	9 3/8
57 1/2 - 60 5/8	18	9 3/4
60 3/4 - 63 3/4	19	10 1/4
63 7/8 - 66 7/8	20	10 5/8
67 - 70	21	11 1/8
70 1/8 - 73 1/4	22	11 1/2
73 3/8 - 76 3/8	23	12
76 1/2 - 79 1/2	24	12 3/8
79 5/8 - 82 3/4	25	12 7/8
82 7/8 - 85 7/8	26	13 1/4
86 - 89	27	13 3/4
89 1/8 - 92 1/8	28	14 1/8
92 1/4 - 95 3/8	29	14 1/2
95 1/2 - 98 1/2	30	15
98 5/8 - 101 3/4	31	15 3/8
101 7/8 - 104 7/8	32	15 7/8
105 - 108	33	16 1/4
108 1/8 - 111 1/8	34	16 3/4
111 1/4 - 114 1/4	35	17 1/8
114 3/8 - 117 1/2	36	17 5/8
117 5/8 - 120 5/8	37	18
120 3/4 - 124 7/8	38	18 1/2
125 - 127	39	19
127 1/8 - 130 1/4	40	19 3/8
130 3/8 - 133 1/4	41	19 3/4
133 3/8 - 136 3/8	42	20 1/4
136 1/2 - 139 5/8	43	20 5/8
139 3/4 - 143 3/4	44	21 1/8
143 7/8 - 145 7/8	45	21 1/2
146 - 149	46	22
149 1/8 - 153 1/4	47	22 3/8
153 3/8 - 155 3/8	48	22 7/8
155 1/2 - 158 1/2	49	23 1/4
158 5/8 - 161 3/4	50	23 3/4
161 7/8 - 164 7/8	51	24 1/8
165 - 168	52	24 5/8
168 1/8 - 171 1/8	53	25
171 1/4 - 174 3/8	54	25 1/2
174 1/2 - 177 1/2	55	25 7/8
177 5/8 - 180 5/8	56	26 3/8
180 3/4 - 183 3/4	57	26 3/4
183 7/8 - 187	58	27 1/4
187 1/8 - 191	59	27 5/8

**Panogram 3 1/2" Louvers**  
**Center Draw Window Clearance**

Ordered Width	Louvers / Side	Idler Stack / Side	Control Stack / Side
25 1/4 - 31 1/2	4	3 1/8	3 5/8
31 5/8 - 37 3/4	5	3 5/8	4 1/8
37 7/8 - 44 1/8	6	4 1/8	4 5/8
44 1/4 - 50 3/8	7	4 1/2	5
50 1/2 - 56 3/4	8	5	5 1/2
56 7/8 - 63 1/8	9	5 3/8	5 7/8
63 1/4 - 69 3/8	10	5 7/8	6 3/8
69 1/2 - 75 3/4	11	6 1/4	6 3/4
75 7/8 - 82	12	6 3/4	7 1/4
82 1/8 - 88 3/8	13	7 1/8	7 5/8
88 1/2 - 94 3/8	14	7 5/8	8 1/8
94 1/2 - 101	15	8	8 1/2
101 1/8 - 107 3/8	16	8 1/2	9
107 1/2 - 113 5/8	17	8 7/8	9 3/8
113 3/4 - 120	18	9 3/8	9 7/8
120 1/8 - 126 1/4	19	9 3/4	10 1/4
126 3/8 - 132 5/8	20	10 1/4	10 3/4
132 3/4 - 138 7/8	21	10 5/8	11 1/8
139 - 145 1/4	22	11 1/8	11 5/8
145 3/8 - 151 1/2	23	11 1/2	12
151 5/8 - 157 7/8	24	12	12 1/2
158 - 164 1/4	25	12 3/8	12 7/8
164 3/8 - 170 1/2	26	12 7/8	13 3/8
170 5/8 - 176 7/8	27	13 1/4	13 3/4
177 - 183 1/8	28	13 3/4	14 1/4
183 1/4 - 189 1/2	29	14 1/8	14 5/8
189 5/8 - 191	30	14 5/8	15 1/8

\* Split stack blinds must have an even number of louvers.  
Stack width given is the measurement per side.

# Product Information

## Discoveries® Vertical Blinds - Pattern and Color Chart

Pattern	Color	Deck#	Pattern	Color	Deck#	Pattern	Color	Deck#	Pattern	Color	Deck#
Avenue	Brandy	T16	Embroidery	Caramel	T9	Niagara	Chalk White	T14	Venus-S	Café	T2
	Brownstone	T16		Cream	T9		Hazelnut	T14		Cream	T2
	Cameo	T16		Pure White	T9		Off-White	T14		Glacier	T2
	Cream	T16		Storm	T9		Sandstone Beige	T14		Raindrop	T2
	Sand	T16		Taupe	T9	NightLife	Custard	F4	Vertex	Ivory1	SS12
Avenue-S	Brandy	T17	Fiji	Brick	N8		Gray Flannel	F2		Moccasin	SS12
	Brownstone	T17		Brown	N8		Wedding White	F1		Powder	SS12
	Cameo	T17		Copper	N8	OpenWeave	Caramel	F6		Sugar Cookie	SS12
	Cream	T17		Natural	N8		Cocoa	F6		Wheat	SS12
	Sand	T17		White	N8		Harvest	F5	Village	Canvas	F3
Avery	Ice	T4	Frontier	Buff	N4		Iceberg	F2		Natural	F3
	Wheat	T4		Chestnut	N1		Ivory	F1	Virtuoso-S	Marble	SS4
Barnabas	Coffee	SS1		Mahogany	N4	Palisade	Fog	SS13		Swan	SS4
	Ice	SS1		Pecan	N1		Glademist	SS13		White	SS4
	Ivory	SS1		Teak	N4		Powder	SS13	Watergate	Brite White	T10
	Sand	SS1		Walnut	N1		Sugar Cookie	SS13		Desert Beige	T10
Basic Curved	Brite White		Gavin	Candlelight	F4	Presley	Croissant	F3		Ivory	T10
	Ivory			Snow	F1		Snow Drift	F1		Silvermine Gray	T10
	Polar		Glacier	Black	SS8	Quaker	Ivory	F4		Sunset Copper	T10
	Sugar Cookie			Ivory	SS5		Mushroom	F3	Watergate-S	Brite White	T11
Berber Slub	Pebble	F1		Marble	SS5	Reflection	Harvest	F5		Desert Beige	T11
	Stone	F2		Navy	SS8		Salt & Pepper	F2		Ivory	T11
	Winter	F2		Tan	SS5		SoapStone	F2		Silvermine Gray	T11
Bollywood	Amber	N11		Terracotta	SS8	Ridgefield	Ivory	SS7		Sunset Copper	T11
	Buff	N11		White	SS5		Polar	SS7	Weave	Berber	F1
	Sand	N11	Greenwich	Flax	F4		Sugar Cookie	SS7		Cotton	F1
	Stone	N11		Parchment	F3	Sahara	Caramel	T8		Flax	F3
	Teak	N11	Grover	Putty	F6		Chenille	T8	Wicker	Blonde	N7
Cabaret	Aspen	N2		Stone	F5		Fawn	T8		Grain	N10
	Bleach	N2	Hombre	Berber	F5		Gray	T8		Linen	N7
	Georgia Clay	N2		Flax	F3		Sterling	T8		Molasses	N10
	Natural	N2		Linen	F3	South Pacific	Mushroom	F6		Nutmeg	N10
Cabos	Sand	F3	Island Breeze	Bamboo	F6		Raffia	F5		Sunset	N7
	Shell	F4	Justin	Cloud	T3		Tobacco	F6	Yellowstone	Walnut	F6
	Light Ivory	F4		Ivory	T3	Stonegate	Crystal	T18			
Cambric	Magnolia	F1		Taupe	T3		Gold	T18			
	Rocky Coast	F5	La Palma	Clove	N5		Off-White	T18			
	Sand	F4		Gold	N5		Sable	T18			
	Sandcastle	F6		Russet	N5	Strie	Cream	F3			
	Storm	F2		Sand	N5		Pearl	F4			
Castile	Fog	SS3	Lagoon	Antique	N9		Taupe	F5			
	Ivory	SS3		Birch	N9	Summer Rain	Cloud	T6			
	Powder	SS3		Khaki	N9		Oatmeal	T6			
	Sugar Cookie	SS3		Latte	N12		Sea	T6			
	White	SS3		Sesame	N12		Spring	T6			
Chameleon	Chocolate Chip	F5		Wicker	N12	Sunscreen	Gray	SS10			
	Salt & Pepper	F2	Lisbon	Almost White	T5		Sugar Cookie	SS10			
	Sand	F6		Capri	T5		White	SS10			
	Whipped Cream	F4		Sand	T5	Text	Gravel	F2			
Crosby	Soft White	F1		Taupe	T5	Timberland	Chestnut	N6			
Crystalline	Frost	SS14		White Light	T5		Maple	N6			
	Ivory	SS14	Loyola-S	Buff	SS2		Natural	N6			
Curved	Brite White	SS11		Doe	SS2		Pecan	N6			
	Fog	SS11		Off-White	SS2	Times Square	Candlelight	T13			
	Moccasin	SS11		Oyster	SS2		Cirrus	T13			
	Off-White	SS11	Mont Clare	Coffee	N3		Crust	T13			
	Polar	SS11		Pebble	N3	Townhouse	Cream	T7			
	Sugar Cookie	SS11		Red Clay	N3		Pearl	T7			
Delfino	Ivory	SS9		Sesame	N3		Silver	T7			
	Marble	SS9		Stone	N3		Slate	T7			
	Parchment	SS9	Montana	Arctic Gray	T12	Urban	Tinsel	SS6			
	Soft White	SS9		Blush Beige	T12		Turkish Coffee	SS6			
Dupioni	Beige	T15		Fawn	T12	Venus	Café	T1			
	Tan	T15		Lannonstone	T12		Cream	T1			
	Taupe	T15		Parchment	T12		Glacier	T1			
							Raindrop	T1			

### Sheer Visions

Pattern	Color	Deck#
Crystalline PVC	Ivory	SV-4
	Frost	SV-4
Curved PVC	Brite White	SV-2
	Off-White	SV-11
Intertwine	Biscuit	SV-3
	Linen	SV-3
New Batiste	Marble	SV-1
	Malt	SV-1
	Linen	SV-1
	Snow	SV-1
New Voile	Winter White	SV-1
	Off White	SV-1
Whisper	Linen	SV-3
Voile Chic	Glow	SV-3
	Putty	SV-3
	Shadow	SV-3



## LAFAYETTE WARRANTY

Lafayette Venetian Blind, Inc. warrants to the original purchaser that its products, properly measured, installed and maintained in the window/door will be free from defect in materials and workmanship from the date of sale to the original purchaser for the period shown below, based upon product type.

Allure Transitional Shades	Lifetime Limited	Motorized Systems (excluding batteries)	5 years
Classic Collection Aluminum Blinds	Lifetime Limited	exception: Auto Wand, EZ Charge V 1.0	1 year
Discoveries Verticals Louvers and Track	Lifetime Limited	Auto Wand, EZ Charge V 2.0	5 years
Fidelis Composite Wood Blinds	Lifetime Limited	Parasol Cellular Shades	Lifetime Limited
Genesis Shades	Lifetime Limited	Sheer Visions Fabric	3 years
Heartland Woods	Lifetime Limited, 3 yrs Finish	Soft Fashions	3 years
Manh Truc Woven Shades	Lifetime Limited	Tenera Sheer Shadings	Lifetime Limited
Marquis Shutters	Lifetime Limited	Wonderwood Faux Wood Blinds	Lifetime Limited
		Woodland Harvest Shutters	Lifetime Limited, 3 yrs Finish

The obligation of Lafayette Venetian Blind, Inc. and its dealers is limited to repair or replacement of the internal mechanisms, components and brackets found to be defective when the product is returned to Lafayette Venetian Blind, Inc. at the expense of the original purchaser within the warranty period stated above. Repairs will be made with like or similar parts. Discontinued components or colors will be replaced with closest equivalent current product.

Operational cords on Lafayette products are warranted for 7 years from the date of purchase. All repairs and remakes will conform to current child safety requirements. If the repair or remake is outside the 7 year operational cord warranty then any costs to conform to child safety guidelines are the responsibility of the dealer. Fabric delamination is also covered within the warranty period stated above.

This warranty does NOT include any conditions caused by normal wear and tear or damages resulting from accidents, alterations, misuse, abuse, misapplication, exposure to the elements (sun damage, wind/water/moisture) and discoloration or fading over time). Failure to follow instructions for measurement, installation, cleaning or maintenance void the warranty. The product can only be used in the window/door for which it was originally purchased. Lafayette Venetian Blind, Inc. will not be liable for trip charges, measuring, disassembly, removal, reassembly or reinstallation of this product, nor for damage or loss to other property.

This warranty is exclusive and in lieu of all other obligations, liabilities, or warranties. This warranty gives you specific legal rights. You may have other rights which vary from state to state. In some states the exclusion or limitation of incidental or consequential damages may not apply.

To obtain warranty service, contact an authorized Lafayette dealer. The dealer will work with Lafayette Venetian Blind, Inc. to promptly repair or replace any defective parts or components without charge. Warranty claims must be accompanied by proof of purchase.

### DISCLAIMER AND LIMITATION OF WARRANTIES AND REMEDIES

THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

THE WARRANTIES SET FORTH IN THIS "LAFAYETTE WARRANTY" STATEMENT ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ALL WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH WARRANTIES ARE SPECIFICALLY DISCLAIMED BY LAFAYETTE VENETIAN BLIND, INC.

THE SOLE OBLIGATION OF LAFAYETTE VENETIAN BLIND, INC., AND THE SOLE REMEDY OF ANY ORIGINAL PURCHASER FOR ANY CLAIMED BREACH OF WARRANTY, DEFECT OR NONCONFORMITY OF PRODUCT (REGARDLESS OF THE NATURE OF SUCH CLAIM, AND INCLUDING CLAIMS OF BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, STRICT LIABILITY, AND ALL OTHER CLAIMS) SHALL BE THE ORIGINAL PURCHASER'S RIGHT TO RETURN ANY NONCONFORMING PRODUCT TO LAFAYETTE VENETIAN BLIND, INC., IN EXCHANGE FOR REPAIR OR REPLACEMENT OF SAID PRODUCT IN ACCORDANCE WITH THE LIMITED EXPRESS WARRANTY STATED IN THIS "LAFAYETTE WARRANTY." IN NO EVENT SHALL LAFAYETTE VENETIAN BLIND, INC., BE LIABLE FOR DAMAGES, WHETHER DIRECT, CONSEQUENTIAL OR INCIDENTAL, TO ANY ORIGINAL PURCHASER OR ANY OTHER PARTY, ARISING OUT OF SALE OR USE OF PRODUCTS SOLD BY LAFAYETTE VENETIAN BLIND, INC., WITH THE LIMITED EXPRESS WARRANTIES SET FORTH IN THIS "LAFAYETTE WARRANTY" STATEMENT.

Lafayette will, at our discretion, repair or replace the window fashions product or components found to be defective.  
Product warranties DO NOT imply replacement of the product.

Product returned to Lafayette must comply with the Return Product Packaging Policy.  
Lafayette will not be responsible for removal charges, reinstallation charges or shipping costs incurred.

Find the on-line Product Registration Form at [www.lafayetteinteriorfashions.com/Resources/Warranty & Registration](http://www.lafayetteinteriorfashions.com/Resources/Warranty%20&%20Registration)

Rev 3/2017