

What is Genesis?

Overview and Advisories

Genesis is a Lafayette custom shade product family which includes window shades, roman shades and panel track shades. The Genesis fabrics are a comprehensive collection of traditional window shade fabrics, screen shade fabrics, colorful shade fabrics and unique window shade fabrics. Fabrics are divided into collections in the Genesis sample book to correspond with their function at the window: Conceal, Enlighten, Designer Screens, Performance Screens and Solar Screens, Films, Origin and Companions. Several of our Genesis fabrics are companions to our best-selling Allure Transitional Shades and Discoveries Vertical Blinds to allow the combination of two products in the same room. Some of the highlights of our Genesis collection are shown below:

Window Shades - Lifting Systems

- Genesis shades are constructed with an SL Clutch system standard and included in the price. This clutch system is a reliable system that allows for easier lifting and operation of the shade.
- Additional clutch options include the proven R Series Clutch or the stylish Luxe Decorative Clutch!
- The tried and true spring roller is still available at the same price as a clutch roller.
- EZ Pull and EZ Lift provide unique lifting solutions.



Window Shades - Cassettes, Fascias, Valances and Cornice

- A small and large cassette system are available for Genesis window shades.
- Fascia is available in 3", 4" and 5" Flat Fascia, 4" Curved Fascia, 5" Contract Pocket and Light Blockout System.
- A valance or cornice is available in shade materials or a wood valance can be selected.



Window Shades - Hemlines

- Genesis shades are constructed with a wrapped metal hem bar standard. This hemline adds additional weight and stability to the shade. Exception: For Light-Vue a smoked steel hem bar is used.
- Metal hem bar color is selected based upon fabric.



Roman Shades

- Flat Roman Shades are offered in two different styles - Traditional and Contemporary.
- The TLC Child Safe Lifting System is on every Genesis roman shade for enhanced child and pet safety.
- The Cordless TLC with CareRING option is a superior child safe solution, available on both roman shade styles.

Panel Track Shades

- An ideal solution for wide expanses, Panel Track offers smooth operation with either cord draw or wand draw.
- A metal bar enclosed in the bottom of the Panel Track panel provides weight and stability to the individual panels.
- An Artisan Valance adds a finishing touch to a Panel Track.

Genesis Advisories

- Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included **before** sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and **we cannot be responsible for trip charges or reinstallation charges. Repairs or remakes must be requested within 30 days of invoice date.**
- Because of the wide variety of textures and patterns available for custom shades, all fabrics DO NOT perform in the same way.
- Horizontal lines in a pattern may not be horizontal at the window. This is **NOT** considered a defect.
- The opacity ratings given for each material are designed as a guide only and are subject to interpretation. To make your own determination of the shading rating take a small piece of material and candle it to a light source. Warning: Even though a material may be rated "opaque", the application in which it is used may not minimize light leakage.
- Ceiling mount shades may rub the ceiling if tube size and fabric rollup are too large. Customer service can provide the rollup size to determine bracket clearance.
- Full barrel coverage is NOT recommended for shades due to the wear and tear on the edge of the shade cloth. The Lifetime Limited Warranty is not available on shades that have full barrel coverage.
- Shades ordered at different times may be different dye lots and the decorative hems may have different placements.
- For shades of matching dye lot, order at the same time and designate the same room number on shades.
- Colors may appear different under varied light conditions: fluorescent to incandescent light; daylight to evening; and sample book to window.

Product Index

Genesis Fabric Information

Fabric Name	WS/RS Price Chart	Fabric Information							Window Shades			Roman Shades		Panel Track Price Chart
		Fabric Width	Available Railroaded	Openness %	Opacity Level	# of Colors	FR Code	Eco Friendly	Dec Hem	Season Vue	Companion Fabric	Flat Roman	Specialty Roman	
Aedan	6	79"			3	2		Oeko-tex 100	✓			✓	✓	5
Aspect	6	108"			5	3			✓					N/A
Beatty	6	72"			2	1		Oeko-tex 100	✓			✓	✓	6
Berber Slub	6	72"			2	3		Oeko-tex 100			Discoveries	✓	✓	4
Boho	5	94"			1	1		Greenguard	✓			✓		4
Boucle	2	72"			5	1	NFPA 701	Greenguard	✓	✓				N/A
Brit	6	98"		5%		2	NFPA 701	Greenguard		✓				5
Cabos	5	108"			1	4		Oeko-tex 100			Discoveries	✓	✓	N/A
Cayman	5	110"			2	2			✓			✓	✓	6
Dakota	6	78"			3	1			✓			✓	✓	4
Dallas	6	72"			2	2		Oeko-tex 100	✓			✓	✓	3
Deco Screen	5	98"		5%		1	NFPA 701	Greenguard		✓				3
Dimensions (3%)	3	120"		3%		8	NFPA 701	Greenguard		✓		✓	✓	3
Dimensions (5%)	3	120"		5%		8	NFPA 701	Greenguard		✓		✓	✓	3
Duo Vue	4	98"		1%		3	NFPA 701	Greenguard		✓				3
E Screen (3%)	3	122"		3%		7	NFPA 701	Greenguard		✓		✓	✓	N/A
E Screen (5%)	3	122"		5%		7	NFPA 701	Greenguard		✓		✓	✓	N/A
E Screen KOOLBLACK (3%)	6	122"		3%		3	NFPA 701	Greenguard		✓		✓	✓	N/A
E Screen KOOLBLACK (5%)	6	122"		5%		3	NFPA 701	Greenguard		✓		✓	✓	N/A
Economy Screen	A	118"		7%		3	NFPA 701	Greenguard						N/A
Edessa Twilight	4	118"	✓		5	5		Greenguard	✓					N/A
Fedora	6	72"			2	3		Oeko-tex 100	✓			✓	✓	3
Fiber-Lucent	1	72"	✓		3	2	NFPA 701	Greenguard	✓	✓				1
Grasscloth	6	72"			3	3		Oeko-tex 100	✓			✓	✓	3
Hanji	7	94"			2/3	4			✓		Allure	✓		5
Harper	6	115"			3	1		Greenguard	✓					4
Highland	6	118"			5	3	NFPA 701	PVC/Lead Free	✓					N/A
Hombre	6	72"			2	3		Oeko-tex 100	✓		Discoveries	✓	✓	3
Homespun	5	79"			2	2		Oeko-tex 100	✓			✓	✓	3
Jackson	6	72"			2	4			✓			✓	✓	5
Katrina	1	98"			2	2			✓					N/A
Keilani	5	108"			2	2		Oeko-tex 100				✓	✓	N/A
Kendo	7	94"			1	2						✓	✓	N/A
Lexie	6	110"			2	4		PVC Free	✓					N/A
Light-Vue	5	72"	✓		1	3								N/A
Lindley	7	72"			5	3			✓					N/A
Linen	4	78"			5	2			✓					N/A
Lizzy	6	86"			3	2			✓			✓	✓	4
Long Bay	3	110"			3	5			✓			✓		2
Long Bay Blackout	6	106"			5	2			✓					5
Loretta	5	72"			2	1		Oeko-tex 100	✓			✓	✓	4
Lucinda	5	72"			2	1		Oeko-tex 100	✓			✓	✓	4
Luminescence	6	94"			3	5					Allure			N/A
Mindoro	6	108"			1	3						✓		N/A
Moire	2	72"			5	2	NFPA 701	Greenguard	✓	✓				N/A
Mysterious	7	78/94" ♦			5	9		Oeko-tex 100	✓					N/A
Mystic	5	108"			3	14					Allure	✓		3
Mystic Eclipse	6	110"			5	5			✓		Allure			4
Net 3000	2	118"	✓	5%		7	NFPA 701	Greenguard		✓		✓	✓	2
No-Lite Fiberglass Duplex	2	72"	✓		5	5	NFPA 701	Greenguard	✓	✓				N/A
No-Lite Fiberglass Solids	2	72"	✓		5	7	NFPA 701	Greenguard	✓	✓				N/A
Opulence	3	118"		10%		4	NFPA 701	Greenguard		✓				2

♦ Mysterious colors Navy Blue and Natural are 78" wide; all other Mysterious colors are 94" wide.

Pricing for window height up to 120" is provided. For shades greater than 120" window height a different tube size may be required. Contact Customer Service for size/tube availability greater than 120" window height.

For **Window Shades - Railroaded Fabric** - Shades fabricated wider than the maximum shade width are made with fabric turned width for length. Railroaded shades may have a visible horizontal seam if requested length exceeds fabric width.

Product Index

Genesis Fabric Information

Fabric Name	WS/RS Price Chart	Fabric Information							Window Shades			Roman Shades		Panel Track Price Chart
		Fabric Width	Available Railroaded	Openness %	Opacity Level	# of Colors	FR Code	Eco Friendly	Dec Hem	Season Vue	Companion Fabric	Flat Roman	Specialty Roman	
Origami	5	108"			1	2		Oeko-tex 100				✓	✓	N/A
Pacifica	9	110"			5	2	NFPA 701	Greenguard	✓					N/A
Pearlescent	4	78"	✓		5	2			✓					N/A
Persia	5	110"			2	3			✓			✓	✓	3
Princeton	3	78"			3/4	4			✓					1
Rocky Mountain	4	70"			2	3		Oeko-tex 100	✓			✓	✓	5
Rollie	6	79"	✓		2	1		Oeko-tex 100	✓			✓	✓	5
S Screen Elements	5	122"		4%		1	NFPA 701	Greenguard		✓				3
S Screen Origins	5	122"		4%		2	NFPA 701	Greenguard		✓				3
Safari	6	72"			2	1		Oeko-tex 100				✓	✓	N/A
Seclusion	5	120"	✓		5	1	NFPA 701	Greenguard	✓	✓				N/A
Sedona	6	110"			5	4		PVC/Lead Free	✓					4
Seto 5000	4	110"			3	3	NFPA 701	Oeko-tex 100	✓					N/A
Seto 6000	4	110"			2	3	NFPA 701	Oeko-tex 100	✓					N/A
Shantung	5	79"			3	2		Oeko-tex 100	✓			✓	✓	3
SheerWeave 1000	2	96"		25%		1	NFPA 701	Greenguard				✓	✓	N/A
SheerWeave 2000	3	126"	✓	5%		8	NFPA 701	Greenguard		✓		✓	✓	2
SheerWeave 2390	3	126"	✓	5%		6	NFPA 701	Greenguard		✓		✓	✓	2
SheerWeave 2410	4	126"	✓	3%		6	NFPA 701	Greenguard		✓		✓	✓	4
SheerWeave 2500	5	126"	✓	1%		6	NFPA 701	Greenguard		✓		✓	✓	4
SheerWeave 3000	3	96"		14%		6	NFPA 701	Greenguard		✓		✓	✓	2
SheerWeave 4100	3	98"	✓	10%		6	NFPA 701	Greenguard		✓				2
SheerWeave 4400	4	126"		3%		2	NFPA 701	Greenguard		✓				3
SheerWeave 5000 *	4	98"		1/3/5/7/10%		18	See Page 14	Greenguard		✓				4
SheerWeave 7000	7	118"	✓		5	7	NFPA 701	Greenguard	✓	✓				4
SheerWeave Infinity 2 (3%)	7	98"		3%		3	NFPA 701	Greenguard		✓				5
SheerWeave Infinity 2 (5%)	7	98"		5%		3	NFPA 701	Greenguard		✓				5
SheerWeave Perf+ 2390	9	96"		5%		3	NFPA 701	Greenguard		✓				6
SheerWeave Perf+ 2410	9	96"		3%		3	NFPA 701	Greenguard		✓				6
Spector	7	78"			5	7	NFPA701		✓					5
Spiral	4	102"			4	2		Oeko-tex 100	✓			✓	✓	2
Strata	8	81"			3	3	NFPA 701		✓					N/A
Strie	6	72"			2	3		Oeko-tex 100	✓		Discoveries	✓	✓	4
SuperWide	6	106"	✓		5	3			✓					N/A
T Screen KOOLBLACK (3%)	5	122"		3%		3	NFPA701	Greenguard		✓		✓	✓	4
T Screen KOOLBLACK (5%)	5	122"		5%		3	NFPA701	Greenguard		✓		✓	✓	4
Tabago	6	110"			2	5						✓	✓	N/A
Tahiti	8	70"			3	3						✓	✓	N/A
Triad	4	98"/118"		3%		5	NFPA 701	Greenguard		✓				3
Tussah	6	110"			2/3	5		PVC Free	✓					N/A
Valencia	8	94"			3	2		Oeko-tex 100	✓					5
Vanish	7	94"			5	2		Oeko-tex 100	✓					5
Viking	1	72"	✓		3	6	NFPA 701	Greenguard	✓					N/A
Vision	1	118"		5%		4	NFPA 701	Oeko-tex 100		✓		✓	✓	N/A
Vista Screen	7	98"		4%		4	NFPA701	Greenguard		✓		✓	✓	4
Vizela	8	94"			2	3	NFPA 701	Greenguard	✓			✓	✓	5
Wave	7	72"			3	1		Oeko-tex 100	✓			✓	✓	5
Weave	6	72"			2	3		Oeko-tex 100			Discoveries	✓		4
Willow	6	72"			2	3		Oeko-tex 100	✓			✓	✓	3
Yellowstone	4	72"			3	5		Oeko-tex 100	✓		Discoveries	✓		5

* SheerWeave 5000 openness varies by color; See the Genesis sample book or page 14 for listing of colors/openness.

• Triad colors Charcoal and Silver Sand are 98" wide; all other Triad colors are 118" wide.

Pricing for window height up to 120" is provided. For shades greater than 120" window height a different tube size may be required. Contact Customer Service for size/tube availability greater than 120" window height.

For **Window Shades - Railroaded Fabric** - Shades fabricated wider than the maximum shade width are made with fabric turned width for length. Railroaded shades may have a visible horizontal seam if requested length exceeds fabric width.

Size Standards Genesis Window Shades

		SL & R Clutch	Luxe™ Clutch	EZ Pull	EZ Lift	Small Cassette	Large Cassette	Top Down	3" Fascia	4" Fascia	5" Fascia Single/Dual	5" Pocket Single/Dual	Spring Roller	Allure Coupltaire	
Aedan	Max Width	79"	79"	79"	72"	79"	79"	79"	79"	79"	79"	79"	79"	79"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Aspect	Max Width	108"	103"	96"	72"	103"	108"	84"	98"	108"	108"	108"	108"	108"	N/A
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Beatty - Serged Edge	Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	NA
	Max Height	120"	96"	96"	96"	50"	96"	96"	84"	144"	168"/96"	168"/96"	120"		
Berber Slub	Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Boho	Max Width	94"	94"	94"	72"	94"	94"	84"	94"	94"	94"	94"	94"	94"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Boucle	Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Brit	Max Width	98"	98"	96"	72"	98"	98"	84"	98"	98"	98"	98"	98"	98"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Cabos	Max Width	108"	103"	96"	72"	103"	108"	84"	98"	108"	108"	108"	108"	108"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Cayman	Max Width	110"	103"	N/A	N/A	103"	110"	84"	98"	110"	110"	110"	110"	110"	NA
	Max Height	120"	96"			72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Dakota	Max Width	78"	78"	78"	72"	78"	78"	78"	78"	78"	78"	78"	78"	78"	N/A
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Dallas	Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	N/A
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Deco Screen	Max Width	98"	98"	96"	72"	98"	98"	84"	98"	98"	98"	98"	98"	98"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Dimensions 3% or 5%	Max Width	120"	103"	96"	72"	103"	120"	84"	98"	120"	120"	120"	120"	120"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Duo Vue	Max Width	98"	98"	96"	72"	98"	98"	84"	98"	98"	98"	98"	98"	98"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
E Screen 3% or 5%	Max Width	122"	103"	96"	72"	103"	120"	84"	98"	121"	122"	122"	122"	122"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
E Screen with KOOLBLACK™ Technology 3% or 5%	Max Width	122"	103"	96"	72"	103"	120"	84"	98"	121"	122"	122"	122"	122"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Economy Screen	Max Width	118"	103"	96"	72"	103"	118"	84"	98"	118"	118"	118"	118"	118"	N/A
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Edessa Twilight	Max Width	192**	103"	96"	72"	103"	120**	84"	98"	121**	192"/132" *	192"/132" *	126**	126**	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144	168"/96"	168"/96"	120"		
Fedora - Serged Edge	Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	N/A
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Fiber-Lucent	Max Width	120**	103**	96**	72"	103**	120**	84**	98**	120**	120" *	120" *	120**	120**	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Grasscloth	Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	N/A
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Hanji	Max Width	94"	94"	94"	72"	94"	94"	84"	94"	94"	94"	94"	94"	94"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Harper	Max Width	115"	103"	94"	72"	103"	115"	84"	98"	115"	115"	115"	115"	115"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
Highland	Max Width	118"	103"	96"	72"	103"	118"	84"	98"	118"	118"	118"	118"	118"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"		
	Minimum Width	15"	15"	30 1/2"	18 1/2"♦	15"	15"	24"	15"	15"	15"	15"	15"	15"	18"
	Minimum Height	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"

* Railroading this fabric results in a larger maximum width than the fabric width.

♦ For widths 18 1/2" to 26 1/2", shades are available up to 56" long.

For shades greater than 120" window height a different tube size may be required. Contact Customer Service for shades over 120" window height.

Allure Coupltaire pricing is found in the Allure Retail Sales Guide.

Size Standards Genesis Window Shades

		SL & R Clutch	Luxe™ Clutch	EZ Pull	EZ Lift	Small Cassette	Large Cassette	Top Down	3" Fascia	4" Fascia	5" Fascia Single/Dual	5" Pocket Single/Dual	Spring Roller	Allure Coupltaire
Hombre	Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Homespun	Max Width	79"	79"	79"	72"	79"	79"	79"	79"	79"	79"	79"	79"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Jackson	Max Width	72"	72"	N/A	N/A	72"	72"	72"	72"	72"	72"	72"	72"	NA
	Max Height	120"	96"			50"	72"	96"	84"	144"	168"/96"	168"/96"	120"	
Katrina	Max Width	98"	98"	96"	72"	98"	98"	84"	98"	98"	98"	98"	98"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Keilani	Max Width	108"	103"	96"	72"	103"	108"	84"	98"	108"	108"	108"	108"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Kendo	Max Width	94"	94"	94"	72"	94"	94"	84"	94"	94"	94"	94"	94"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Lexie	Max Width	110"	103"	96"	72"	103"	110"	84"	98"	110"	110"	110"	110"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Light-Vue	Max Width	192**	103**	96**	72"	103**	120**	N/A	98**	121**	192"/132" *	192"/132" *	N/A	NA
	Max Height	120"	96"	96"	96"	72"	96"		96"	144"	168"/96"	168"/96"		
Lindley	Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	N/A
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Linen	Max Width	78"	78"	78"	72"	78"	78"	78"	78"	78"	78"	78"	78"	78"
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	96"
Lizzy	Max Width	78"	78"	78"	72"	78"	78"	78"	78"	78"	78"	78"	78"	N/A
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Long Bay	Max Width	110"	103"	96"	72"	103"	110"	84"	98"	110"	110"	110"	110"	84"
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	96"
Long Bay Blackout	Max Width	106"	103"	N/A	N/A	103"	106"	84"	98"	106"	106"	106"	106"	NA
	Max Height	120"	96"			72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Loretta	Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Lucinda	Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Luminescence	Max Width	94"	94"	N/A	N/A	94"	94"	N/A	94"	94"	94"	94"	N/A	NA
	Max Height	120"	96"			72"	96"		96"	144"	168"/96"	168"/96"		
Mindoro	Max Width	108"	103"	96"	72"	103"	108"	84"	98"	108"	108"	108"	108"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Moire	Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Mysterious - Fabric width varies by color; narrowest dimension shown														
	Max Width	78"	78"	78"	72"	78"	78"	78"	78"	78"	78"	78"	78"	77"/84"
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	96"
Mystic	Max Width	108"	103"	96"	72"	103"	108"	84"	98"	108"	108"	108"	108"	84"
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	96"
Mystic Eclipse	Max Width	110"	103"	96"	72"	103"	110"	84"	96"	110"	110"	110"	108"	84"
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	96"
Net 3000	Max Width	192**	103"	96"	72"	103"	120**	84"	98"	121**	192"/132" *	192"/132" *	126**	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
No-Lite Fiberglass - Duplex and Solids														
	Max Width	192**	103**	96**	72"	103**	120**	84**	98**	121**	192"/132" *	192"/132" *	126**	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Opulence	Max Width	118"	103"	96"	72"	103"	118"	84"	98"	118"	118"	118"	118"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	84"	144"	168"/96"	168"/96"	120"	
	Minimum Width	15"	15"	30 1/2"	18 1/2"♦	15"	15"	24"	15"	15"	15"	15"	15"	18"
	Minimum Height	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"

* Railroading this fabric results in a larger maximum width than the fabric width.

♦ For widths 18 1/2" to 26 1/2", shades are available up to 56" long.

For shades greater than 120" window height a different tube size may be required. Contact Customer Service for shades over 120" window height.

Allure Coupltaire pricing is found in the Allure Retail Sales Guide.

Size Standards

Genesis Window Shades

		SL & R Clutch	Luxe™ Clutch	EZ Pull	EZ Lift	Small Cassette	Large Cassette	Top Down	3" Fascia	4" Fascia	5" Fascia Single/Dual	5" Pocket Single/Dual	Spring Roller	Allure Coupltaire
Origami	Max Width	108"	103"	96"	72"	103"	108"	84"	98"	108"	108"	108"	108"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Pacifica	Max Width	110"	103"	N/A	N/A	103"	110"	84"	98"	110"	110"	110"	110"	NA
	Max Height	120"	96"			72"	96"	96"	84"	144"	168"/96"	168"/96"	120"	
Pearlescent	Max Width	192**	103**	96**	72"	103**	120**	84**	98**	121**	192"/132" *	192"/132" *	126**	78"
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	96"
Persia	Max Width	110"	103"	N/A	N/A	103"	110"	84"	98"	110"	110"	110"	110"	NA
	Max Height	120"	96"			72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Princeton	Max Width	78"	78"	78"	72"	78"	78"	78"	78"	78"	78"	78"	78"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Rocky Mountain - Serged Edge														
	Max Width	70"	70"	70"	70"	70"	70"	70"	70"	70"	70"	70"	70"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Rollie	Max Width	192**	103**	96**	72"	103**	120**	84**	98**	121**	192"/132" *	192"/132" *	126**	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
S Screen Elements	Max Width	122"	103"	96"	72"	103"	120"	84"	98"	121"	122"	122"	122"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	84"	144"	168"/96"	168"/96"	120"	
S Screen Origins	Max Width	122"	103"	96"	72"	103"	120"	84"	98"	121"	122"	122"	122"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	84"	144"	168"/96"	168"/96"	120"	
Safari	Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Seclusion	Max Width	192**	103"	96"	72"	103"	120"	84"	98"	121**	192"/132" *	192"/132" *	126**	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Sedona	Max Width	110"	103"	N/A	N/A	103"	110"	84"	98"	110"	110"	110"	110"	NA
	Max Height	120"	96"			72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Seto 5000	Max Width	110"	103"	96"	72"	103"	110"	84"	98"	110"	110"	110"	110"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Seto 6000	Max Width	110"	103"	96"	72"	103"	110"	84"	98"	110"	110"	110"	110"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
Shantung	Max Width	79"	79"	79"	72"	79"	79"	79"	79"	79"	79"	79"	79"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
SheerWeave 1000	Max Width	96"	96"	96"	72"	96"	96"	84"	96"	96"	96"	96"	96"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
SheerWeave 2000	Max Width	192**	103"	96"	72"	103"	120"	84"	98"	121"	192"/132" *	192"/132" *	126"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
SheerWeave 2390	Max Width	192**	103"	96"	72"	103"	120"	84"	98"	121"	192"/132" *	192"/132" *	126"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
SheerWeave 2410	Max Width	192**	103"	96"	72"	103"	120"	84"	98"	121"	192"/132" *	192"/132" *	126"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
SheerWeave 2500	Max Width	192**	103"	96"	72"	103"	120"	84"	98"	121"	192"/132" *	192"/132" *	126"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
SheerWeave 3000	Max Width	96"	96"	96"	72"	96"	96"	84"	96"	96"	96"	96"	96"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
SheerWeave 4100	Max Width	192**	103**	N/A	N/A	103**	120**	84"	98"	121**	192"/132" *	192"/132" *	126**	NA
	Max Height	120"	96"			72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
SheerWeave 4400	Max Width	126"	103"	96"	72"	103"	120"	84"	98"	121"	126"	126"	126"	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	84"	144"	168"/96"	168"/96"	120"	
SheerWeave 5000	Max Width	98"	98"	96"	72"	98"	98"	84"	98"	98"	98"	98"	98"	NA
	Max Height	120"	96"	96"	96"	50"	96"	96"	84"	144"	168"/96"	168"/96"	120"	
SheerWeave 7000	Max Width	192**	103"	96"	72"	103"	120**	84"	98"	121**	192"/132" *	192"/132" *	126**	NA
	Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"	
	Minimum Width	15"	15"	30 1/2"	18 1/2" ♦	15"	15"	24"	15"	15"	15"	15"	15"	18"
	Minimum Height	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"

* Railroading this fabric results in a larger maximum width than the fabric width. ♦ For widths 18 1/2" to 26 1/2", shades are available up to 56" long.
 For shades greater than 120" window height a different tube size may be required. Contact Customer Service for shades over 120" window height.

Allure Coupltaire pricing is found in the Allure Retail Sales Guide.

Size Standards

Genesis Window Shades

		SL & R Clutch	Luxe™ Clutch	EZ Pull	EZ Lift	Small Cassette	Large Cassette	Top Down	3" Fascia	4" Fascia	5" Fascia Single/Dual	5" Pocket Single/Dual	Spring Roller	Allure Couplitaire
SheerWeave Infinity 2 3% or 5%		Max Width	98"	98"	96"	72"	98"	98"	84"	98"	98"	98"	98"	NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	84"	144"	168"/96"	168"/96"	120"
SheerWeave Perf+ 2390		Max Width	96"	96"	96"	72"	96"	96"	84"	96"	96"	96"	96"	NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
SheerWeave Perf+ 2410		Max Width	96"	96"	96"	72"	96"	96"	84"	96"	96"	96"	96"	NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Spector		Max Width	78"	78"	78"	72"	78"	78"	78"	78"	78"	78"	78"	N/A
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Spiral		Max Width	102"	102"	96"	72"	102"	102"	84"	98"	102"	102"	102"	N/A
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Strata		Max Width	81"	81"	81"	72"	81"	81"	81"	81"	81"	81"	81"	NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Strie		Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
SuperWide		Max Width	192**	103"	96"	72"	103"	120**	84"	98"	121**	192"/132" *	192"/132" *	126** 84"
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
T Screen with KOOLBLACK Technology 3% or 5%		Max Width	98"	98"	96"	72"	98"	98"	84"	98"	98"	98"	98"	N/A
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Tabago		Max Width	110"	103"	96"	72"	103"	110"	84"	98"	110"	110"	110"	NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Tahiti		Max Width	70"	N/A	N/A	N/A	N/A	70"	N/A	N/A	N/A	N/A	NA	NA
		Max Height	120"					96"						
Triad		Max Width	98"/118"	98"/103"	96"	72"	98"/103"	98"/118"	84"	98"	98"/118"	98"/118"	98"/118"	NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Tussah		Max Width	110"	103"	96"	72"	103"	110"	84"	98"	110"	110"	110"	NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	84"	144"	168"/96"	168"/96"	120"
Valencia		Max Width	94"	94"	94"	72"	94"	94"	84"	94"	94"	94"	94"	NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Vanish		Max Width	94"	94"	94"	72"	94"	94"	84"	94"	94"	94"	94"	76"
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	96"
Viking		Max Width	120**	103**	96**	72"	103**	120**	84**	98**	120**	120" *	120" *	120** NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Vision		Max Width	118"	103"	96"	72"	103"	118"	84"	98"	118"	118"	118"	NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Vista Screen		Max Width	98"	98"	96"	72"	98"	98"	84"	98"	98"	98"	98"	N/A
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Vizela		Max Width	94"	94"	N/A	N/A	94"	94"	84"	94"	94"	94"	94"	NA
		Max Height	120"	96"			72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Wave		Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	N/A
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Weave		Max Width	72"	72"	N/A	N/A	72"	72"	72"	72"	72"	72"	72"	NA
		Max Height	120"	96"			72"	96"	96"	84"	144"	168"/96"	168"/96"	120"
Willow		Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
Yellowstone		Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"	NA
		Max Height	120"	96"	96"	96"	72"	96"	96"	96"	144"	168"/96"	168"/96"	120"
	Minimum Width	15"	15"	30 1/2"	18 1/2"♦	15"	15"	24"	15"	15"	15"	15"	15"	18"
	Minimum Height	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"

* Railroading this fabric results in a larger maximum width than the fabric width.

♦ For widths 18 1/2" to 26 1/2", shades are available up to 56" long.

For shades greater than 120" window height a different tube size may be required. Contact Customer Service for shades over 120" window height.

Allure Couplitaire pricing is found in the Allure Retail Sales Guide.

Motorized Shades - Size Standards

Genesis Window Shades

		Auto-Wand Motor	EZ Charge Rechargeable	System II Motor	Q Motion Motor	2.6 QMotion Fascia	3.3 QMotion Fascia < 96" wide	3.3 QMotion Fascia > 96" wide
Aedan	Max Width / Max Height Max Area (sq ft.)	79" / 80" 43	79" / 96" 52	79" / 96"	79" / 120"	79" / 120"	79" / 120"	N/A
Aspect	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	108" / 120"	96" / 65"	96" / 120"	108" / 120"
Beatty - Serged Edge	Max Width / Max Height Max Area (sq ft.)	72" / 80" 40	72" / 96" 48	72" / 96"	72" / 120"	72" / 30"	72" / 100"	N/A
Berber Slub	Max Width / Max Height Max Area (sq ft.)	72" / 80" 40	72" / 96" 48	72" / 96"	72" / 120"	72" / 70"	72" / 120"	N/A
Boho	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	94" / 96" 62	94" / 96"	94" / 120"	94" / 120"	94" / 120"	N/A
Boucle	Max Width / Max Height Max Area (sq ft.)	72" / 80" 40	72" / 96" 48	72" / 96"	72" / 120"	72" / 120"	72" / 120"	N/A
Brit	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 62	96" / 96"	98" / 120"	96" / 70"	96" / 120"	98" / 120"
Cabos	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 48	96" / 96"	108" / 120"	96" / 70"	96" / 120"	108" / 120"
Cayman	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	110" / 120"	96" / 50"	96" / 120"	110" / 120"
Dakota	Max Width / Max Height Max Area (sq ft.)	78" / 80" 43	78" / 96" 64	78" / 96"	78" / 120"	78" / 50"	78" / 120"	N/A
Dallas	Max Width / Max Height Max Area (sq ft.)	72" / 80" 44.4	72" / 96" 48	72" / 96"	72" / 120"	72" / 80"	72" / 120"	N/A
Deco Screen	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	98" / 120"	96" / 80"	96" / 120"	98" / 120"
Dimensions 3% or 5%	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 58	96" / 96"	118" / 120"	96" / 80"	96" / 120"	118" / 120"
Duo Vue	Max Width / Max Height Max Area (sq ft.)	80" / 80" 41	96" / 96" 51	96" / 96"	98" / 120"	96" / 70"	96" / 120"	98" / 120"
E Screen 3% or 5%	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 62	96" / 96"	118" / 120"	96" / 90"	96" / 120"	118" / 120"
E Screen w/ KOOLBLACK™ Technology 3% or 5%	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	118" / 120"	96" / 90"	96" / 120"	118" / 120"
Economy Screen	Max Width / Max Height Max Area (sq ft.)	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Edessa Twilight	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	118** / 120"	96" / 90"	96" / 120"	118" / 120"
Fedora - Serged Edge	Max Width / Max Height Max Area (sq ft.)	72" / 80" 40	72" / 96" 48	72" / 96"	72" / 120"	72" / 80"	72" / 120"	N/A
Fiber-Lucent	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96** / 96" 64	96** / 96"	118** / 120"	96* / 120"	96** / 120"	118** / 120"
Grasscloth	Max Width / Max Height Max Area (sq ft.)	72" / 80" 40	72" / 96" 48	72" / 96"	72" / 120"	72" / 80"	72" / 120"	N/A
Hanji	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	94" / 96" 62	94" / 96"	94" / 120"	94" / 120"	94" / 120"	N/A
Harper	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	115" / 120"	96" / 120"	96" / 120"	115" / 120"
Highland	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	118" / 120"	96" / 70"	96" / 120"	118" / 120"
	Minimum Width	15"	18"	15"	15 1/2"	15 1/2"	15 1/2"	
	Minimum Height	24"	24"	24"	24"	24"	24"	24"

* Railroading this fabric results in a larger maximum width than the fabric width.

Motorized Shades - Size Standards

Genesis Window Shades

		Auto-Wand Motor	EZ Charge Rechargeable	System II Motor	Q Motion Motor	2.6 QMotion Fascia	3.3 QMotion Fascia < 96" wide	3.3 QMotion Fascia > 96" wide
Hombre	Max Width / Max Height Max Area (sq ft.)	72" / 80" 40	72" / 96" 48	72" / 96"	72" / 120"	72" / 90"	72" / 120"	N/A
Homespun	Max Width / Max Height Max Area (sq ft.)	79" / 80" 43	79" / 96" 52	79" / 96"	79" / 120"	79" / 100"	79" / 120"	N/A
Jackson	Max Width / Max Height Max Area (sq ft.)	72" / 80" 40	72" / 96" 48	72" / 96"	72" / 120"	72" / 30"	72" / 90"	N/A
Katrina	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	98" / 120"	96" / 120"	96" / 120"	98" / 120"
Keilani	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	108" / 120"	96" / 50"	96" / 120"	108" / 120"
Kendo	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	94" / 96" 62	94" / 96"	94" / 120"	94" / 60"	94" / 120"	N/A
Lexie	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	110" / 120"	96" / 90"	96" / 120"	110" / 120"
Light-Vue	Max Width / Max Height Max Area (sq ft.)	80"* / 80" 44.4	96"* / 96" 64	96"* / 96"	N/A	N/A	N/A	N/A
Lindley	Max Width / Max Height Max Area (sq ft.)	72" / 80" 40	72" / 96" 48	72" / 96"	72" / 120"	72" / 50"	72" / 120"	N/A
Linen	Max Width / Max Height Max Area (sq ft.)	78" / 80" 43	78" / 96" 52	78" / 96"	78" / 120"	78" / 90"	78" / 120"	N/A
Lizzy	Max Width / Max Height Max Area (sq ft.)	78" / 80" 43	78" / 96" 64	78" / 96"	78" / 120"	78" / 80"	78" / 120"	N/A
Long Bay	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	110" / 120"	96" / 80"	96" / 120"	110" / 120"
Long Bay Blackout	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	106" / 120"	96" / 50"	96" / 120"	96" / 110"
Loretta	Max Width / Max Height Max Area (sq ft.)	72" / 80" 40	72" / 96" 48	72" / 96"	72" / 120"	72" / 90"	72" / 120"	N/A
Lucinda	Max Width / Max Height Max Area (sq ft.)	78" / 80" 43	78" / 96" 52	72" / 96"	72" / 120"	72" / 110"	72" / 120"	N/A
Luminescence	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	94" / 96" 62	94" / 96"	N/A	N/A	N/A	N/A
Mindoro	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	108" / 120"	96" / 40"	96" / 120"	108" / 90"
Moire	Max Width / Max Height Max Area (sq ft.)	72" / 80" 40	72" / 96" 48	72" / 96"	72" / 120"	72" / 120"	72" / 120"	N/A
Mysterious - width varies by color	Max Width / Max Height Max Area (sq ft.)	78" / 80" 43	78" / 96" 52	78" / 96"	78" / 120"	78" / 110"	78" / 120"	N/A
Mystic	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	108" / 120"	96" / 100"	96" / 120"	108" / 120"
Mystic Eclipse	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 60	96" / 96"	110" / 120"	96" / 60"	96" / 120"	110" / 120"
Net 3000	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 61	96" / 96"	118" / 120"	96" / 70"	96" / 120"	118" / 120"
No-Lite Fiberglass - Duplex and Solids	Max Width / Max Height Max Area (sq ft.)	80"* / 80" 44.4	96"* / 96" 56	96"* / 96"	118"* / 120"	96" / 110"	96" / 120"	118" / 120"
Opulence	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44	96" / 96" 55	96" / 96"	118" / 120"	96" / 30"	96" / 110"	118" / 120"
	Minimum Width	15"	18"	15"	15 1/2"	15 1/2"	15 1/2"	
	Minimum Height	24"	24"	24"	24"	24"	24"	24"

* Railroading this fabric results in a larger maximum width than the fabric width.

Motorized Shades - Size Standards

Genesis Window Shades

		Auto-Wand Motor	EZ Charge Rechargeable	System II Motor	Q Motion Motor	2.6 QMotion Fascia	3.3 QMotion Fascia < 96" wide	3.3 QMotion Fascia > 96" wide
Origami	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	108" / 120"	96" / 80"	96" / 120"	108" / 120"
Pacifica	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	110" / 120"	96" / 70"	96" / 120"	110" / 120"
Pearlescent	Max Width / Max Height Max Area (sq ft.)	80** / 80" 44.4	96** / 96" 64	96** / 96"	118** / 120"	96" / 90"	96" / 120"	118" / 120"
Persia	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	110" / 120"	96" / 90"	90" / 120"	110" / 120"
Princeton	Max Width / Max Height Max Area (sq ft.)	78" / 80" 43	78" / 96" 52	78" / 96"	78" / 120"	78" / 120"	78" / 120"	N/A
Rocky Mountain -Serged Edge	Max Width / Max Height Max Area (sq ft.)	70" / 80" 38	70" / 96" 46	70" / 96"	70" / 120"	72" / 50"	72" / 120"	N/A
Rollie	Max Width / Max Height Max Area (sq ft.)	80** / 80" 44.4	96** / 96" 64	96** / 96"	118** / 120"	96" / 80"	96" / 120"	118" / 120"
S Screen Elements	Max Width / Max Height Max Area (sq ft.)	80" / 80" 32	96" / 96" 40	96" / 96"	118" / 120"	96" / 40"	96" / 120"	118" / 80"
S Screen Origins	Max Width / Max Height Max Area (sq ft.)	80" / 80" 32	96" / 96" 40	96" / 96"	118" / 120"	96" / 40"	96" / 120"	118" / 80"
Safari	Max Width / Max Height Max Area (sq ft.)	72" / 80" 40	72" / 96" 48	72" / 96"	72" / 120"	72" / 50"	72" / 120"	N/A
Seclusion	Max Width / Max Height Max Area (sq ft.)	80" / 80" 43	96" / 96" 54	96" / 96"	118" / 120"	96" / 120"	96" / 120"	118" / 120"
Sedona	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	110" / 120"	96" / 70"	96" / 120"	110" / 120"
Seto 5000	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	110" / 120"	96" / 120"	96" / 120"	110" / 120"
Seto 6000	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	110" / 120"	96" / 100"	96" / 120"	110" / 120"
Shantung	Max Width / Max Height Max Area (sq ft.)	79" / 80" 43	79" / 96" 52	79" / 96"	79" / 120"	79" / 60"	79" / 120"	N/A
SheerWeave 1000	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	96" / 120"	96" / 90"	96" / 120"	N/A
SheerWeave 2000	Max Width / Max Height Max Area (sq ft.)	80" / 80" 42	96" / 96" 53	96" / 96"	118" / 120"	96" / 90"	96" / 120"	118" / 120"
SheerWeave 2390	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	118" / 120"	96" / 110"	96" / 120"	118" / 120"
SheerWeave 2410	Max Width / Max Height Max Area (sq ft.)	80" / 80" 43	96" / 96" 54	96" / 96"	118" / 120"	96" / 110"	96" / 120"	118" / 120"
SheerWeave 2500	Max Width / Max Height Max Area (sq ft.)	80" / 80" 37	96" / 96" 47	96" / 96"	118" / 120"	96" / 70"	96" / 120"	118" / 120"
SheerWeave 3000	Max Width / Max Height Max Area (sq ft.)	80" / 80" 41	96" / 96" 52	96" / 96"	96" / 120"	96" / 60"	96" / 120"	N/A
SheerWeave 4100	Max Width / Max Height Max Area (sq ft.)	80" / 80" 34	96" / 96" 43	96" / 96"	118" / 120"	96" / 40"	96" / 120"	118" / 100"
SheerWeave 4400	Max Width / Max Height Max Area (sq ft.)	80" / 80" 29	96" / 96" 36	96" / 96"	118" / 120"	96" / 40"	96" / 120"	118" / 90"
SheerWeave 5000	Max Width / Max Height Max Area (sq ft.)	80" / 80" 41-44.4	96" / 96" 47-55	96" / 96"	98" / 120"	N/A	96" / 80"	N/A
		Max Area varies by pattern and color						
SheerWeave 7000	Max Width / Max Height Max Area (sq ft.)	80" / 80" 44.4	96" / 96" 64	96" / 96"	118" / 120"	96" / 70"	96" / 120"	118" / 120"
	Minimum Width	15"	18"	15"	15 1/2"	15 1/2"	15 1/2"	
	Minimum Height	24"	24"	24"	24"	24"	24"	24"

* Railroading this fabric results in a larger maximum width than the fabric width.

Motorized Shades - Size Standards

Genesis Window Shades

		Auto-Wand Motor	EZ Charge Rechargeable	System II Motor	Q Motion Motor	2.6 QMotion Fascia	3.3 QMotion Fascia < 96" wide	3.3 QMotion Fascia > 96" wide
SheerWeave Infinity 2 3% or 5%	Max Width / Max Height	80" / 80"	96" / 96"	96" / 96"	98" / 120"	96" / 50"	96" / 120"	98" / 110"
	Max Area (sq ft.)	44.3	55					
SheerWeave Perf+ 2390	Max Width / Max Height	80" / 80"	96" / 96"	96" / 96"	96" / 120"	96" / 100"	96" / 120"	N/A
	Max Area (sq ft.)		54					
SheerWeave Perf+ 2410	Max Width / Max Height	80" / 80"	96" / 96"	96" / 96"	96" / 120"	96" / 100"	96" / 120"	N/A
	Max Area (sq ft.)		43					
Spector	Max Width / Max Height	78" / 80"	78" / 96"	78" / 96"	78" / 120"	78" / 60"	78" / 120"	N/A
	Max Area (sq ft.)		43					
Spiral	Max Width / Max Height	80" / 80"	96" / 96"	96" / 96"	102" / 120"	96" / 80"	96" / 120"	102" / 120"
	Max Area (sq ft.)		30					
Strata	Max Width / Max Height	80" / 80"	81" / 96"	81" / 96"	81" / 120"	81" / 120"	81" / 120"	N/A
	Max Area (sq ft.)		44.4					
Strie	Max Width / Max Height	72" / 80"	72" / 96"	72" / 96"	72" / 120"	72" / 60"	72" / 120"	N/A
	Max Area (sq ft.)		40					
SuperWide	Max Width / Max Height	80" / 80"	96" / 96"	96" / 96"	118** / 120"	96" / 120"	96" / 120"	118" / 120"
	Max Area (sq ft.)		44.4					
T Screen with KOOLBLACK Technology 3% or 5%								
	Max Width / Max Height	80" / 80"	96" / 96"	96" / 96"	98" / 120"	96" / 60"	96" / 120"	98" / 110"
	Max Area (sq ft.)		44.4					
Tabago	Max Width / Max Height	80" / 80"	96" / 96"	96" / 96"	110" / 120"	96" / 50"	96" / 120"	110" / 110"
	Max Area (sq ft.)		44.4					
Tahiti	Max Width / Max Height	70" / 80"	70" / 96"	70" / 96"	N/A	N/A	N/A	N/A
	Max Area (sq ft.)		44.4					
Triad - width varies by color	Max Width / Max Height	80" / 80"	96" / 96"	96" / 96"	98" or 118"/120"	96" / 40"	96" / 120"	98" or 118" / 100"
	Max Area (sq ft.)		38					
Tussah	Max Width / Max Height	80" / 80"	96" / 96"	96" / 96"	110" / 120"	96" / 120"	96" / 120"	110" / 120"
	Max Area (sq ft.)		44.4					
Valencia	Max Width / Max Height	80" / 80"	94" / 96"	94" / 96"	94" / 120"	94" / 120"	94" / 120"	N/A
	Max Area (sq ft.)		44.4					
Vanish	Max Width / Max Height	80" / 80"	94" / 96"	94" / 96"	94" / 120"	94" / 100"	94" / 120"	N/A
	Max Area (sq ft.)		44.4					
Viking	Max Width / Max Height	80** / 80"	96** / 96"	96** / 96"	118** / 120"	96" / 120"	96" / 120"	120" / 120"
	Max Area (sq ft.)		44.4					
Vision	Max Width / Max Height	80" / 80"	96" / 96"	96" / 96"	118" / 120"	96" / 80"	96" / 120"	118" / 120"
	Max Area (sq ft.)		44.4					
Vista Screen	Max Width / Max Height	80" / 80"	96" / 96"	96" / 96"	98" / 120"	96" / 80"	96" / 120"	98" / 120"
	Max Area (sq ft.)		44.4					
Vizela	Max Width / Max Height	80" / 80"	94" / 96"	94" / 96"	94" / 120"	94" / 120"	94" / 120"	N/A
	Max Area (sq ft.)		44.4					
Wave	Max Width / Max Height	72" / 80"	72" / 96"	72" / 96"	72" / 120"	72" / 90"	72" / 120"	N/A
	Max Area (sq ft.)		40					
Weave	Max Width / Max Height	72" / 80"	72" / 96"	72" / 96"	72" / 120"	72" / 60"	72" / 120"	N/A
	Max Area (sq ft.)		40					
Willow	Max Width / Max Height	72" / 80"	72" / 96"	72" / 96"	72" / 120"	72" / 90"	72" / 120"	N/A
	Max Area (sq ft.)		40					
Yellowstone	Max Width / Max Height	72" / 80"	72" / 96"	72" / 96"	72" / 120"	72" / 50"	72" / 120"	N/A
	Max Area (sq ft.)		40					
	Minimum Width	15"	18"	15"	15 1/2"	15 1/2"	15 1/2"	
	Minimum Height	24"	24"	24"	24"	24"	24"	24"

* Railroading this fabric results in a larger maximum width than the fabric width.

Quick Reference Genesis Screen Shades

For complete testing information, specifications and cleaning instructions for all fabrics, see Genesis Technical Specifications online.

- Filter and diffuse light while allowing a view to the outdoors.
- Minimize glare on interior electronics such as televisions and computer screens.
- Provide various levels of protection for indoor carpeting, artwork and furniture from fading.
- Reduce heat transmission, keeping interior temperatures cooler and reducing heating/cooling bills.
- The lighter the fabric color, the better the temperature control.
- Generally, the darker the fabric and the greater the openness factor, the clearer the view.
- The amount of UV ray blockage is the inverse of the fabric's openness factor.
- Exterior screens in a window may cause a moire effect when screen shades are installed.

Fabric Name	Openness	Fabric Width	Available Railroaded	Eco Certification	FR Rated	Fabric Composition
Brit	5%	98"		Greenguard	NFPA 701	70% PVC, 30% Polyester
Deco Screen	5%	98"		Greenguard	NFPA 701	36% Fiberglass, 64% Vinyl
Dimensions (3%)(aka M Screen)	3%	120"		Greenguard	NFPA 701	36% Fiberglass, 64% PVC
Dimensions (5%)(aka M Screen)	5%	120"		Greenguard	NFPA 701	36% Fiberglass, 64% PVC
Duo Vue	1%	98"		Greenguard	NFPA 701	70% PVC, 30% Polyester
E Screen KOOLBLACK (3%)	3%	122"		Greenguard	NFPA 701	36% Fiberglass, 64% Vinyl
E Screen KOOLBLACK (5%)	5%	122"		Greenguard	NFPA 701	36% Fiberglass, 64% Vinyl
E Screen (3%)	3%	122"		Greenguard	NFPA 701	36% Fiberglass, 64% PVC
E Screen (5%)	5%	122"		Greenguard	NFPA 701	36% Fiberglass, 64% PVC
Economy Screen	7%	118"		Greenguard	NFPA 701	70% PVC, 30% Polyester
Net 3000	5%	118"	✓	Greenguard	NFPA 701	27% Polyester, 73%PVC
Opulence	10%	118"		Greenguard	NFPA 701	25.3% Polyester, 74.7% Green PVC
S Screen Elements	4%	122"		Greenguard	NFPA 701	33.6% Fiberglass / 59.6% Vinyl 6.8% Poly
S Screen Origins	4%	122"		Greenguard	NFPA 701	33.6% Fiberglass / 59.6% Vinyl 6.8% Poly
SheerWeave 1000	25%	96"		Greenguard	NFPA 701	35% Fiberglass, 65% PVC on Fiberglass
SheerWeave 2000	5%	126"	✓	Greenguard	NFPA 701	37% Fiberglass, 63% PVC on Fiberglass
SheerWeave 2390	5%	126"	✓	Greenguard	NFPA 701	35% Fiberglass, 65% Vinyl on Fiberglass
SheerWeave 2410	3%	126"	✓	Greenguard	NFPA 701	35% Fiberglass, 65% Vinyl on Fiberglass
SheerWeave 2500	1%	126"	✓	Greenguard	NFPA 701	37% Fiberglass, 63% Vinyl on Fiberglass
SheerWeave 3000	14%	96"		Greenguard	NFPA 701	35% Fbrglss, 65% PVC, 31% Poly, 69% Vinyl on Poly
SheerWeave 4100	10%	98"	✓	Greenguard	NFPA 701	25% Polyester, 75% PVC on Polyester
SheerWeave 4400	3%	126"		Greenguard	NFPA 701	25% Polyester, 75% PVC on Polyester

Quick Reference Genesis Screen Shades

For complete testing information, specifications and cleaning instructions for all fabrics,
see Genesis Technical Specifications online.

Fabric Name	Openness	Fabric Width	Available Railroaded	Eco Certification	FR Rated	Fabric Composition
SheerWeave 5000 Bamboo Brchbrk	10%	98"		Greenguard	NFPA 701	28% Polyester, 72% Vinyl on Polyester
SheerWeave 5000 Bamboo Wheat	7%	98"		Greenguard	NFPA 701	27.5% Polyester, 67% Vinyl on Polyester, 5.5% Acrylic
SheerWeave 5000 Bark Tigereye	5%	98"		Greenguard	NFPA 701	27.5% Polyester, 67% Vinyl on Polyester, 5.5% Acrylic
SheerWeave 5000 Chenille Drftwd	5%	98"		Greenguard	CA 117	49% Polyester, 51% Vinyl on Polyester
SheerWeave 5000 Chenille Honey	3%	98"		Greenguard	CA 117	49% Polyester, 51% Vinyl on Polyester
SheerWeave 5000 Chenille Mrshmw	3%	98"		Greenguard	CA 117	49% Polyester, 51% Vinyl on Polyester
SheerWeave 5000 Hnyomb Nugget	10%	98"		Greenguard	NFPA 701	26% Polyester, 68% Vinyl on Polyester, 6% Acrylic
SheerWeave 5000 Jute Parchment	1%	98"		Greenguard	CA 117	49% Polyester, 51% Vinyl on Polyester
SheerWeave 5000 Linen Cinnamon	3%	98"		Greenguard	CA 117	45% Polyester, 55% Vinyl on Polyester
SheerWeave 5000 Linen Cream	5%	98"		Greenguard	CA 117	43% Polyester, 57% Vinyl on Polyester
SheerWeave 5000 Linen Cranberry	3%	98"		Greenguard	CA 117	45% Polyester, 55% Vinyl on Polyester
SheerWeave 5000 Linen Fig	3%	98"		Greenguard	CA 117	45% Polyester, 55% Vinyl on Polyester
SheerWeave 5000 Marble Sand	5%	98"		Greenguard	NFPA 701	28% Polyester, 72% Vinyl on Polyester
SheerWeave 5000 Rattan Umber	7%	98"		Greenguard	NFPA 701	27.5% Polyester, 67% Vinyl on Polyester, 5.5% Acrylic
SheerWeave 5000 Tweed Buckeye	5%	98"		Greenguard	CA 117	37% Polyester, 63% Vinyl on Polyester
SheerWeave 5000 Tweed Oatmeal	5%	98"		Greenguard	CA 117	37% Polyester, 64% Vinyl on Polyester
SheerWeave 5000 Wicker Mshrm	5%	98"		Greenguard	NFPA 701	27.5% Polyester, 67% Vinyl on Polyester, 5.5% Acrylic
SheerWeave 5000 Wicker Straw	3%	98"		Greenguard	CA 117	49% Polyester, 51% Vinyl on Polyester
SheerWeave Infinity 2 (3%)	3%	98"		Greenguard	NFPA 701	100% TPO-20% TPO fiber yarn/80% TPO Coating/Yarn
SheerWeave Infinity 2 (5%)	5%	98"		Greenguard	NFPA 701	100% TPO-20% TPO fiber yarn/80% TPO Coating/Yarn
SheerWeave Perf+ 2390	5%	96"		Greenguard	NFPA 701	34% Fbrglss, 64% Vinyl on Fbrglss & 2% Alum Coating
SheerWeave Perf+ 2410	3%	96"		Greenguard	NFPA 701	34% Fbrglss, 64% Vinyl on Fbeglss & 2% Alum Coating
T Screen KOOLBLACK (3%)	3%	122"		Greenguard	NFPA 701	36% Fiberglass, 64% Vinyl
T Screen KOOLBLACK (5 %)	5%	122"		Greenguard	NFPA 701	36% Fiberglass, 64% Vinyl
Triad	3%	98"/118"		Greenguard	NFPA 701	70% PVC, 30% Polyester
Vision	5%	118"		Oeko-tex 100	NFPA 701	30% Polyester, 70% PVC
Vista Screen	4%	98"		Greenguard	NFPA 701	4% vacuum aluminum layer, 28% Poly, 68% PVC

Tube Sizes Genesis Window Shades

Shade Widths and Tube Sizes

- Roller tube size (diameter) is determined based on shade width.
- Small Cassette, Large Cassette, Luxe Decorative Clutch and EZ Lift and EZ Pull systems utilize a 1 1/2" aluminum tube.
- Varying shade sizes in one room may require upgrading to a larger tube size on some shades to maintain a uniform appearance. The tube upgrade surcharge will apply to each shade that would normally use a smaller tube size. Tube upgrade surcharges are shown on page 22.
- The gray shaded area represents where a tube size is not available for that particular shade width.

1" Steel	Shade Width to 54"																
1 3/8" Steel	Shade Width 54 1/16" to 96"																
1 1/2" Alum	Material Upgrade Option for 1", 1 3/8", 1 3/4" Steel Tubes Shade Width up to 103"																
1 1/2" Alum EZ Lift, EZ Pull, Luxe	Shade Width up to 103"																
2" Alum	Shade Width 96 1/16" to 144"																
2 1/2" Alum	Shade Width 144 1/16" to 168"																
3" Alum	Shade Width 168 1/16" to 192"																
Width	10" 20" 30" 40" 50" 60" 70" 80" 90" 100" 120" 130" 140" 150" 160" 170" 180" 192"																

Product Information

Genesis Window Shades with Clutch

Product Features - SL Series Standard

- Fits rectangular window openings.
- Operated with continuous bead chain loop.
- Hooked clutch and spring pin-end for easy installation.
- Nylon fiberglass filled construction for quieter performance and added durability.
- Fabric comes off the back of the roller.
- Wrapped metal hem bar.
- Color coordinated continuous bead chain loop, bottom rail and end caps.
- Color coordinated bracket covers for OS mount shades to match clutch color.



SL Series - Inside Mount



SL Series - Outside Mount

Mounting Requirements

• Inside Mount (IS) - Minimum Mounting Depth		
- SL Series	1" Tube	2 5/16"
	2 1/2" & 3" Tube	3"
	All other	2 7/16"
- Small Cassette	All Tubes	1 3/8"
- Large Cassette	All Tubes	1 1/4"
- 3", 4", 5" Fascia	All Tubes	7/8"
• Inside Mount (IS) - Min Mounting Depth - Flush Mount		
-SL Series	1" Tube	2 5/16"
	2 1/2" & 3" Tube	3 11/16"
	All other	2 3/4"
- Small Cassette	All Tubes	2 7/8"
- Large Cassette	All Tubes	3 7/16"
- 3" Fascia	All Tubes	3 1/8"
- 4" Fascia	All Tubes	4 1/8"
- 5" Fascia	All Tubes	5 1/8"
• Inside Mount (IS) - Min Mounting Depth - Wall Mount		
- SL Series	All tubes	3/4"
• Outside Mount (OS) - Minimum Flat Vertical Surface		
- SL Series	All tubes	2 1/4"
- Small /Large Cassette	All Tubes	1" / 1 3/8"
- 3" Fascia / 4" Fascia	All Tubes	1 7/8" / 3 7/8"
- 5" Fascia	All Tubes	4 7/8"

For R Series Mounting Requirements, see page 52.

Finished Dimensions

- Inside Mount (IS)
 - Clutch - SL Series: -1/8"
 - Clutch - R Series: - 3/16"
 - Small Cassette: - 1/8"
 - Large Cassette: - 1/8"
- Outside Mount (OS)
 - All systems: Ordered width
- Cloth Measure (CM)
 - Clutch - SL Series: + 1 1/8"
 - Clutch - R Series: + 1 3/16"
 - Small Cassette: + 1 1/16"
 - Large Cassette: + 1 1/4"

Size Standards

See Size Standards on pages 6 - 9.

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires if corded window products are used in the home, cord cleats or cord tension locks must be properly installed.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	54 1/16" - 66"	48"
22 1/16" - 27"	18"	66 1/16" - 78"	60"
27 1/16" - 39"	24"	78 1/16" - 90"	72"
39 1/16" - 42"	36"	90 1/16" - 102"	84"
42 1/16" - 54"	39"	Over 102"	96"

*Note: Lengths longer than 96" will have a connector and be surcharged.

Hardware Included

- Installation Brackets
- Cord Tension Lock

Options

- No Charge
 - R Series Clutch Substitution (Vanilla, Black)
 - Clutch Color Substitution
 - Reverse Roll - Maximum height 96"
 - Sewn In Hem
 - Bead Chain Drop Substitution (table above)
- Surcharge
 - Small or Large Cassette
 - Fascia - 3" Flat, 4" Flat, 4" Curved, 5" Flat, 5" Pocket
 - Stainless Steel Bead Chain
 - Colored Metal Bead Chain (Antique Bronze, Black)
 - Dual Shade Bracket - Max. width 103" - Max. height 96", IS only
 - Spring Assist - Widths 104" to 156" - Max. height 168"
 - 2-on-1 Headrail - Cassette only - Max. width 156"
 - Tube Size Upgrade
 - Magnetic Hold Down Brackets
- Motorization
 - Auto-Wand Motorization - See page 42
 - EZ Charge Motorization - See page 43
 - Somfy Battery Operated Motorization - See page 44-45
 - QMotion Battery Operated Motorization - See page 46-47



R Series Clutch Roller shown with Reverse Roll

Ordering Notes

- Exclusions: Decorative Pulls not available on wrapped metal hem.
- SL Clutch brackets are universal for inside mount, outside mount, ceiling mount, standard or reverse roll shades.

Caution

- Outside mount reverse roll shades project out at least 1 1/2" from the wall causing a larger light gap. The shade fabric on reverse roll shades does not roll up as tightly as a regular roll shade. Avoid using stiff and heavy fabrics on reverse roll shades.

Product Information

Genesis Window Shades with Decorative Clutch Systems

Luxe™ Decorative Clutch

- Fits rectangular window openings.
- Decorative clutch with enhanced internal springs for smoother operation.
- Satin Nickel or Vintage Brass finish.
- Outside Mount only.
- Operated with coordinating continuous metal bead chain loop.
- Brackets are heavy duty cast and machined metal.
- Unique twist pin-end eases installation.
- Fabric comes off the back of the roller.
- Uses 1 1/2" aluminum tube.



Luxe Clutch

Mounting Requirements

- | | | |
|---|-------------|--------|
| • Outside Mount (OS) - Minimum Flat Vertical Surface | | |
| - Luxe | 1 1/2" tube | 2 1/4" |

Finished Dimensions

- Outside Mount (OS)
 - All systems: Ordered width
- Cloth Measure (CM)
 - All systems: + 1 3/8"

Size Standards

- Maximum Height: 96".
- Maximum Width: 103" or fabric width - see pages 6 to 9.

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires if corded window products are used in the home, cord cleats or cord tension locks must be properly installed.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	54 1/16" - 66"	48"
22 1/16" - 27"	18"	66 1/16" - 78"	60"
27 1/16" - 39"	24"	78 1/16" - 90"	72"
39 1/16" - 42"	36"	90 1/16" - 102"	84"
42 1/16" - 54"	39"	Over 102"	96"

*Note: Lengths longer than 96" will have a connector and be surcharged.

Hardware Included

- Installation Brackets
- Cord Tension Lock

Options

- No Charge
 - Reverse Roll
 - Bead Chain Drop Substitution (table above)
- Surcharge
 - Magnetic Hold Down Brackets

Ordering Notes

- Exclusions: Decorative Pulls not available on wrapped metal hem.

Caution

- Outside mount reverse roll shades project out at least 1 1/2" from the wall causing a larger light gap. The shade fabric on reverse roll shades does not roll up as tightly as a regular roll shade. Avoid using stiff and heavy fabrics on reverse roll shades.

Product Information

Genesis Window Shades with EZ Pull

Product Features

- Fits rectangular window openings.
- Allows the shade to operate two different ways using a switch roller.
- Pulling on the bottom of the shade lowers the shade.
- Pulling on the back of the bead chain lowers the shade like a regular clutch system.
- Pulling on the front of the bead chain raises the shade
- White Raceway headrail with 1 1/2" aluminum tube.
- Fabric comes off the back of the roller.
- Wrapped metal hem bar.
- Color coordinated continuous bead chain loop, bottom rail and end caps.



EZ Pull Inside Mount



EZ Pull Outside Mount

Mounting Requirements

• Inside Mount (IS) - Minimum Mounting Depth	
- EZ Pull	1 3/8"
- Large Cassette	1 1/4"
There is a VISIBLE light gap at the top on inside mount shades with the EZ Pull system, therefore the addition of a valance, cassette or cornice is STRONGLY advised.	
• Inside Mount (IS) - Min Mounting Depth - Flush Mount	
- EZ Pull	2 7/8"
- Large Cassette	3 7/16"
• Outside Mount (OS) - Minimum Flat Vertical Surface	
- EZ Pull	1"
- Large Cassette	1 3/8"

Finished Dimensions

- Inside Mount (IS)
 - EZ Pull: - 1/8"
 - EZ Pull with Large Cassette: - 1/8"
- Outside Mount (OS)
 - All systems: Ordered width
- Cloth Measure (CM)
 - EZ Pull: + 1"
 - Large Cassette: + 1 1/4"

Size Standards

See Size Standards on pages 6 - 9.

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires if corded window products are used in the home, cord cleats or cord tension locks must be properly installed.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	54 1/16" - 66"	48"
22 1/16" - 27"	18"	66 1/16" - 78"	60"
27 1/16" - 39"	24"	78 1/16" - 90"	72"
39 1/16" - 42"	36"	90 1/16" - 102"	84"
42 1/16" - 54"	39"	Over 102"	96"

*Note: Lengths longer than 96" will have a connector and be surcharged.

Hardware Included

- Installation Brackets
- Cord Tension Lock

Options

- No Charge
 - Reverse Roll - Max. height 96"
 - Bead Chain Drop Substitution (table above)
- Surcharge
 - Large Cassette
 - Stainless Steel Bead Chain
 - Colored Metal Bead Chain (Antique Bronze, Black)

Ordering Notes

- Exclusions: Small Cassette; Cayman, Jackson, Long Bay Blackout, Luminescence, Pacifica, Persia, Sedona, SheerWeave 4100, Tahiti, Vizela and Weave fabrics. Decorative Pulls not available on wrapped metal hem.

Caution

- There is a VISIBLE light gap at the top on inside mount shades with an EZ Pull system, therefore the addition of a valance, cassette or cornice is STRONGLY advised.

Product Information

Genesis Window Shades with EZ Lift

Product Features

- Fits rectangular window openings.
- Speed reducer so shade will lift slowly.
- Shade can be stopped at any height.
- White Raceway headrail with 1 1/2" aluminum tube.
- Fabric comes off the back of the roller.
- Wrapped metal hem bar.
- Tension can be adjusted to increase or decrease speed
- Top limit can be set so hem bar height can be adjusted.
- No operating cords, superior child safe solution.



EZ Lift Inside Mount



EZ Lift Outside Mount

Mounting Requirements

• Inside Mount (IS) - Minimum Mounting Depth

- EZ Lift: 2"
- Small Cassette 1 3/8"
- Large Cassette 1 1/4"

There is a VISIBLE light gap at the top on inside mount shades with the EZ Lift system, therefore the addition of a valance, cassette or cornice is STRONGLY advised.

• Inside Mount (IS) - Min. Mounting Depth - Flush Mount

- EZ Lift 2 1/2"
- Small Cassette 2 7/8"
- Large Cassette 3 7/16"

• Outside Mount (OS) - Minimum Flat Vertical Surface

- EZ Lift: 1"
- Small Cassette 1"
- Large Cassette 1 3/8"

Finished Dimensions

- Inside Mount (IS)
 - EZ Lift: -1/8"
 - EZ Lift with Small Cassette: - 1/8"
 - EZ Lift with Large Cassette: - 1/8"
- Outside Mount (OS): Ordered width
- Cloth Measure (CM)
 - EZ Lift: + 3/4"
 - Small Cassette: + 1 1/16"
 - Large Cassette: + 1 1/4"

Size Standards

See Size Standards on pages 6 - 9.

For widths 18 1/2" to 26 1/2" shades are available up to 56" long.

For width 26 5/8" to 78" shades are available up to 84" long.

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires if corded window products are used in the home, cord cleats or cord tension locks must be properly installed.

Hardware Included

- Installation Brackets

Options

- No Charge
 - Reverse Roll
Max. width 72"; Max. height 96"
 - Hold Down Brackets
- Surcharge
 - Small Cassette
 - Large Cassette (Required after 72" height)

Ordering Notes

- Uses White RaceWay Headrail up to 72" height; Large Cassette needed after 72" height.
- Exclusions: Battery Operated Motorization, 2-on-1 Headrail; Cayman, Jackson, Long Bay Blackout, Luminescence, Pacifica, Persia, Sedona, SheerWeave 4100, Tahiti, Vizela and Weave fabrics. Decorative Pulls not available on wrapped metal hem.

Caution

- There is a VISIBLE light gap at the top on inside mount shades with an EZ Lift system, therefore the addition of a valance, cassette or cornice is STRONGLY advised.
- Outside mount reverse roll shades project out at least 1 1/2" from the wall causing a larger light gap. The shade fabric on reverse roll shades does not roll up as tightly as a regular roll shade. Avoid using stiff and heavy fabrics on reverse roll shades.

Product Information

Genesis Window Shades with Spring Roller

Product Features

- Fits rectangular window openings.
- Metal spring roller for smooth, reliable operation.
- Fabric comes off the back of the roller.
- Wrapped metal hem bar.



Size Standards

See Size Standards on pages 6 - 9.

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires if corded window products are used in the home, cord cleats or cord tension locks must be properly installed.

Hardware Included

- Installation Brackets

Options

- No Charge
 - Reverse Roll
Max. width 72"; Max. height 96"
 - Hold Down Brackets
 - Wood Rollers
- Surcharge
 - Tube Size Upgrade



Mounting Requirements

• Inside Mount (IS) - Minimum Mounting Depth		
- Ceiling	1" Tube	2"
	1 3/8" Tube	2 3/8"
	1 3/4" Tube	2 1/2"
- Wall	1" Tube	1 1/2"
	1 3/8" Tube	1 7/8"
	1 3/4" Tube	3/4"
- Flush	1" Tube	3"
	1 3/8" Tube	3 3/8"
	1 3/4" Tube	3 11/16"
• Outside Mount (OS) - Minimum Flat Vertical Surface		
	1" Tube	2 1/4"
	1 3/8" Tube	2 1/4"
	1 3/4" Tube	2 1/4"

Ordering Notes

- Exclusions: Battery Operated Motorization, 2-on-1 Headrail; Light-Vue, Luminescence and Tahiti.
Decorative Pulls not available on wrapped metal hem.

Caution

- Outside mount reverse roll shades project out at least 1 1/2" from the wall causing a larger light gap. The shade fabric on reverse roll shades does not roll up as tightly as a regular roll shade. Avoid using stiff and heavy fabrics on reverse roll shades.

Finished Dimensions

- Inside Mount (IS): -1/8"
- Outside Mount (OS): Ordered width
- Cloth Measure (CM) for 1" or 1 3/8" tube: + 1 1/8"
- **Cloth Measure (CM) for 1 3/4" tube: + 1 3/8"**

Product Information

Genesis Season-Vue Window Shades



Product Features

- Fits rectangular window openings.
- Designed for use in enclosed patios, porches and lanais.
- Certain Genesis shade fabrics are available for use as a Season-Vue shade. See pages 4-5 for availability.
- SL Exterior clutch shade with aluminum roller and stainless steel spring components in the clutch.
- Zinc-plated steel brackets with coating provide extra protection for screened-in applications.
- Wrapped metal hem bar adds weight and stability.
- Color coordinated continuous bead chain loop, bottom hem and end caps.

Mounting Requirements

• Inside Mount (IS) - Minimum Mounting Depth		
- SL Series	1" Tube	2 5/16"
	2 1/2" & 3" Tube	3"
	All other	2 7/16"
- 3", 4", 5" Fascia: 7/8"		
• Inside Mount (IS) - Minimum Mounting Depth - Flush Mount		
- SL Series	1" Tube	2 5/16"
	2 1/2" & 3" Tube	3 11/16"
	All other	2 3/4"
- 3" Fascia	All Tubes	3 1/8"
- 4" Fascia	All Tubes	4 1/8"
- 5" Fascia	All Tubes	5 1/8"
• Inside Mount (IS) - Minimum Mounting Depth - Wall Mount		
- SL Series	All Tubes	3/4"
• Outside Mount (OS) - Minimum Flat Vertical Surface		
- SL Series	All tubes	2 1/4"
- 3" Fascia	All Tubes	1 7/8"
- 4" Fascia	All Tubes	3 7/8"
- 5" Fascia	All Tubes	4 7/8"

For R Series Mounting Requirements, see page 52.

Finished Dimensions

- Inside Mount (IS):
 - Clutch - SL Series: -1/8"
 - Clutch - R Series: - 3/16"
 - Large Cassette: - 1/8"
- Outside Mount (OS): Ordered width
- Cloth Measure (CM)
 - Clutch - SL Series: + 1 1/8"
 - Clutch - R Series: + 1 3/16"
 - Small Cassette: + 1 1/16"
 - Large Cassette: + 1 1/4"

Size Standards

Season Vue shades with a clutch system can be made up to 144" wide based upon the fabric width and railroading availability. See Size Standards on pages 6 - 9 for Season-Vue shades made with a Large Cassette or Fascia system.

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires if corded window products are used in the home, cord cleats or cord tension locks must be properly installed.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	54 1/16" - 66"	48"
22 1/16" - 27"	18"	66 1/16" - 78"	60"
27 1/16" - 39"	24"	78 1/16" - 90"	72"
39 1/16" - 42"	36"	90 1/16" - 102"	84"
42 1/16" - 54"	39"	Over 102"	96"

*Note: Lengths longer than 96" will have a connector and be surcharged.

Hardware Included

- Installation Brackets
- Cord Tension Lock

Options

- No Charge
 - R Series Season-Vue Clutch Substitution (Black, Vanilla)
 - Clutch Color Substitution (Black, White)
 - Heat sealed bottom hem with a white metal bar inserted (N/A on certain fabrics - see page 52)
 - Reverse Roll
 - Bead Chain Drop Substitution (table above)
- Surcharge
 - Exterior Cable Guide System (OS Mount only) (96" x 96" maximum shade size) See page 53 for more information
 - Large Cassette - Maximum width 120"
 - Fascia - 3" Flat, 4" Flat, 4" Curved and 5" Flat
 - Stainless Steel Bead Chain
 - Magnetic Hold Down Brackets
 - 2-on-1 Headrail
 - Tube Size Upgrade

Ordering Notes

- Exclusions: Decorative Hems, Small Cassette, Battery Operated Motorization. Decorative Pulls with a wrapped metal hem bar.
- **Dealer must specify Season-Vue shade at the beginning of the shade order.**
- To price, add the shade price to the Season-Vue surcharge.
- SL Clutch brackets are universal for inside mount, outside mount, ceiling mount, standard or reverse roll shades.
- Fascia brackets utilize an end plate.

Caution



- Wind Advisory: Because these shades are exposed to some environmental elements, such as wind, it is advisable to roll up the shades when there are windy conditions.

Product Information

Genesis Top Down Window Shades

Product Features

- Fits rectangular window openings.
- Allows the shade to retract from the top to the bottom to allow light in the top portion of a window.
- R Series Clutch operating system at the top of the shade.
- Constant spring tension spring roller at bottom of the shade.
- Fabric comes off the back of the roller.
- Pulling on the clutch bead chain loop raises the shade.
- Wood slat moving rail with grommets guides the movement of the shade.
- Color coordinated continuous bead chain loop.



Mounting Requirements

• Inside Mount (IS) - Minimum Mounting Depth		
- R Series	1" Tube	1 3/4"
	2 1/2" & 3" Tube	3 1/4"
	All other	2 3/4"
- 3", 4", 5" Fascia	All Tubes	7/8"
• Inside Mount (IS) - Min Mounting Depth - Flush Mount		
- R Series	1" Tube	2"
	2 1/2" & 3" Tube	3 3/4"
	All other	2 3/4"
- 3" Fascia	All Tubes	3 1/8"
- 4" Fascia	All Tubes	4 1/8"
- 5" Fascia	All Tubes	5 1/8"
• Outside Mount (OS) - Minimum Flat Vertical Surface		
- R Series	1" tube	1 1/2"
- R Series	All other	2 1/2"
- 3" Fascia	All Tubes	1 7/8"
- 4" Fascia	All Tubes	3 7/8"
- 5" Fascia	All Tubes	4 7/8"

Finished Dimensions

- Inside Mount (IS): -3/16"
- Outside Mount (OS): Ordered width
- Cloth Measure (CM): +1"

Size Standards

See Size Standards on pages 6 - 9.

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires if corded window products are used in the home, cord cleats or cord tension locks must be properly installed.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	54 1/16" - 66"	48"
22 1/16" - 27"	18"	66 1/16" - 78"	60"
27 1/16" - 39"	24"	78 1/16" - 90"	72"
39 1/16" - 42"	36"	90 1/16" - 102"	84"
42 1/16" - 54"	39"	Over 102"	96"

*Note: Lengths longer than 96" will have a connector and be surcharged.

Hardware Included

- Installation Brackets
- Cord Tension Lock

Options

- No Charge
 - Clutch Color Substitution (Black, Vanilla)
 - Bead Chain Drop Substitution (table above)
- Surcharge
 - Fascia - 3" Flat, 4" Flat, 4" Curved
 - Stainless Steel Bead Chain
 - Colored Metal Bead Chain (Antique Bronze, Black)
 - Tube Size Upgrade

Ordering Notes

- Exclusions: Small Cassette, Large Cassette, 5" Flat Fascia, 5" Contract Pocket, 2-on-1 Headrail, Reverse Roll, Decorative Hems, Decorative Pulls, Battery Operated Motorization; Light-View, Luminescence.
- R Clutch brackets are specific to left or right side of shade.

Caution


- Thicker fabrics may require extension brackets to accept the fabric roll up.
- If Top Down shade is ordered without a fascia the roller tube is left exposed on the top of the window.

Product Information

Allure Couplitaire Window Shades


Product Features

- Fits rectangular window openings.
- See pages 6-9 for Genesis privacy shade availability.
- Clutch operated with continuous bead chain loop on Allure shade.
- EZ Lift standard on Genesis privacy shade (window side shade).
- Includes a board mounted fabric wrapped valance in Allure shade material.
- Color coordinated continuous bead chain loop, bottom rail and end caps. See Allure price list for color coordination chart.
- Wrapped metal hem bar on Genesis privacy shade.



Mounting Requirements

- Inside Mount (IS)
 - Minimum Mounting Depth: 3"
 - Minimum Mounting Depth, Flush mount: 6"



Finished Dimensions

- Inside Mount (IS)
 - Fabric Width
 - ♦ Allure Shade: -1 1/16"
 - ♦ Genesis Privacy Shade: -1 3/16"
 - Finished Width : -1/8" when fully recessed, +7/8 for valance returns when partially recessed
- Outside Mount (OS)
 - Fabric Width
 - ♦ Allure Shade: -1 5/16"
 - ♦ Genesis Privacy Shade: -11/16"
 - Finished Width : Ordered width (+1" for valance)
- Light Gaps - Room Side Shade
 - Inside Mount (IS) - Includes 1/16" for IS
 - ♦ Control Side 5/8"
 - ♦ Non-Control Side 5/16"
 - Outside Mount (OS) - Not including 1/2" for valance
 - ♦ Control Side 1/2"
 - ♦ Non-Control Side 1/18"
- Light Gaps - Genesis Privacy Shade
 - Inside Mount (IB) - Includes 1/16" for IS
 - ♦ Control Side 5/16"
 - ♦ Non-Control Side 5/16"
 - Outside Mount (OS) - Not including 1/2" for valance
 - ♦ Control Side 1/4"
 - ♦ Non-Control Side 1/4"

Size Standards

See Size Standards on pages 6 - 9.

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires if corded window products are used in the home, cord cleats or cord tension locks must be properly installed.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 18"	12"	66 1/16" - 78"	60"
18 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16" - 54"	36"	Over 102"	96"
54 1/16" - 66"	48"		

*Note: Lengths longer than 96" will have a connector and be surcharged.

Hardware Included

- Installation Brackets
- Cord Tension Lock

Options - See Allure Price List for pricing

- No Charge
 - Allure Hold Down Brackets
 - Optional Cord Lengths - See Standard Cord Drops Chart above
 - Clutch lift system for privacy shade
 - Bead Chain Drop Substitution (table above)
- Surcharge
 - Stainless Steel Bead Chain
 - Colored Metal Bead Chain (Antique Bronze, Black)
 - 2-on-1 Headrail
 - Fabric Covered Bottom Rail
 - FR Coating
- Motorization
 - Somfy Battery Operated Motorization

Ordering Notes

- To price, add the Allure room side fabric base price to the Couplitaire privacy fabric surcharge (see current Allure Transitional Shades Price List).
- Valance return is 5 1/2".
- Couplitaire valance returns are standard for Outside Mounts. No return for Inside Mount unless specified.
- For an Inside Mount, the Genesis privacy shade is reverse roll. For an Outside Mount, the Genesis privacy shade is standard roll.

Shade Operation

You can raise and lower your shades while still controlling the amount of light and your view. The EZ-Lift system is lowered by pulling shade or giving a slight tug to lift.

Caution


- Fabric covered valance has sheer and solid fabric layered to create a unique appearance.
- Maximum width of Couplitaire shade will be dependent on maximum width of privacy fabric selected.
- **2-on-1 headrail applies to Allure shade only. The privacy shade is a single shade so the maximum privacy fabric width still applies.**

Product Information

Genesis Window Shades with Light Blockout System

Product Features

- Fits rectangular window openings.
- Includes color coordinated top/back fascia, front fascia, side channels and bottom channel to eliminate light leakage.
- Select 3" flat fascia or 4" flat fascia in Brushed Nickel, Bronze, White or Vanilla.
- R Series Clutch roller system.
- Sewn in hem.
- Color coordinated continuous bead chain loop.
- 3" Fascia: Front Fascia is 3" high and 2 1/4" deep; Top/Back Fascia is 3" high and 2 1/4" deep.
- 4" Fascia: Front Fascia is 4" high and 2 3/4" deep; Top/Back Fascia is 4" high and 2 3/4" deep.
- Side Channels: Width of channel is 2 7/16".
- Bottom Channel: Height of channel is 2 7/16".



Size Standards

See Size Standards on pages 6 - 9.

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires if corded window products are used in the home, cord cleats or cord tension locks must be properly installed.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	54 1/16" - 66"	48"
22 1/16" - 27"	18"	66 1/16" - 78"	60"
27 1/16" - 39"	24"	78 1/16" - 90"	72"
39 1/16" - 42"	36"	90 1/16" - 102"	84"
42 1/16" - 54"	39"	Over 102"	96"

*Note: Lengths longer than 96" will have a connector and be surcharged.

Hardware Included

- Installation Brackets
- Cord Tension Lock

Options

- No Charge
 - Clutch Color Substitution (Black, Vanilla)
 - Bead Chain Drop Substitution (table above)
- Surcharge
 - Stainless Bead Chain
 - Colored Metal Bead Chain (Antique Bronze, Black)
 - Tube Size Upgrade

Mounting Requirements

• Inside Mount (IS) - Minimum Mounting Depth

- 3" and 4" Fascia 7/8"

It is extremely important that the width given is an accurate measurement at the level where the fascia is to be installed. Squareness of the window is also critical for this installation.

• Inside Mount (IS) - Minimum Mounting Depth - Flush Mount

- 3" Fascia 3 1/8"

- 4" Fascia 4 1/8"

• Outside Mount (OS) - Minimum Flat Vertical Surface

- 3" Fascia 1 7/8"

- 4" Fascia 3 7/8"

Finished Dimensions

- Inside Mount (IS)
 - 3" or 4" Fascia: -3/16"
- Outside Mount (OS): Ordered width
- Cloth Measure (CM): +1 3/16"

Ordering Notes

- Exclusions: 5" Flat Fascia, Decorative Hems, Decorative Pulls, Small Cassette, Large Cassette, 2-on-1 Headrail, Reverse Roll, Battery Operated Motorization, Tahiti fabric.
- To price, add the shade price to the Light Blockout Fascia surcharge.
- Control side cannot be changed once shade is made.
- There is a 1/8" gap between the side channel and the top fascia to allow for installation.

Caution

- For inside mounts, It is extremely important that the width given is an accurate measurement at the level where the fascia is to be installed. Squareness of the window is also critical for this installation.
- Inside Mounts are not recommended due to light leakage. If an Inside Mount is used then additional steps are necessary to minimize the light leakage. Options include caulking, filling or using a drapery panel on each side of the window.

Product Information

Auto-Wand Motorization

Auto-Wand Product Features

- Battery operated motor with wand control.
- Economical child safe solution with no cords.
- Up or Down position controlled by button on wand.
- Top and bottom limits can be set.
- Includes 12 Volt single reloadable Battery Wand with 8 AA alkaline batteries and mounting clips.
- Wand control is on either side of the shade.
- Expected battery life of 6 to 12 months with easy replacement.
- 1 Year Motor Warranty

Size Standards

- See Size Standards, including Maximum Area, on pages 10-13.
- Maximum Area cannot be exceeded for any shade.
- Minimum width: 15"

Options

- Cassette Options (**Available November 1, 2015**)
 - Small or Large Cassette



Auto-Wand Shade

Finished Dimensions

- Inside Mount (IS)
 - Small Cassette: - 1/8"
 - Large Cassette: -1/8"
- Outside Mount (OS): Ordered width
- Cloth Measure (CM):
 - Small Cassette: + 1 1/8"
 - Large Cassette: + 1 5/16"
 - Wall Mount: + 1 1/4"

Wand Length


Shade Length	Wand
Up to 18"	12"
18 1/16" - 30"	18"
30 1/16" - 42"	24"
42 1/16" - 54"	36"
Over 54 1/16"	39"

Ordering Notes

- Specify Inside or Outside Mount.
- Are the shades ceiling or wall mounted?
- Price as a standard shade, and add the motor surcharge per shade.
- **Exclusions:** Fascia systems, Season-Vue shades, Roman shades.

Caution

- Do not pull or twist the wand control because wired connection between wand and motor may be dislodged.



Motorization Services

- Motorization Skill Set offered in Customer Service
 - 800-342-5523
 - motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of large motorization applications
- Liaison between dealers/designers, electricians and home automation integrators.

Product Information

EZ Charge™ Lithium Rechargeable Battery Motorization

EZ Charge Product Features

- Battery operated motor with remote control (purchased separately).
- Lithium battery is internal and rechargeable.
- Remote control operation for up to 5 shades separately or simultaneously.
- Electronic stop setting.
- Expected battery life of 3 to 12 months with easy recharging.
(Charger with 12 foot cord sold separately)
- Warning sound when battery charge is low.
- Economical child safe solution with no cords.
- 1 Year Motor Warranty

Size Standards

- See Size Standards, including Maximum Area, on pages 10-13.
- Maximum Area cannot be exceeded for any shade.
- Minimum width: 18"

Options

- Cassette Options (**Available November 1, 2015**)
 - Small or Large Cassette
- Controls
 - 5 Channel Remote (White) - Sold separately

Finished Dimensions


- Inside Mount (IS)
 - Small Cassette: - 1/8"
 - Large Cassette: -1/8"
- Outside Mount (OS): Ordered width
- Cloth Measure (CM):
 - Small Cassette: + 1"
 - Large Cassette: + 1 3/16"
 - Wall Mount: + 1 9/16"

Ordering Notes


- Specify Inside or Outside Mount.
- Are the shades ceiling or wall mounted?
- Price as a standard shade, add the motor surcharge per shade.
- Add the Charger (one per order) and the Remote Control (one per order) price.
- If additional chargers or remote controls are desired, add those to price.
- **Exclusions:** Fascia systems, Season-Vue shades, Roman shades.

Motorization Services

- Motorization Skill Set offered in Customer Service
 - 800-342-5523
 - motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of large motorization applications
- Liason between dealers/designers, electricians and home automation integrators.



Lithium Rechargeable Motor



5 Channel Remote Control



Charger with 12 foot cord

Product Information

Somfy System II Motorization



Somfy System II Product Features

- Available on 1 1/2" aluminum tube.
- Available for Small and Large Cassette Genesis Window Shades.
- Available for 3" 4" and 5" Fascia systems.
- Uses an R Series clutch.
- Includes 12 Volt single reloadable Battery Wand with Lithium batteries and mounting clips.

Size Standards

- Maximum width: 96".
- Maximum window height: 96"
Note: For lighter weight fabrics the 96" maximum can be approved.
Contact the motorization queue for assistance.
- Minimum width: 15".

Options


- Cassette and Fascia Options
 - Small or Large Cassette
 - 3", 4" or 5" Fascia
 - SL Series Clutch
- Power
 - 12V DC Power Supply (Individual)
 - 12V DC Power Supply Distributed Power (Large Applications)
 - Solar Pack
- Controls
 - Remotes (Black, White, Silver)
 - ♦ 1 Channel
 - ♦ 5 Channel
 - ♦ 16 Channel
 - Wall Switches (Black, White, Ivory)
 - ♦ 1 Channel
 - ♦ 5 Channel

Finished Dimensions

- Inside Mount (IS)
 - Standard: -1/8"
 - Small Cassette: - 1/8"
 - Large Cassette: -1/8"
- Outside Mount (OS)
 - All systems: Ordered width
- Cloth Measure (CM): + 1 3/16"

Ordering Notes

- Specify Inside or Outside Mount.
- Are the shades ceiling or wall mounted?
- Order Transmitter(s) or Wall Switch(s) as required.
- Check for other options required that are available.
- Choose left or right side for power cord and motor.
- Price as a standard shade, add the motor surcharge per shade and other surcharges (transmitters, etc.).
- Specify desired channel(s) for programming.
- **Window length is required** so that the limits can be set
- **Exclusions:** Season-View shades, Roman shades



Motorization Services

- Motorization Skill Set offered in Customer Service
 - 800-342-5523
 - motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of large motorization applications
- Liason between dealers/designers, electricians and home automation integrators.

Product Information

Somfy MyLink WiFi to Radio Technology Interface



Overview

- WiFi to RTS bridge that can control up to 5 channels of RTS motorized products using the Somfy myLink apps for iOS and Android devices.
- Using the app, users can send immediate RTS commands, create Scenes and Schedules.
- Users can access their myLinks from anywhere with the apps' remote access feature.
- Multiple myLinks can be joined within the same system for multi-zone control.
- Can also serve as an IP to RTS bridge for 3rd party control systems.



Features Summary:


- Control for up to 5 RTS channels per myLink from iOS and Android devices.
- Join multiple myLinks together for multi-zone control.
- Manually activate RTS products.
- Automate window shades with Scenes and Schedules.
- Supports Up/Down/My/Stop commands and increments control
- Plug-and-play installation
- Multiple users
- Remote access

Technical Specifications


- 110V AC; 50-60Hz
- Ultra Low Power Wi-Fi (802.11 b/g/n)
- 4.11 L x 2.23W x 1.52 H
- Enclosure:
 - ABS
 - UL94V-0 flame rating
 - RoHS compliant
 - UL listed
- Radio Frequency:
 - RTS 4.33.32 MHz
 - WiFi: 2.4 GHz
 - iOS Version: 6 and higher
 - Android Version: Jelly Bean and higher
 - Shipping Weight: 1 lb.

Motorization Services

- Customer Service Motorization Skill Set
 - 800-342-5523
 - motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.



Wiring Best Practice:



Product Information

Q Motion Motorization

QMotion Battery Operated

Product Features

- **Extremely quiet operation**, industry leading innovation from QMotion.
- Completely free of cords and wires.
- Ability to move shades up and down manually with no remote.
Gently pull on the shade bottom to start shade moving.
- Convenience of moving the shade up or down, stopping at the top or bottom, three programmable intermediate stops or anywhere in between.
- Side gaps of 1/2" on each side are uniform.
- Concealed antenna.
- Most shades use standard alkaline D cell batteries, concealed in shade tube.
- Shades 15 1/2" to 22 1/2" use 3 AA batteries, concealed in shade tube.
- Easy battery replacement - change batteries without removing the shade.
- Battery life expectancy 2-5 years for D cell, 1-2 years with AA size batteries.
- Universal brackets can be used for IS mount, OS mount, ceiling mount, standard or reverse roll.

Mounting Requirements		
• Inside Mount (IS) - Minimum Mounting Depth *		
- Ceiling	2.6" Bracket	3 1/2"
	3.3" Bracket	3 5/8"
	2.6" Fascia	3 3/8"
	3.3" Fascia	4 1/16"
- Wall/Jamb	2.6" Bracket	3 1/2"
	3.3" Bracket	4"
	2.6" Fascia	3 3/8"
	3.3" Fascia	4 1/16"
- Flush	2.6" Bracket	4"
	3.3" Bracket	4 3/8"
	2.6" Fascia	4 3/8"
	3.3" Fascia	5 1/16"
• Outside Mount (OS) - Minimum Flat Vertical Surface **		
	2.6" or 3.3" Bracket	3"
	2.6" Fascia	3 1/8"
	3.3" Fascia	3 7/8"

* Inside Mount dimensions include the recommended 1" clearance between the bracket and window.

** Outside Mount shades should be mounted 1/2" above window opening.

Finished Dimensions

- Inside Mount (IS): -1/8"
- Outside Mount (OS): Ordered width
- Cloth Measure (CM): + 1"

Size Standards

- Maximum width: 118" or fabric width for shade.
- See pages 10 to 13 for maximum width for each fabric.
- Maximum height: 120" for shade.
- Minimum width: 15 1/2";
For widths 15 1/2" - 22", maximum length is 96".
- Fascia maximum sizes are provided for shades less than 96" wide using 2.6 or 3.3 QMotion Fascia. For shades greater than 96" wide the 3.3 QMotion Fascia maximum height is shown on pages 10-13.
- If window sizes vary within the same room then the tube sizes may vary. Contact the motorization queue for questions.

Ordering Notes

- Specify Inside or Outside Mount.
- Are the shades ceiling or wall mounted?
- Order Transmitter(s) or Wall Switch(s) as required.
- Check for other options required that are available.
- Motor left is standard roll; Motor right is reverse roll.
- Price as a standard shade, add the motor surcharge per shade and other surcharges (remote control, etc.).
- Shades are shipped in sleep mode; programming is done in the field.
- **Window length is required** so that the limits can be set.
- Contact our motorization queue for any assistance or email motor@lafvb.com.

Product Information

Q Motion Motorization Options

Control Options

- Single Channel 5 Button remote

- ♦ 5 buttons - Up, Down, and three intermediate positions
- ♦ Magnetic back for simple storing to wall plate.
- ♦ Controls unlimited number of shades in a group.
- ♦ Normal remote range is 30 feet.

- Multichannel Remote

- Up to 6 individual or group settings
- ♦ All shades programmed to a multichannel remote are controlled together with an "All" button on same remote.
- ♦ 5 buttons - Up, Down, and three intermediate positions.
- ♦ LED light feedback
- ♦ Normal remote range is 30 feet.



Single Channel Remote



Multichannel Remote

Other Accessories

- **Qrelay** - Extends range of all QMotion remotes. Powered from a wall outlet or from a powered USB port.
- **Qconnect** - Communicates from home automation system to shades. Approx. 50 feet of radio range.
- **Qsync** - Control Qmotion shades via iPhone, iPad, iTouch. Android app control is also available. Communicates using Wi-Fi to router, router to Qsync, Qsync to shades.



Qrelay



Qconnect

Fascia and Valance Options

• Fascia

- Available in two sizes - 2.6" Rollup or 3.3" Rollup
- Fascia and snap on brackets with decorative end caps are available in four colors: Silver, White, Bronze and Black.
- Light blocking woolpile on the top of fascia for better light control.
- 2.6" Rollup Fascia is 3 1/2" high x 3 3/8" deep.
- 3.3" Rollup Fascia is 4 3/16" high x 4 1/16" deep.
- Note: QMotion Fascia is not available for a manual shade.



• QMotion Shade with Fabric Wrapped Valance

- Shade is mounted on a board and board is wrapped in shade material.
- 4 1/2" high valance, fabric has velcro attachment to the board.
- Fabrics excluded: Boho, Cabos, Light-Vue, Origami, Tabago




• Board Mounted Majesty Wood Valance

- Majesty Valance is mounted on a board for easy installation.
- 4 1/2" high valance, 5 1/2" return.
- If wood valance width is over 96" the valance will be spliced.
- L Bracket with panhead nut & bolt is used for attachment through the top of the dust cover.
- Ideal for use when multiple shade types are used.

Valance Colors

Buckeye	Gardenia	Natural
Cottage Pine	Java Roast	Navajo White
Ebony Wash	Mahogany	

Majesty Valance
4 1/2" height
5/8" thick



Design Options

Genesis Window Shades - Cassette Systems

Small Cassette Systems



- Fits rectangular window openings.
- R Series Clutch
- See Size Standards on pages 6-9.
- Available in Brushed Nickel, White, Vanilla, Sierra Tan, Bronze and Black. See pages 68 to 70 for color coordination chart.
- Fabric inserted into front of cassette.
- The wrapped metal hemline will prevent rollup of the shade material into the cassette.
- Inside mount shades will have a total light gap of 1 3/16" for small cassette or 1 3/8" for large cassette.

Options

- No Charge
 - Cassette Color Substitution
 - Cassette with no fabric insert
- Surcharge
 - 2-on-1 Headrail - Maximum width 156"
 - Stainless Bead Chain
 - Colored Metal Bead Chain (Antique Bronze, Black)
 - Battery Operated Motorization - see pages 42 to 44

Ordering Notes

- Exclusions: Spring Roller, Reverse Roll Shades, Light Blockout Fascia System, Tahiti fabric
- To price, add shade price and cassette surcharge.



Large Cassette System



- Fits rectangular window openings.
- SL Series Clutch
- See Size Standards on pages 6-9.
- Available in Brushed Nickel, White, Vanilla, Sierra Tan, Bronze and Black. See pages 68 to 70 for color coordination chart.
- Fabric inserted into front of cassette.
- The wrapped metal hemline will prevent rollup of the shade material into the cassette.
- Inside mount shades will have a total light gap of 1 3/16" for small cassette or 1 3/8" for large cassette.

Options

- No Charge
 - Cassette Color Substitution
 - Non-wrapped Fabric Covered Cassette
- Surcharge
 - 2-on-1 Headrail - Maximum width 156"
 - Stainless Bead Chain
 - Colored Metal Bead Chain (Antique Bronze, Black)
 - Battery Operated Motorization - see pages 42 to 44

Ordering Notes

- Exclusions: Spring Roller, Reverse Roll Shades, Light Blockout Fascia System, Tahiti fabric
- To price, add shade price and cassette surcharge.



Design Options

Genesis Window Shades - Fascia and Pocket Systems

3" and 4" Fascia

- Fits rectangular window openings.
- R Series Clutch
- See Size Standards on pages 6-9.
- Available in Brushed Nickel, White, Vanilla, Bronze and Black. Specify Front OR Front and Back Fascia.
- Fabric can be added to front of 3" or 4" Fascia for a surcharge.
- Color coordinated plastic bracket covers for OS mount installations
- 3" Flat Front Fascia: Fascia is 3" high; Bottom Edge is 2 1/4" deep
- 4" Flat Front Fascia: Fascia is 4" high; Bottom Edge is 2 3/4" deep
- 4" Curved Front Fascia: Fascia is 4" high; Bottom Edge is 3 1/4" deep

Options


- Surcharge
 - Adjustable Brackets for easier leveling - 3" and 4" Fascia only
 - Back Fascia
 - Fabric inserted into front of fascia
 - Stainless Steel Bead Chain
 - Colored Metal Bead Chain (Antique Bronze, Black)
 - Battery Operated Motorization - see page 44

Ordering Notes

- Exclusions: Spring Roller, Reverse Roll Shades, Tahiti, Light-Vue.
- To price, add shade price and fascia surcharge.
- Control side cannot be changed once shade is made.
- For inside mounts, it is extremely important that the width given is an accurate measurement at the level where the fascia is to be installed.



Bottom Edge of
3", 4" Flat Fascia



4" Wrapped
Curved Fascia

5" Flat Fascia

- Fits rectangular window openings.
- SL Series Clutch
- See Size Standards on pages 6-9.
- Available in Brushed Nickel, White and Bronze.
- Bracket covers are standard for outside mounts.
- Can be used as a Dual Shade Option - an endplate in the 5" Fascia bracket will hold two shades with controls on the same side and appear as one unit.
- Minimal fascia light gap across the header since the top of the fascia is even with the top of the brackets. Uses chain diverters and guides to eliminate notching of the fascia.
- Fascia is 5 3/16" high, 3 13/16" deep.

Options

- Surcharge
 - Back Fascia
 - Fabric inserted into front of fascia
 - Stainless Steel Bead Chain or Colored Metal Bead Chain
 - Somfy System II Battery Operated Motorization - see page 44

5" Contract Pocket

- Installs in recessed pocket ceiling openings.
- SL Series Clutch
- See Size Standards on pages 6-9.
- Available in Anodized and White.
- Bracket covers are standard for outside mounts.
- Can be used as a Dual Shade Option - an endplate in the 5" Pocket bracket will hold two shades with controls on the same side and appear as one unit.
- Fascia is 5 5/16" high, 5 5/8" deep.
- Bottom Gravity Lip is 2 5/8" wide allowing 2" opening for shade. The gravity lip is used on single shade applications only.
- Installation brackets are not provided since installation is job site dependent.

Options


- No Charge
 - Reverse Roll
- Surcharge
 - Gravity Lip (Single shade application only)
 - Stainless Steel Bead Chain or Colored Metal Bead Chain
 - Somfy System II Battery Operated Motorization - see page 44

Ordering Notes for 5" Flat Fascia and 5" Pocket


- Exclusions: Spring Roller, Reverse Roll Shade for 5" Flat Fascia, Top Down Shade, Light Blockout System, Tahiti.
- To price, add fascia or pocket surcharge to the shade price.
- Control side cannot be changed once shade is made.
- For inside mounts, it is extremely important that the width given is an accurate measurement at the level where the fascia is to be installed.




5" Flat Fascia



5" Contract Pocket



5" Contract Pocket
and Bottom Gravity Lip



5" Dual Shade Option
End Plate

Design Options

Genesis Window Shades - Valances

Shade Valance

- Shade valance has a 1 1/2" rod pocket on top and bottom for additional stability; Oval curtain rods with 3 1/2" returns are **included** in the price.
- The shade valance measures 7" from the top of the rod pocket to the bottom of bottom rod pocket.
- Valance is available with no returns for inside mounts; specify at time of order.
- Valance pricing is for a plain hem.
- Maximum valance width is 98" or the shade fabric width, whichever is less.
- When the valance width including returns exceeds the maximum fabric width, the material will be railroaded for fabrication (when acceptable); **otherwise, the material will have to be spliced!**

Ordering Notes

- Exclusions: Decorative Hem, Light-Vue



Shade Valance
7" height

Channel Panel Valance

- The Genesis shade material is inserted into the channel panel.
- Maximum width is 84".
- L Bracket with panhead nut and bolt is used for attachment through the top of the valance.
- The tailored square corner provides a clean look over the window shade. Rounded corners are not available.

Ordering Notes

- Exclusions: Genesis Light-Vue material
- Caution: A Channel Panel Valance installed over a shade may not fully cover shade hardware and cords.



Channel Panel Valance
3 1/2" height

Board Mounted Shade with Fabric Wrapped Valance

- Shade is mounted on a board wrapped in shade material.
- Maximum width is determined by fabric and railroading availability.
- 4 1/2" high valance, fabric has velcro attachment to the board.
- Fabric Exclusions: Boho, Cabos, Light-Vue, Origami, Tabago.



Stand Alone Fabric Wrapped Valance

- A board wrapped in shade material acts a full dust cover.
- 4 1/2" high valance, fabric has velcro attachment to the board.
- Maximum width is determined by fabric and railroading availability.

Ordering Notes

- Fabric Exclusions: Boho, Cabos, Light-Vue, Origami, Tabago.



Design Options

Genesis Window Shades - Valances and Cornice

Majesty or Camelot Wood Valance

- Available in eight colors. Colors are pictured in the Genesis sample book. Actual colors may be seen in the Heartland, Manh Truc or Allure sample books.
- Standard return is 4 1/2" from back of valance to wall.
- If wood valance width is over 96" the valance will be spliced.
- L Bracket with panhead nut & bolt is used for attachment through the top of the dust cover.


Ordering Notes

- Caution: Recommended for Window Shades only. A Camelot or Majesty Valance installed over a roman shade will NOT fully cover shade hardware and cords.


Valance Colors

Buckeye	Gardenia	Natural
Cottage Pine	Java Roast	Navajo White
Ebony Wash	Mahogany	

Majesty Valance
4 1/2" height
5/8" thick



Camelot Valance
3 1/2" height
1/2" thick



Shade Cornice

- A skeleton wood frame provides stability to the sides of the cornice and a tailored look to the cornice.
- The shade cornice measures 4" or 7" from the top of the board to the bottom of the cornice.
- Standard projection is 3 1/2"; Projection of 5 1/2" can be specified at no additional charge. Other projections can be requested for a surcharge.
- Cornice pricing shown is for a plain hem. For a Decorative Hem (applique or scallops) add the Decorative Hem surcharge.
- Cornice is mounted on a 3 1/2" projection wood header (installed utilizing "L" brackets). Velcro hook is stapled to the top of the cornice and velcro loop is sewn to the fabric.
- Cornice is shipped assembled.
- The cornice is painted or stained to coordinate with the fabric.
- When the cornice width including returns exceeds the maximum fabric width, the material will be railroaded for fabrication (when acceptable); **otherwise, the material will have to be seamed!**


Ordering Notes

- Fabric Exclusion: Light-Vue
- Caution: A 4" Cornice installed over a shade may not fully cover shade hardware and cords.

Cornice
4" height



Cornice
7" height



Design Options

Genesis Window Shades - Hemlines

Decorative Hems

- Refer to pages 4 and 5 to determine whether a fabric is available with a Decorative Hem.
- Select Decorative Hem Style from pictures shown here or in the Genesis Sample Book.
- Pricing for the decorative hem is based upon hem type selected. See page 22 for Hemline Surcharges.
- The center point for each scallop style will be consistent for each order. **If you desire scallop placement exactly as pictured, you must request such placement at the time of the order.**
- If more than one row of trim is specified, there is an allowance of 1" between rows. Gimp surcharge is a per row surcharge.
- Gimp colors can vary from the sample to the finished product.

Ordering Notes

- Exclusion: All screen materials - see pages 4 to 5.
- Simple scallop styles are recommended for narrow shades.

Gimp Color Selection

- Gimp is available in the following colors:

Baltic	Brandy	Camel	Ivory	Sandstone
Black	Brown	Gold	Moss	White



4" Contrasting Fabric Pocket 275
Also available in 1 1/2" Pocket 270



Royal 210
Approx repeat 7 1/4"



6" Contrasting Fabric with Gimp 285
Also available with 3" Contrasting Fabric 280



Tempo 203
Approx repeat 9 1/8"




Brenda 213
Approx repeat 7 1/2"




Wave 206
Approx repeat 7 1/4"



Diane 222
Approx repeat 9 1/2"



Winchester 112
Trim is on stitch line



Harlequin 215
Approx repeat 13 5/8"

Wood Bottom Hem

- Wood bottom hems are available in two sizes:
1 1/4" high x 3/4" deep or 2" high x 5/8" deep.
- Available in eight colors. Colors are shown in the sample book.
- Maximum shade width is 60" for 1 1/4" Wood Bottom Hem.
- Maximum shade width is 72" for 2" Bottom Hem.

Ordering Notes

- Exclusions: Light-Vue, Luminescence



Wood Bottom Hem

Buckeye	Gardenia	Natural
Cottage Pine	Java Roast	Navajo White
Ebony Wash	Mahogany	

Grommet Hem Style

- Grommets are 1 3/4" OS Diameter, 1 1/8" IS Diameter and spaced approximately 6" apart and 2" above hem.
- Select Grommet color from Genesis sample book. Grommet is polymer, available in 10 colors.
- Price this hem style using the Decorative Hem-Grommet row in the Hemline Surcharge table.



Grommets 265

Black	Ivory	Pewter
Bronze	Matte Brass	Walnut
Granite	Natural	White
	Pecan	

Sewn Hem or Unfinished Hem

- A sewn hem using a wood slat inserted into the pocket is available.
- Style 305, material hemmed to the street side is standard.
- Style 333, material hemmed to the room side is a no charge option.
- Style 300, Unfinished Hem, is a no charge option.



Sewn Hem 305

Heat Sealed Bottom Hem

- Ideal for a flat fabric finish on the bottom of the shade. It replaces the bottom bar with a concealed weighted pocket for a sleek look.
- Can be requested on the following fabrics at no additional charge: Boucle, Dimensions, Fiber-Lucent, Moire, No-Lite Fiberglass, Seclusion, and most SheerWeave (SheerWeave 7000, 7300 and Infinity 2 are not available).

Design Options

Genesis Window Shades - Other Options

Season-Vue Exterior Cable Guide

- A cable guide system designed for Genesis Season-Vue shades.
- Outside Mount only.
- Certain Genesis shade fabrics are available for use as a Season-Vue shade. See pages 4-5 for availability.
- Maximum Shade Size: 96" x 96"
- Bottom Bar allows steel cable to move shade vertically with minimal swaying.
- Tie down anchor for the cable guide is white.



Magnetic Hold Down

- Metal is inserted at the ends of the bottom rail and hold down magnets are attached to the window frame to hold the bottom rail in place when the shade is lowered.
- Exclusions: Heat sealed bottom hem



Spring Assist for Clutch System

- Spring assist reduces the pull force necessary on larger shades.
- The spring assist option can be used on shades 104" to 156" wide.
- Availability on cassette and fascia systems is clutch size dependent, not clutch type dependent.
- Minimum shade height is 81"; Maximum shade height is 168"

Tube Upgrades

- Varying shade sizes in one room may require upgrading to a larger tube size on some shades to maintain a uniform appearance. The tube upgrade charge will apply to each shade that would normally use a smaller tube size.

Metal Bead Chain

- Add a distinct style to your clutch operated window shade with a decorative metal bead chain.
- Finishes available: Stainless Steel, Antique Bronze, Black.
- To price add the stainless steel bead chain surcharge or the colored metal bead chain surcharge to the shade price.

Bead Chain Loop Substitution

- The bead chain loop can be substituted with one of the other standard bead chain loops available (see specification pages).
- If a bead chain loop greater than 96" is desired, a connector will be added to the color coordinated bead chain loop and will be surcharged.
- ~~Custom bead chain loop lengths are not available.~~
- If an installer attempts to make a custom bead chain loop with a connector, it could prevent the shade from operating properly.

Palladian Window Shelf

- Double beaded hardwood shelf mounts horizontally in arched or angled openings to serve as divider and mounting surface for window fashions.
- Allows area above shelf to be treated independently.
- Finishes available from Woodland Harvest or Heartland Woods.
- Palladian shelf has a 1/32" per foot tolerance for warpage.
- Inside Mount Applications only.

Size Standards


- Height: 1 1/2"
- Depth: 4" (Can be cut down to 2" minimum upon request)
- Maximum Length: 8'

Ordering Notes

- Must be installed below the radius of window; routed ends are square
- Specify exact width from jamb to jamb. A 1/16" deduction is taken by Lafayette.
- Ordered separate from shade (Priced by lineal foot - round up from exact width to next highest lineal foot.)

Exclusions:

Outside mount applications



Flame Retardant (FR) Coating

- A flame retardant coating is available for those Genesis fabrics that are not inherently fire retardant. The shade is fabricated then sent to an external facility for the flame coating process. Allow four to six weeks extra delivery time for this service. Standard shipping is included. Call for quote on flame retardant coating.

Design Options

Genesis Window Shades - Bracket Information


Genesis Window Shade Brackets

Spring Roller

The type of bracket and size of bracket sent with a Genesis spring roller order varies with the roller size and type of installation. Refer to the Lafayette Shade Products price list for a complete listing of spring roller bracket types and sizes.




SL Series Clutch

Brackets available in 3 projections
1/2" wide for all brackets




Item Numbers	Clutch	Projection	Height
10000-660360X	SL	1 1/2"	2 3/8"
10000-660380X	SL	2"	2 3/8"
10000-660590X	SL	2 7/8"	2 3/8" high

(X = B for Black, W for White, V for Vanilla)



R Series Clutch

Brackets available in 3 projections
1/2" wide for all brackets



R Series Control Side

R Series Idler Side

Item Numbers	Clutch	Projection	Height
10000-560360	R3, R8	1 1/2"	1 1/2"
10000-560560	R16, R24	1 1/2"	1 1/2"
10000-560380	R3, R8	2"	2 1/2"
10000-560580	R16, R24	2"	2 1/2"
10000-560390	R8	2"	2 1/2"
10000-560590	R16, R24	2 7/8"	2 1/2"

R Series Mounting Requirements

• Inside Mount (IS) - Minimum Mounting Depth		
- R Series	1" Tube	1 3/4"
	2 1/2" & 3" Tube	3 1/4"
	All other	2 3/4"
• Inside Mount (IS) - Min Mounting Depth - Flush Mount		
- R Series	1" Tube	2"
	2 1/2" & 3" Tube	3 3/4"
	All other	2 3/4"
• Inside Mount (IS) - Min Mounting Depth - Wall Mount		
- R Series	All tubes	5/8"
• Outside Mount (OS) - Minimum Flat Vertical Surface		
- R Series	1" tube	1 1/2"
- R Series	All other	2 1/2"

Dual Shade Bracket

- Genesis Dual Shades Brackets are only available as **Inside Mount** shades using a vertical dual bracket with an SL Series clutch.
- Maximum shade width is based upon fabric width or 103" (whichever is less); railroading is available for some fabrics.
- Maximum shade height is 96".
- Vertical dual bracket is 2" deep and 5 3/4" high. For a fully recessed installation, allow 2 1/2" or greater based on material thickness.
- The upper shade will have a reverse roll (rolls off on room side). The lower shade has a standard roll.
- The shades cannot have controls on the same side.
- To price, add the two shade prices together and add the Dual Shade Bracket surcharge.
- Exclusions: Cassette or Fascia systems.




Product Information

Genesis Window Shades - Measuring and Operation

Best Practices for Measuring

- Always use a steel tape or a metal ruler for measuring.
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of the shade.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of the area to be covered.
- For Inside Mount, measure the width where the brackets will be installed.
- Measure the length in at least three places and specify the shortest length.
- Take two diagonal measurements. If the difference in the diagonal measurements is greater than 3/8", an outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure the exact width and height of the area to be covered.
- For Cloth Measure measurement, the area to cover is given. The overall finished shade width will increase when ordering by the Cloth Measure.




Window Shade Measuring

- All shade pricing is based on the width and the window opening height.
- Custom shade orders are accepted for either inside mount, outside mount or Cloth Measure.
- Custom shade width measurements should be taken to the nearest 1/16".
- It is critical that the shade brackets are mounted level so that the shade is level when installed.
- For Height, measure the full length of the window opening from the top frame to the lower sill (or bottom coverage point) to determine your window height.
- For Cloth Measure measurement, the area to cover is given. The overall finished shade width will increase when ordering by the Cloth Measure.
- Finished Dimensions are given on the product specification pages.

Operation and Adjustments

- Make sure the brackets are mounted level or the shade will roll up crooked.
- Remove slat from hem pocket before installing plastic hem grip to avoid damaging material. Then, carefully slide slat inside hem.
- Always pull spring roller shades from the center. Pulling the shades from the side can cause the shade to roll crookedly and possibly damage the edges.
- If the shade does not roll straight, correct as follows:
Roll shade completely down, exposing roller tube. Place 1 to 2 layers of tape, approximately 4 to 6" long, horizontally on tube. Raise and lower shade a few times, if shade is still skewing add another layer of tape. Always put tape on opposite side that material is skewing.
- Adjusting spring roller shade for roller tension:
When shade does not roll up, the spring is too loose. To adjust:
 1. Draw shade about 18" and remove from brackets.
 2. Roll up shade by hand and replace in brackets.
 Repeat until proper tension is reached.

- When shade will not stay down, the spring is too tight. To adjust:
1. Raise shade all the way up and remove from brackets.
 2. Unroll the shade about 18" and replace in brackets.
- Repeat until proper tension is reached.



Fabric Care and Cleaning

- Shade fabrics can be cleaned periodically using a vacuum with a soft bristle attachment.
- Shade fabrics with fiberglass or PVC can usually be wiped gently with mild detergent. We recommend testing a small area prior to cleaning the entire shade. For shade fabric content refer to the Genesis Technical specifications found in the Dealer Center under Product Information/Genesis.
- Pattern Hanji is a paper based material and is not recommended to come in contact with water.
- Ultrasonic cleaning is not recommended.

Product Information


Genesis Panel Track

Product Features

- Fits rectangular window openings
- Available on many Genesis fabrics; See pages 4-5.
- One Way Draw or Split Draw
- Cord Draw or Wand Control; Wand Control with Split Draw has 2 wands; Wand is clear acrylic
- Split Draw with cord draw always uses a 5 channel track
- Front Panel Draw is standard (panels stack in front of each other with fixed panel closest to the window side).
- Track system is .045" thick aluminum with White, Black, Satin Nickel or Pewter.
- Track can be ceiling mounted or wall mounted
- ~~Track uses sturdy delrin wheeled carriers~~
- Track has integrated hook and loop system for easy panel attachment
- Approximate 3" panel overlap provides uniform view and minimizes light leakage.
- Aluminum bar is inserted into bottom hem
- Installation Bracket and Swivel Bracket are color coordinated to the track color. Black brackets are sent with Pewter track finish.

Mounting Requirements

- Inside Mount (IS)
 - Minimum Mounting Depth
 - 3 Channels: 1 7/8"
 - 4 Channels: 2 1/4"
 - 5 Channels: 3"
 - Minimum Mounting Depth, flush mount
 - 3 Channels: 2 1/4"
 - 4 Channels: 2 7/8"
 - 5 Channels: 3 5/8"
- Outside Mount (OS)
 - Minimum Flat Vertical Surface: 5/8"




Finished Dimensions


- Inside Mount (IS)
 - Overall Fabric Width - Cord Draw: - 3/4" (3/8" on each side)
 - Overall Fabric Width - Wand Draw: - 1/4"
 - Shade Height: -3/8"
 - Track Width for Cord Draw: Ordered width + 1/8"
 - Track Width for Wand Draw: Ordered width - 1/8"
- Outside Mount (OS)
 - Overall Fabric Width: Ordered Width
 - Shade Height: Ordered Height
 - Track Width for Cord Draw: Ordered width + 1"
 - Track Width for Wand Draw: Ordered width + 1/8"

Approximate Panel Size


See table on page 64 for approximate panel size.



3 Channel



4 Channel



5 Channel

Size Standards

- Maximum headrail width is 192"
- Cord Draw is available up to 144" length
- Wand Control is available up to 96" length; Shades less than 7' long have a 36" wand standard; Shades 7' or greater have a 48" wand standard
- Minimum height of shade is 39" for wand draw
- Minimum height of shade is 24" for cord draw

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires if corded window products are used in the home, cord cleats or cord tension locks must be properly installed.

Hardware Included

- Installation Brackets (L Brackets for OS Mount)
- Cord Tensioner Bracket with Cord Draw

Options

- No Charge
 - Back Draw Panel - Panels stack in back of each other with the fixed panel closest to the ROOM side
 - ~~Hold Down Brackets~~
 - Wand Length (36" or 48")
- Surcharge
 - Artisan Valance
 - Majesty Valance or Camelot Valance

Ordering Notes


- For windows greater than 192", a splice kit can be requested or tracks may be butted but panels will not meet.
- Serging of the side edges is done on Beatty, Rocky Mountain and Fedora to help reduce fraying.

Caution


- For natural patterns such as Tahiti, Rocky Mountain and Yellowstone, **there will be visible imperfections.** Some natural patterns offer slight differences in grain and texture, especially in materials containing knots or slight surface cracks. The finest native materials in shades contain some variations in color and hue. In addition, natural materials can have a slight bow or camber so that horizontal lines or bottom hems might not be perfectly straight. Fold alignment can vary slightly, even on shades that are the same height. Shades made of natural materials tend to stretch slightly over time.

Product Information


Genesis Panel Track Configurations




3 Channels - One Way Draw
 2 Panels
 For 2 panel systems one channel is empty
 2 Panels - Minimum Track Width is 27"
 2 Panels - Maximum Track Width is 79"
 Number of Overlaps: 1
 3 Panels
 3 Panels - Minimum Track Width is 39"
 3 Panels - Maximum Track Width is 117"
 Number of Overlaps: 2




3 Channels - Split Draw - Wand Control
 4 Panels
 Minimum Track Width is 51"
 Maximum Track Width is 155"
 Number of Overlaps: 3




4 Channels - One Way Draw
 4 Panels
 Minimum Track Width is 51"
 Maximum Track Width is 155"
 Number of Overlaps: 3



4 Channels - Split Draw - Wand Control
 6 Panels
 Minimum Track Width is 75"
 Maximum Track Width is 192"
 Number of Overlaps: 5



5 Channels - One Way Draw
 5 Panels
 Minimum Track Width is 63"
 Maximum Track Width is 192"
 Number of Overlaps: 4



5 Channels - Split Draw - Wand or Cord Control
 All Split Draw with Cord Control utilize a 5 Channel track
 8 Panels
 Minimum Track Width is 99"
 Maximum Track Width is 192"
 Number of Overlaps: 7

Product Information

Genesis Panel Track

Approximate Panel Size Tables based upon Panels and Overlaps

Panel Width cannot be specified.

Panel Sizes given are approximate and based upon Outside Measure/Mount

2 Panels / 1 Overlap

Panel Min.	Panel Max.	Window Min.	Window Max.
15"	16"	27"	29"
16 1/16"	17"	29 1/8"	31"
17 1/16"	18"	31 1/8"	33"
18 1/16"	19"	33 1/8"	35"
19 1/16"	20"	35 1/8"	37"
20 1/16"	21"	37 1/8"	39"
21 1/16"	22"	39 1/8"	41"
22 1/16"	23"	41 1/8"	43"
23 1/16"	24"	43 1/8"	45"
24 1/16"	25"	45 1/8"	47"
25 1/16"	26"	47 1/8"	49"
26 1/16"	27"	49 1/8"	51"
27 1/16"	28"	51 1/8"	53"
28 1/16"	29"	53 1/8"	55"
29 1/16"	30"	55 1/8"	57"
30 1/16"	31"	57 1/8"	59"
31 1/16"	32"	59 1/8"	61"
32 1/16"	33"	61 1/8"	63"
33 1/16"	34"	63 1/8"	65"
34 1/16"	35"	65 1/8"	67"
35 1/16"	36"	67 1/8"	69"
36 1/16"	37"	69 1/8"	71"
37 1/16"	38"	71 1/8"	73"
38 1/16"	39"	73 1/8"	75"
39 1/16"	40"	75 1/8"	77"
40 1/16"	41"	77 1/8"	79"

4 Panels / 3 Overlaps

Panel Min.	Panel Max.	Window Min.	Window Max.
15"	16"	51"	55"
16 1/16"	17"	55 1/8"	59"
17 1/16"	18"	59 1/8"	63"
18 1/16"	19"	63 1/8"	67"
19 1/16"	20"	67 1/8"	71"
20 1/16"	21"	71 1/8"	75"
21 1/16"	22"	75 1/8"	79"
22 1/16"	23"	79 1/8"	83"
23 1/16"	24"	83 1/8"	87"
24 1/16"	25"	87 1/8"	91"
25 1/16"	26"	91 1/8"	95"
26 1/16"	27"	95 1/8"	99"
27 1/16"	28"	99 1/8"	103"
28 1/16"	29"	103 1/8"	107"
29 1/16"	30"	107 1/8"	111"
30 1/16"	31"	111 1/8"	115"
31 1/16"	32"	115 1/8"	119"
32 1/16"	33"	119 1/8"	123"
33 1/16"	34"	123 1/8"	127"
34 1/16"	35"	127 1/8"	131"
35 1/16"	36"	131 1/8"	135"
36 1/16"	37"	135 1/8"	139"
37 1/16"	38"	139 1/8"	143"
38 1/16"	39"	143 1/8"	147"
39 1/16"	40"	147 1/8"	151"
40 1/16"	41"	151 1/8"	155"

6 Panels / 5 Overlaps

Panel Min.	Panel Max.	Window Min.	Window Max.
15"	16"	75"	81"
16 1/16"	17"	81 1/4"	87"
17 1/16"	18"	87 1/4"	93"
18 1/16"	19"	93 1/4"	99"
19 1/16"	20"	99 1/4"	105"
20 1/16"	21"	105 1/4"	111"
21 1/16"	22"	111 1/4"	117"
22 1/16"	23"	117 1/4"	123"
23 1/16"	24"	123 1/4"	129"
24 1/16"	25"	129 1/4"	135"
25 1/16"	26"	135 1/4"	141"
26 1/16"	27"	141 1/4"	147"
27 1/16"	28"	147 1/4"	153"
28 1/16"	29"	153 1/4"	159"
29 1/16"	30"	159 1/4"	165"
30 1/16"	31"	165 1/4"	171"
31 1/16"	32"	171 1/4"	177"
32 1/16"	33"	177 1/4"	183"
33 1/16"	34"	183 1/4"	189"
34 1/16"	35"	189 1/4"	192"

3 Panels / 2 Overlaps

Panel Min.	Panel Max.	Window Min.	Window Max.
15"	16"	39"	42"
16 1/16"	17"	42 1/8"	45"
17 1/16"	18"	45 1/8"	48"
18 1/16"	19"	48 1/8"	51"
19 1/16"	20"	51 1/8"	54"
20 1/16"	21"	54 1/8"	57"
21 1/16"	22"	57 1/8"	60"
22 1/16"	23"	60 1/8"	63"
23 1/16"	24"	63 1/8"	66"
24 1/16"	25"	66 1/8"	69"
25 1/16"	26"	69 1/8"	72"
26 1/16"	27"	72 1/8"	75"
27 1/16"	28"	75 1/8"	78"
28 1/16"	29"	78 1/8"	81"
29 1/16"	30"	81 1/8"	84"
30 1/16"	31"	84 1/8"	87"
31 1/16"	32"	87 1/8"	90"
32 1/16"	33"	90 1/8"	93"
33 1/16"	34"	93 1/8"	96"
34 1/16"	35"	96 1/8"	99"
35 1/16"	36"	99 1/8"	102"
36 1/16"	37"	102 1/8"	105"
37 1/16"	38"	105 1/8"	108"
38 1/16"	39"	108 1/8"	111"
39 1/16"	40"	111 1/8"	114"
40 1/16"	41"	114 1/8"	117"

5 Panels / 4 Overlaps

Panel Min.	Panel Max.	Window Min.	Window Max.
15"	16"	63"	68"
16 1/16"	17"	68 1/8"	73"
17 1/16"	18"	73 1/8"	78"
18 1/16"	19"	78 1/8"	83"
19 1/16"	20"	83 1/8"	88"
20 1/16"	21"	88 1/8"	93"
21 1/16"	22"	93 1/8"	98"
22 1/16"	23"	98 1/8"	103"
23 1/16"	24"	103 1/8"	108"
24 1/16"	25"	108 1/8"	113"
25 1/16"	26"	113 1/8"	118"
26 1/16"	27"	118 1/8"	123"
27 1/16"	28"	123 1/8"	128"
28 1/16"	29"	128 1/8"	133"
29 1/16"	30"	133 1/8"	138"
30 1/16"	31"	138 1/8"	143"
31 1/16"	32"	143 1/8"	148"
32 1/16"	33"	148 1/8"	153"
33 1/16"	34"	153 1/8"	158"
34 1/16"	35"	158 1/8"	163"
35 1/16"	36"	163 1/8"	168"
36 1/16"	37"	168 1/8"	173"
37 1/16"	38"	173 1/8"	178"
38 1/16"	39"	178 1/8"	183"
39 1/16"	40"	183 1/8"	188"
40 1/16"	41"	188 1/8"	192"

8 Panels / 7 Overlaps

Panel Min.	Panel Max.	Window Min.	Window Max.
15"	16"	99"	107"
16 1/16"	17"	107 1/4"	115"
17 1/16"	18"	115 1/4"	123"
18 1/16"	19"	123 1/4"	131"
19 1/16"	20"	131 1/4"	139"
20 1/16"	21"	139 1/4"	147"
21 1/16"	22"	147 1/4"	155"
22 1/16"	23"	155 1/4"	163"
23 1/16"	24"	163 1/4"	171"
24 1/16"	25"	171 1/4"	179"
25 1/16"	26"	179 1/4"	187"
26 1/16"	27"	187 1/4"	192"

One Way Stacking Width = Panel Width

Split Draw Stacking Width = Panel Width x 2


Design Options

Genesis Panel Track - Valances, Measuring & Brackets


Majesty or Camelot Wood Valance

- Valances are available in eight colors: Buckeye, Cottage Pine, Ebony Wash, Gardenia, Java Roast, Mahogany, Natural, Navajo White. Sample colors are shown in the Genesis sample book.
- Standard return is 7" from back of valance to wall.
- If wood valance width is over 96" the valance will be spliced.
- L Bracket with panhead nut & bolt is used for attachment through the top of the dust cover.

Majesty Valance
4 1/2" height
5/8" thick




Camelot Valance
3 1/2" height
1/2" thick



Artisan Valance

- Available in White, Black, Satin Nickel and Pewter.
- Profile Height: 3"
- Maximum width: 144"
- Valance clips on to Panel Track channel.
- Select Corner Connector color: White, Black or Gray.
- Specify return size for outside mount shades.



Corner Connector



Artisan Pewter Valance with
Black Corner Connector

Best Practices for Measuring

- Always use a steel tape or a metal ruler for measuring.
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of the shade.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of the area to be covered.
- Measure the width in at least three places and specify the narrowest width.
- Measure the length in at least three places and specify the shortest length.
- Take two diagonal measurements. If there is a greater than 3/8" difference in diagonal measurements, outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure the exact width and height of the area to be covered.

Panel Track Measuring

- All shade pricing is based on the width and the height.
- Panel Track orders are accepted for either inside or outside dimensions.
- There WILL BE a 1/2" **LIGHT GAP** on the left and right sides. Consider drapery panels on each side of the opening to conceal the light gap with the inside mount installation.
- Shade width measurements should be taken to the nearest 1/16".
- It is critical that the shade brackets be mounted so that the shade is level when installed.
- For an Inside Mount, For Panel Track to be installed inside an area (jamb to jamb in a window or door, wall to wall in a room), give exact inside width measurements, and top to bottom length measurements of the area to be covered.
- For an Outside Mount, measure the exact width and height of the area to be covered.
- For an Outside Mount, when measuring to cover a window, we recommend the Panel Track overlap the window by 3" to 6" on each side for privacy and light control.
- For Length, measure the full length of the window opening from the top frame to the bottom coverage point) to determine your window length. When installing a Panel Track above the window frame, the track should be installed at least 2" above the frame or molding to allow the foot of the installation bracket to be properly mounted.
- When measuring from the ceiling to the floor, a deduction of 1/2" to 3/4" is recommended, **but you must make this deduction**.
- Finished Dimensions are given on page 62.

Brackets



Installation L Brackets

Colors Black-03, White-11, Silver-12

3 Channel - 4" deep, 2 1/4" high, 1" wide


Item PT-303-XX

4 Channel - 4 23/32" deep, 2 1/4" high, 1" wide

Item PT-302-XX

5 Channel - 4 5/8" deep, 2 1/4" high, 1" wide

Item PT-301-XX



Swivel bracket for Inside Mount

Colors Black-003, White-001, Gray-090

3 channel, 2 1/4" deep

Item PT-6519-XXX

4 or 5 channel, 3 3/8" deep

Item PT-6520-XXX

Terminology

OPACITY RATINGS

Different fabrics allow varying amounts of light into the room and provide different levels of privacy. Fabrics are generally classified in one of five categories; Sheer, Semi-Sheer, Semi-Opaque, Private and Opaque.

- 1 - Sheer - Allows light to enter while reducing glare.
- 2 - Semi-Sheer - Allows soft diffused light, moderate privacy
- 3 - Semi-Opaque - Allows only filtered light inside. Provides substantial privacy.
- 4 - Private - Filters more light, blocks view. Provides complete privacy.
- 5 - Opaque - Blocks 99% of light. Complete privacy and greatest light control.

Warning: Even though a material may be rated "opaque", an inside application will have light leakage on the sides.

DESIGNATIONS / CERTIFICATIONS

- **GreenAssured®:** GreenAssured is ITA's proprietary certification program for environmentally compatible window fashion products with their brand. The program is supported by independent laboratory testing, using internationally recognized, officially sanctioned protocols. To become certified products must meet strict environmental criteria including airborne chemical emissions and the ecological impacts of the sourcing of raw materials, especially wood. ITA, Inc. developed and implemented the GreenAssured program in response to growing international awareness and concern about the effects of household products on indoor air quality, and the impact on local ecological systems of harvesting endangered or threatened species of trees for wood-based products. Both hard and soft window covering materials are tested for emissions of airborne chemicals cited by the U.S. Environmental Protection Agency (EPA) as dangerous to health and safety under the Superfund Amendments and Reauthorization Act, Section 313 (SARA 313), as well as particulates, other potentially harmful substances, and recyclability. To achieve certification, products must comply with emissions limitations and other standards such as: Total aldehydes, including formaldehyde; Volatile organic compounds (VOCs); Respirable particulates; Heat induced off-gas emissions.
- **GREENGUARD Indoor Air Quality Certified®:** A product certification program for low emitting interior building materials, furnishings, and finish systems. All GREENGUARD Certified Products have been tested for their chemical emissions performance. The standard establishes certification procedures including test methods, allowable emissions levels, product sample collection and handling, testing type and frequency, and program application processes and acceptance. All products are tested in dynamic environmental chambers following the GREENGUARD test method, "Method for Measuring Various Chemical Emissions using Dynamic Environmental Chambers". The method follows the guidance of ASTM standard D-5116-06 and D-6670-01, the U.S. Environmental Protection Agency's testing protocol for furniture, the State of Washington's protocol for internal furnishings and construction materials, and California's DHS standard practice for the Special Environmental Requirements, Specification Section 01350. Products are measured for emission levels, which must meet certain indoor air concentrations within seven (7) days of unpackaging.
- **GREENGUARD for Children and SchoolsSM:** This product certification program complies with the State of California's Department of Health Services Standard Practice (CA Section 01350) for testing chemical emissions from building products used in schools. As such, GREENGUARD Children & Schools Certified products can be used as a strategy to earn valuable credits in the CHPS Best Practices Manual for K-12. Children are more heavily exposed to environmental toxins than adults. They consume more food, water, and have higher inhalation rates per pound of body weight than adults. To account for inhalation exposure to young children with greater sensitivities, a body burden correction factor of .43 has been applied to current allowable emission levels for indoor materials and furnishings.
- **KOOLBLACK™** Technology is a patented technology that enhances dark colored fabric's heat reflectivity by increasing its near infrared reflection (NIR). While conventional dark screen fabric provides superior view through and exceptional glare control, it absorbs the energy that is created by near infrared wavelength. A dark screen fabric with KOOLBLACK™ Technology enables the fabric to reflect more solar heat, therefore, absorb less energy. As a result, KOOLBLACK™ Technology increases the energy efficiency of dark solar shade fabrics to levels comparable with light colors. Only dark solar shade fabrics with KOOLBLACK™ Technology provide exceptional glare control, comfortable view through and elegant streetside aesthetics while reducing heat.
- **Oeko-Tex™ 100, Confidence in Textiles:** The Oeko-Tex Standard 100 provides the textile and clothing industry with a globally uniform standard for the objective assessment of harmful substances. Raw materials, intermediate and end products at all stages of processing throughout the manufacturing chain, including accessories, are tested and certified. Certification is obtained by application in writing from the manufacturer to one of the authorized test institutes or official offices around the globe. The samples submitted are tested exclusively in the member institutes in Europe and Japan in order to ensure a consistently high level of testing. The mark "Confidence in Textiles - Test for harmful substances according to Oeko-Text Standard 100" states that the marked product fulfills the conditions specified in this standard, are under the supervision of an institute belonging to the International Association for Research and Testing in the field of Textile Ecology (Oeko-Tex). The mark is not a quality label. The mark relates only to the as-produced state of the textile and says nothing about other properties of the product such as e.g. fitness for use, reaction to cleaning processes, physiological behaviour in respect to clothing, properties relating to use in buildings, burning behaviour etc. This mark does not declare anything about harmful substances affecting single specimens of the marked textile as a result of damage during transportation or storing (and improper cleaning procedures thereafter), contamination caused by manipulation for sales promotion (e.g. perfuming) and inadequate sales display.

Technical Specifications and Fenestration Data can be found online at www.lafayetteinteriorfashions.com/Dealer Center/Products/Genesis.

Glossary

CLOTH WIDTH MEASURE (CM): The exact width of the cloth from the left vertical edge to the right vertical edge of the material. See page 16 for the Cloth Measure table. Lafayette accepts "Cloth Measure" in our order entry program.

INSIDE MOUNT (IS): When a window covering is mounted within the window casing opening. For recommended measurement practices see page 55 for window shades or page 61 for roman shades .

LIGHT GAP: The gap between the shade fabric (in the closed position) and the window casing. On inside mount installations the light gap would be the distance between the vertical edge of the fabric and the interior vertical edge of the window casing.

MINIMUM MOUNTING DEPTH - FLUSH MOUNT: The smallest measurement required for the shade product to be fully recessed within the window casing on an inside mount. Note: Some shade products have decorative features which are not included within the flush mount measurement.

MINIMUM MOUNTING DEPTH: The smallest measurement required by the mounting hardware to install the product for an inside mount. The product may have some projection into the room.

OPENNESS FACTOR: Refers to the ratio of open or interstice area to the total flat surface area of a perforated material. This quantity relates well to the amount of solar heat emitted through a fabric or perforated material and to the extent to which discomfort results to individuals near the window. It is usually expressed as a percentage or decimal portion of a total unit of 1.00.

OUTSIDE MOUNT (OS): When a window covering is mounted beyond or above the window casing (such as on a room facing wall). For recommended measurement practices see page 55 for window shades or page 61 for roman shades .

PROJECTION: The measurement from the mounting surface to the center of the bracket pin hole, which generally coincides with the center of the roller tube.

REGULAR ROLL: The shade material pulls off of the roller tube from the back (window side) of the shade. The regular roll shade is the standard.

REVERSE ROLL: The shade material pulls off of the roller tube from the front (room side) of the shade. The reverse roll shade can provide additional clearance to window hardware on an inside mount or window casing/trim on an outside mount. The reverse roll shade will increase the light gap on many outside mount applications.

SPEARLINING: The aligning of more than one roman shade so the material is placed on the same spot on each roman shade. For window shades, spearlining is only available when a clutch is used. Pattern match is not guaranteed for window shades.

WINDOW HEIGHT: The height of the opening from the top of the window to the bottom (sill). This is also referred to as Window Length.

Product Information

Genesis Color Listing & Component Coordination

Fabric	Color	Color #	SL Clutch	Cassette	Deck/ Swatch
Aedan	Berber	076	Vanilla	Vanilla	1-28
Aedan	Linen	455	Sierra Tan	Vanilla	1-18
Aspect	Antique	025	Vanilla	Vanilla	4-4
Aspect	Flax	340	Vanilla	Sierra Tan	4-14
Aspect	Linen-Sachet	476	Vanilla	Vanilla	4-3
Beatty	Mink	216	Black	Bronze	1-41
Berber Slub	Pebble	610	Vanilla	Brsh Nckl	3-22
Berber Slub	Stone	820	Vanilla	Brsh Nckl	3-43
Berber Slub	Winter	898	Vanilla	Brsh Nckl	3-1
Boho	Cotton	911	White	White	3-13
Boucle	Alabaster	001	Vanilla	Vanilla	4-23
Brit	Coffee	217	Black	Bronze	S-3
Brit	Taupe	840	Black	Sierra Tan	S-3
Cabos	Cloud	904	Vanilla	Brsh Nckl	1A-1
Cabos	Griege	067	Vanilla	Vanilla	1A-17
Cabos	Sand	041	Vanilla	Vanilla	1-12
Cabos	Shell	760	Vanilla	Vanilla	1-3
Cayman	Onyx	562	Black	Bronze	1-39
Cayman	Sunny	016	Vanilla	Vanilla	1-16
Dakota	Slate	800	Vanilla	Brsh Nckl	1A-33
Dallas	Silver	780	Vanilla	Brsh Nckl	3A-44
Dallas	Storm	823	Vanilla	Brsh Nckl	3A-46
Deco Screen	Parchment	580	White	White	S-2
Dimensions	Cappucino	148	Black	Sierra Tan	S-5
Dimensions	Charcoal	185	Black	Black	S-5
Dimensions	Cocoa	208	Black	Black	S-5
Dimensions	Linen	455	Vanilla	Vanilla	S-5
Dimensions	Pebble	610	Vanilla	Vanilla	S-5
Dimensions	Sable	714	Black	Bronze	S-5
Dimensions	Stone	820	Vanilla	Vanilla	S-5
Dimensions	White	885	White	White	S-5
Duo Vue	Chocolate	423	Black	Bronze	S-1
Duo Vue	Sand	725	Vanilla	Sierra Tan	S-1
Duo Vue	Silver Sand	098	Vanilla	Brsh Nckl	S-1
E Screen	Apricot	040	Black	Bronze	S-5
E Screen	Bronze	122	Black	Bronze	S-5
E Screen	Charcoal	185	Black	Black	S-5
E Screen	Gray	385	Black	Black	S-5
E Screen	Linen	455	Vanilla	Vanilla	S-5
E Screen	Pearl	605	Vanilla	Brsh Nckl	S-5
E Screen	White	885	White	White	S-5
E Screen KOOLBLACK	Char/Aprct	040	Black	Bronze	S-1
E Screen KOOLBLACK	Char/Char	185	Black	Black	S-1
E Screen KOOLBLACK	Char/Cocoa	208	Black	Bronze	S-1
Edessa Twilight	Arctic	046	White	White	4-9
Edessa Twilight	Beach	059	Vanilla	Vanilla	4-11
Edessa Twilight	Glacier	362	White	White	4-10
Edessa Twilight	Savannah	602	Vanilla	Vanilla	4-37
Edessa Twilight	Tundra	771	Black	Bronze	4-38
Fedora	Flaxen	341	Vanilla	Sierra Tan	3A-34
Fedora	Natural	540	Vanilla	Vanilla	3A-37
Fedora	Tweed	217	Vanilla	Vanilla	3-39
Fiber-Lucent	Oyster	003	Vanilla	Vanilla	3-21
Fiber-Lucent	White	011	White	White	3-20
Grasscloth	Linen	455	Vanilla	Vanilla	3-10
Grasscloth	Nickel	111	Vanilla	Brsh Nckl	3A-45
Grasscloth	Snow	805	White	White	3-3
Hanji	Chestnut	176	Black	Bronze	2-9
Hanji	Pecan	615	Black	Bronze	2-8
Hanji	Walnut	891	Black	Bronze	2-10

Fabric	Color	Color #	SL Clutch	Cassette	Deck/ Swatch
Hanji	White	885	White	White	2-3
Harper	Sand	725	Vanilla	Sierra Tan	3-30
Highland	Cocoa	208	Black	Bronze	4-63
Highland	Latte	463	Vanilla	Vanilla	4-42
Highland	Seal	944	Black	Bronze	4-62
Hombre	Berber	076	Black	Bronze	1-32
Hombre	Flax	340	Vanilla	Vanilla	1-30
Hombre	Linen	455	Vanilla	Vanilla	1-21
Homespun	Flax	340	Vanilla	Vanilla	1-14
Homespun	White	885	White	White	1-2
Jackson	Rosewood	785	Vanilla	Sierra Tan	1-23
Jackson	Spa	806	Vanilla	Vanilla	1-29
Jackson	Taupe	840	Black	Sierra Tan	1-25
Jackson	Tearose	842	Vanilla	Sierra Tan	1-20
Katrina	Oyster	003	Vanilla	Brsh Nckl	3-60
Katrina	White	885	White	White	3-17
Keilani	Conch	213	Vanilla	Vanilla	1-6
Keilani	Raffia	731	Vanilla	Vanilla	1-19
Kendo	Bamboo	006	Vanilla	Sierra Tan	1-22
Kendo	Tortoiseshell	119	Vanilla	Sierra Tan	1-34
Lexie	Buff	130	Vanilla	Vanilla	3-6
Lexie	Pebble	610	Vanilla	Brsh Nckl	3-25
Lexie	Smoke	028	Black	Black	3-46
Lexie	White	885	White	White	3-5
Light-Vue	Bronze	027	Black	Bronze	S-1
Light-Vue	Smoke	028	Black	Black	S-1
Light-Vue	Smoke/Ice	035	Black	Black	S-1
Lindley	Linen	455	Vanilla	Sierra Tan	4-28
Lindley	Pumice	607	White	Brsh Nckl	4-54
Lindley	White	885	White	White	4-1
Linen	Flax	340	Vanilla	Vanilla	4-7
Linen	Parchment	580	Vanilla	Vanilla	4-35
Lizzy	Citrus	172	Vanilla	Vanilla	3B-1
Lizzy	Teal	845	Vanilla	Vanilla	3A-1
Long Bay	Earth	312	Black	Sierra Tan	3-29
Long Bay	Element	139	Vanilla	Vanilla	3-50
Long Bay	Ivory	420	Vanilla	Vanilla	3-12
Long Bay	Mineral	701	Vanilla	Brsh Nckl	3-51
Long Bay	Sand	725	Vanilla	Sierra Tan	3-28
Longbay Blackout	Barley	012	Vanilla	Vanilla	4-8
Longbay Blackout	Stone	820	Vanilla	Vanilla	4-36
Loretta	Tan	836	Black	Bronze	3-38
Lucinda	Tan	836	Black	Sierra Tan	3-37
Luminescence	Antiquity	026	Vanilla	Vanilla	2-2
Luminescence	Bronze	122	Black	Bronze	2-7
Luminescence	Gun Metal	815	Vanilla	Brsh Nckl	2-16
Luminescence	Pearl	605	Vanilla	Vanilla	2-1
Luminescence	Sterling	821	Vanilla	Brsh Nckl	2-17
Mindoro	Natural	540	Vanilla	Sierra Tan	1-24
Mindoro	Sand	725	Vanilla	Vanilla	1-11
Mindoro	Shell	760	Vanilla	Vanilla	1-8
Moire	Alabaster	001	Vanilla	Vanilla	4-22
Moire	White	011	White	White	4-21
Mysterious	Cinnamon	839	Vanilla	Vanilla	4-46
Mysterious	Coffee Bean	926	Black	Sierra Tan	4-47
Mysterious	Cream	080	Vanilla	Vanilla	4-17
Mysterious	Dove	279	Vanilla	Brsh Nckl	4-65
Mysterious	Ivory	023	White	White	4-16
Mysterious	Natural	540	Vanilla	Vanilla	4-44
Mysterious	Navy Blue	088	Black	Black	4-68

Product Information

Genesis Color Listing & Component Coordination

<i>Fabric</i>	<i>Color</i>	<i>Color #</i>	<i>SL Clutch</i>	<i>Cassette</i>	<i>Deck/ Swatch</i>
Mysterious	Pepper	925	Vanilla	Brsh Nckl	4-66
Mysterious	White	011	White	White	4-15
Mystic	Buff	130	Vanilla	Vanilla	2-5
Mystic	Canyon	162	Black	Bronze	2-13
Mystic	Chestnut	176	Black	Bronze	2-14
Mystic	Chocolate	423	Black	Bronze	2-15
Mystic	Ebony	318	Black	Black	2-24
Mystic	Ice White	413	White	White	2A-1
Mystic	Lagoon	433	Black	Bronze	2-19
Mystic	Marble	535	Vanilla	Vanilla	2-4
Mystic	Nile	555	Black	Bronze	2-20
Mystic	Pecan	615	Black	Bronze	2-12
Mystic	Rice	690	Vanilla	Vanilla	2-6
Mystic	Slate	800	Black	Brsh Nckl	2-22
Mystic	Topaz	769	Vanilla	Brsh Nckl	2-21
Mystic	Travertine	767	Vanilla	Brsh Nckl	2-23
Mystic Eclipse	Chestnut	176	Black	Bronze	2A-14
Mystic Eclipse	Chocolate	423	Black	Bronze	2A-15
Mystic Eclipse	Marble	535	Vanilla	Vanilla	2A-4
Mystic Eclipse	Pecan	615	Black	Bronze	2-11
Mystic Eclipse	Rice	690	Vanilla	Vanilla	2A-6
Net 3000	Bone	066	Vanilla	Vanilla	S-6
Net 3000	Bronze	122	Black	Bronze	S-6
Net 3000	Charcoal	185	Black	Black	S-6
Net 3000	Pearl	001	White	White	S-6
Net 3000	Sand	041	Vanilla	Sierra Tan	S-6
Net 3000	Silver	062	Vanilla	Brsh Nckl	S-6
Net 3000	Silver Sand	098	Vanilla	Brsh Nckl	S-6
No Lite Fibrglss/Duplx	Black	090	Black	Black	4-71
No Lite Fibrglss/Duplx	Cameo	047	Vanilla	Vanilla	4-52
No Lite Fibrglss/Duplx	Cloud Gray	043	Vanilla	Brsh Nckl	4-69
No Lite Fibrglss/Duplx	Coffee	217	Black	Bronze	4-53
No Lite Fibrglss/Duplx	Pewter	083	Black	Brsh Nckl	4-70
No Lite Fibrglss/Solid	Bone	120	Vanilla	Vanilla	4-27
No Lite Fibrglss/Solid	Champagne	170	Vanilla	Vanilla	4-51
No Lite Fibrglss/Solid	Cloud	904	White	White	4-25
No Lite Fibrglss/Solid	Ivory	420	Vanilla	Vanilla	4-49
No Lite Fibrglss/Solid	Oyster	003	Vanilla	Vanilla	4-50
No Lite Fibrglss/Solid	Warm White	020	White	White	4-26
No Lite Fibrglss/Solid	White	011	White	White	4-24
Opulence	Bronze	122	Black	Bronze	S-3
Opulence	Charcoal	185	Black	Black	S-3
Opulence	Enchanted	188	Black	Black	S-3
Opulence	White	885	White	White	S-2
Origami	Bamboo	006	Vanilla	Vanilla	1-7
Origami	Rice	690	Vanilla	Vanilla	1-5
Pacifica	Flax	340	Vanilla	Vanilla	4-5
Pacifica	Parchment	580	Vanilla	Sierra Tan	4-33
Pearlescent	Glacier	362	White	White	4-6
Pearlescent	Sand	041	Vanilla	Vanilla	4-34
Persia	Onyx	562	Black	Black	1-38
Persia	Pecan	615	Black	Bronze	1-40
Persia	Sunny	016	Vanilla	Vanilla	1-15
Princeton	Beige	066	Vanilla	Vanilla	3-11
Princeton	Cappucino	148	Black	Bronze	3-26
Princeton	Espresso	331	Black	Bronze	3-27
Princeton	Platinum	655	Black	Brsh Nckl	3-54
Rocky Mountain	Clay	198	Black	Bronze	1-44
Rocky Mountain	Tan	836	Black	Bronze	1-42
Rocky Mountain	Walnut	891	Black	Bronze	1-45

<i>Fabric</i>	<i>Color</i>	<i>Color #</i>	<i>SL Clutch</i>	<i>Cassette</i>	<i>Deck/ Swatch</i>
Rollie	Berber	076	Black	Bronze	1-31
S Screen Elements	Seasalt	658	Vanilla	Brsh Nckl	S-2
S Screen Origins	Cork	102	Black	Sierra Tan	S-2
S Screen Origins	Marble	152	Vanilla	Brsh Nckl	S-3
Safari	Teak	758	Black	Bronze	1-46
Seclusion	White	011	White	White	4-20
Sedona	Driftwood	396	Vanilla	Brsh Nckl	4-57
Sedona	Dune	017	Vanilla	Brsh Nckl	4-56
Sedona	Paperbark	179	Vanilla	Sierra Tan	4-29
Sedona	Pumice	811	White	White	4-2
Seto 5000	Charcoal	185	Black	Bronze	3-35
Seto 5000	Cream	080	Vanilla	Vanilla	3-16
Seto 5000	Ivory	420	Vanilla	Vanilla	3-15
Seto 6000	Cream	235	Vanilla	Vanilla	3-8
Seto 6000	Haze	393	Vanilla	Brsh Nckl	3-47
Seto 6000	White	011	White	White	3-7
Shantung	Artic White	011	White	White	1-4
Shantung	Natural	540	Vanilla	Vanilla	1-10
SheerWeave 1000	Pearl	001	White	White	S-4
SheerWeave 2000	Bone	066	Vanilla	Sierra Tan	S-6
SheerWeave 2000	Bronze	122	Black	Bronze	S-6
SheerWeave 2000	Charcoal	185	Black	Black	S-6
SheerWeave 2000	Gray	385	Black	Black	S-6
SheerWeave 2000	Pearl	001	Vanilla	Vanilla	S-6
SheerWeave 2000	Sand	041	Vanilla	Vanilla	S-6
SheerWeave 2000	Silver	062	Vanilla	Brsh Nckl	S-6
SheerWeave 2000	Silver Sand	098	Vanilla	Brsh Nckl	S-6
SheerWeave 2390	Bronze	122	Black	Bronze	S-5
SheerWeave 2390	Charcoal	185	Black	Black	S-5
SheerWeave 2390	Gray	385	Black	Black	S-5
SheerWeave 2390	Pearl	605	Vanilla	Vanilla	S-5
SheerWeave 2390	Sand	725	Vanilla	Vanilla	S-5
SheerWeave 2390	Silver	780	Vanilla	Brsh Nckl	S-5
SheerWeave 2410	Bronze	122	Black	Bronze	S-5
SheerWeave 2410	Charcoal	185	Black	Black	S-5
SheerWeave 2410	Gray	385	Black	Black	S-5
SheerWeave 2410	Pearl	605	Vanilla	Vanilla	S-5
SheerWeave 2410	Sand	725	Vanilla	Vanilla	S-5
SheerWeave 2410	Silver	780	Vanilla	Brsh Nckl	S-5
SheerWeave 2500	Bronze	122	Black	Bronze	S-5
SheerWeave 2500	Charcoal	185	Black	Black	S-5
SheerWeave 2500	Gray	385	Black	Black	S-5
SheerWeave 2500	Pearl	605	White	White	S-5
SheerWeave 2500	Sand	725	Vanilla	Vanilla	S-5
SheerWeave 2500	Silver	780	Vanilla	Brsh Nckl	S-5
SheerWeave 3000	Chocolate	047	Black	Bronze	S-4
SheerWeave 3000	Custard Cream	239	Vanilla	Vanilla	S-4
SheerWeave 3000	Granite	375	Black	Black	S-4
SheerWeave 3000	Mshrm Sand	048	Vanilla	Sierra Tan	S-4
SheerWeave 3000	Pale Gray	083	Vanilla	Brsh Nckl	S-4
SheerWeave 3000	Pearl White	011	White	White	S-4
SheerWeave 4100	Alabaster	007	White	White	S-4
SheerWeave 4100	Chalk	011	White	White	S-4
SheerWeave 4100	Granite	375	Vanilla	Brsh Nckl	S-4
SheerWeave 4100	Pebble Stone	048	Vanilla	Sierra Tan	S-4
SheerWeave 4100	Silver Sand	098	White	Brsh Nckl	S-4
SheerWeave 4100	Tobacco	047	Black	Black	S-4
SheerWeave 4400	Alabaster	007	White	White	S-6
SheerWeave 4400	Pebble Stone	048	Vanilla	Sierra Tan	S-6

Product Information

Genesis Color Listing & Component Coordination

Fabric	Color	Color #	SL Clutch	Cassette	Deck/ Swatch
SheerWeave 5000	Bamb/Brchbrk	141	White	White	S-2
SheerWeave 5000	Bamb/Wheat	880	Vanilla	Bronze	S-2
SheerWeave 5000	Bark/Tigereye	843	Black	Sierra Tan	S-3
SheerWeave 5000	Chnlle/Drftwd	396	Black	Bronze	S-3
SheerWeave 5000	Chnll/Honey	562	Vanilla	Vanilla	S-2
SheerWeave 5000	Chnll/Mrshmlw	089	Vanilla	Vanilla	S-2
SheerWeave 5000	Hnycmb/Ngggt	543	Black	Bronze	S-2
SheerWeave 5000	Jute/Prchmnt	580	Vanilla	Vanilla	S-2
SheerWeave 5000	Linen/Cnnmon	839	Black	Bronze	S-3
SheerWeave 5000	Linen/Crnbrry	233	Black	Bronze	S-3
SheerWeave 5000	Linen/Cream	235	Vanilla	Sierra Tan	S-2
SheerWeave 5000	Linen/Fig	657	Black	Bronze	S-3
SheerWeave 5000	Marble/Sand	725	Vanilla	Sierra Tan	S-2
SheerWeave 5000	Rattan/Umber	918	Black	Bronze	S-2
SheerWeave 5000	Twd Buckeye	095	Black	Bronze	S-3
SheerWeave 5000	Twd Oatmeal	094	Vanilla	Vanilla	S-2
SheerWeave 5000	Wicker/Mshrm	535	Black	Bronze	S-3
SheerWeave 5000	Wicker/Straw	825	Vanilla	Sierra Tan	S-2
SheerWeave 7000	Birch Bark	141	Vanilla	Vanilla	4-39
SheerWeave 7000	Canyon	162	Vanilla	Brsh Nckl	4-59
SheerWeave 7000	Graphite	983	Black	Black	4-60
SheerWeave 7000	Mushroom	535	Black	Sierra Tan	4-41
SheerWeave 7000	Onyx	562	Black	Black	4-61
SheerWeave 7000	Sand	725	Vanilla	Vanilla	4-40
SheerWeave 7000	White	885	White	White	4-12
SheerWeave Infinity 2	Almond	347	Vanilla	Vanilla	S-1
SheerWeave Infinity 2	Cotton	911	White	White	S-1
SheerWeave Infinity 2	Stone	820	Vanilla	Brsh Nckl	S-1
SheerWeave Prf+ 2390	Pearl	605	White	White	S-1
SheerWeave Prf+ 2390	Sand	725	Vanilla	Vanilla	S-1
SheerWeave Prf+ 2390	Silver	780	Vanilla	Brsh Nckl	S-1
SheerWeave Prf+ 2410	Pearl	605	White	White	S-1
SheerWeave Prf+ 2410	Sand	725	Vanilla	Vanilla	S-1
SheerWeave Prf+ 2410	Silver	780	Vanilla	Brsh Nckl	S-1
Spector	Cobble	209	Vanilla	Brsh Nckl	4A-62
Spector	Driftwood	396	Vanilla	Sierra Tan	4-32
Spector	Granite	375	Black	Black	4-58
Spector	Grey Birch	386	Vanilla	Sierra Tan	4-31
Spector	Skimming Stone	822	Vanilla	Sierra Tan	4-30
Spector	Turtledove	280	Vanilla	Brsh Nckl	4-55
Spector	Vintage White	023	Vanilla	Vanilla	4-13
Spiral	Charcoal	185	Black	Black	3A-62
Spiral	Ivory	420	Vanilla	Vanilla	3A-9
Strata	Calico	111	Vanilla	Vanilla	3-31
Strata	Parchment	580	Vanilla	Sierra Tan	3-33
Strata	Poplin	663	Vanilla	Vanilla	3-32
Strie	Cream	235	Vanilla	Brsh Nckl	3-55
Strie	Pearl	605	White	White	3-14
Strie	Taupe	840	Vanilla	Vanilla	3-34
SuperWide	Papyrus	303	Vanilla	Vanilla	4-19
SuperWide	Sand	725	Vanilla	Vanilla	4-48
SuperWide	White	011	White	White	4-18

Fabric	Color	Color #	SL Clutch	Cassette	Deck/ Swatch
T-Screen KOOLBLACK	White/Charcoal	185	Black	Black	1
T-Screen KOOLBLACK	White/Cocoa	208	Black	Bronze	1
T-Screen KOOLBLACK	White/Grey	385	Vanilla	Brsh Nckl	1
Tabago	Cotton	911	White	White	1-1
Tabago	Raffia	731	Vanilla	Sierra Tan	1-17
Tabago	Sand	725	Vanilla	Sierra Tan	1-9
Tabago	Teak	758	Black	Bronze	1-47
Tabago	Walnut	891	Black	Bronze	1-33
Tahiti	Bone	020	Vanilla	Vanilla	1-13
Tahiti	Café Aulait	019	Vanilla	Vanilla	1-27
Tahiti	Shadow	756	Vanilla	Brsh Nckl	1A-7
Triad	Alabaster	007	Vanilla	Vanilla	S-6
Triad	Charcoal	185	Black	Black	S-6
Triad	Pearl	605	White	White	S-6
Triad	Pebblestone	048	Vanilla	Sierra Tan	S-6
Triad	Silver Sand	098	Vanilla	Brsh Nckl	S-6
Tussah	Charcoal	125	Black	Black	3-45
Tussah	Gray	385	Vanilla	Brsh Nckl	3-44
Tussah	Latte	463	Black	Bronze	3-24
Tussah	Sterling	821	Vanilla	Brsh Nckl	3-23
Tussah	White	885	White	White	3-4
Valencia	Khaki	436	Vanilla	Sierra Tan	3-36
Valencia	Tweed	217	Vanilla	Brsh Nckl	3-56
Vanish	Rose Taupe	699	Vanilla	Vanilla	4-43
Vanish	Truffle	857	Black	Bronze	4-64
Viking	Black	008	Black	Black	3-62
Viking	Cream	080	Vanilla	Vanilla	3-40
Viking	Gray	385	Vanilla	Brsh Nckl	3-61
Viking	Ivory	023	Vanilla	Vanilla	3-41
Viking	Tan	836	Vanilla	Vanilla	3-42
Viking	White	011	White	White	3-19
Vision	Chocolate	035	Black	Bronze	S-6
Vision	Ebony	318	Black	Black	S-6
Vision	Linen	455	Vanilla	Sierra Tan	S-6
Vision	White	885	White	White	S-6
Vista Screen	Grey	385	White	Brsh Nckl	S-1
Vista Screen	Pearl	605	White	White	S-1
Vista Screen	Sand	725	Vanilla	Vanilla	S-1
Vista Screen	Silver Sand	098	White	Brsh Nckl	S-1
Vizela	Blanc	105	White	White	3-2
Vizela	Chartreux	608	Vanilla	Brsh Nckl	3-53
Vizela	Loutre	609	Vanilla	Brsh Nckl	3-52
Wave	Tawny	837	Vanilla	Vanilla	3-18
Weave	Berber	076	Vanilla	Brsh Nckl	3-49
Weave	Cotton	911	White	White	3-9
Weave	Flax	340	Vanilla	Vanilla	3-48
Willow	Cloud	904	Vanilla	Brsh Nckl	3-58
Willow	Granite	375	Vanilla	Brsh Nckl	3-59
Willow	Shadow	756	Vanilla	Brsh Nckl	3-57
Yellowstone	Clay	198	Black	Bronze	1-43
Yellowstone	Earth	312	Black	Bronze	1-36
Yellowstone	Mushroom	535	Black	Bronze	1-35
Yellowstone	Natural	540	Vanilla	Vanilla	1-26
Yellowstone	Walnut	891	Black	Bronze	1-37

© 2015 Lafayette Venetian Blind, Inc.
 Genesis, Allure TLC, Cord Tension Lock, Coupilaire, Season-Vue, Luxe, Shade Masterpieces and Select Masterpieces are trademarks or registered trademarks/trademarks of Lafayette Venetian Blind, Inc.
 KOOLBLACK Technology is a trademark of Mermet USA.
 GreenAssured is a registered trademark of ITA, Inc.
 GREENGUARD Indoor Air Quality Certified is a registered trademark of the GREENGUARD Environmental Institute.
 GREENGUARD for Children & Schools is a service trademark of the GREENGUARD Environmental Institute.
 Oeko-Tex, Oeko-Tex and Oekotex are registered trademarks of the Oeko-Tex Association, Zurich, Germany.
 Sonesse is a trademark of Somfy Systems.
 Q Motion is a registered trademark of QMotion Incorporated.



LAFAYETTE WARRANTY

Lafayette Venetian Blind, Inc. warrants to the original purchaser that its products, properly installed and maintained in the window/door will be free from defect in materials and workmanship from the date of sale to the original purchaser for the period shown below, based upon product type.

Allure Transitional Shades	Lifetime Limited	Most Motorized Systems (excluding batteries)	5 years
Classic Collection Aluminum Blinds	Lifetime Limited	exception: Genesis Auto Wand, EZ Charge	1 year
Discoveries Vertical Blind Louvers and Track	Lifetime Limited	Sheer Visions Fabric	3 years
Fidelis Composite Wood Blinds	Lifetime Limited	Soft Fashions	3 years
Genesis Shades	Lifetime Limited		
Heartland Woods	Lifetime Limited, 3 years Finish		
Manh Truc Woven Shades	Lifetime Limited		
Marquis Shutters	Lifetime Limited		
Parasol Cellular Shades	Lifetime Limited		
Tenera Sheer Shadings	Lifetime Limited		
Wonderwood Faux Wood Blinds	Lifetime Limited		
Woodland Harvest Shutters	Lifetime Limited, 3 years Finish		
Wyndham Shutters	Lifetime Limited		

The obligation of Lafayette Venetian Blind, Inc. and its dealers is limited to repair or replacement of the product or components found to be defective in material or workmanship under normal use when the product is returned to Lafayette Venetian Blind, Inc. at the expense of the original purchaser within the warranty period stated above. Repairs will be made with like or similar parts. Discontinued components or colors will be replaced with closest equivalent current product.

This warranty does NOT include any conditions or damages resulting from accidents, alterations, misuse, abuse, excessive humidity, misapplication, exposure to the elements, fire, flood, or other acts of God, improper maintenance, or failure to follow use, care, or installation instructions. Lafayette Venetian Blind, Inc. will not be liable for trip charges, measuring, disassembly, removal, reassembly or reinstallation of this product, nor for damage or loss to other property. This warranty does not apply to conditions caused by normal wear and tear upon the product. Operational cords on Lafayette products are warranted for 7 years from the date of purchase. All repairs and remakes will conform to current child safety requirements. If the repair or remake is outside the 7 year operational cord warranty then any additional component costs to conform to child safety guidelines are the responsibility of the dealer.

All Lafayette products are guaranteed to have shown no signs of mildew prior to their fabrication. Lafayette is not responsible for the climatic conditions for an installed product. All textiles can lose original color intensity after prolonged exposure to sunlight. Plastic materials may yellow, crack or warp.

The product must be properly installed according to the instructions provided. The product(s) cannot be altered in any way; they must be maintained and cleaned in accordance with instructions provided with the product. The product can only be used in the window/door for which it was originally purchased. Different warranty periods and terms apply for commercial products and installations.

This warranty is exclusive and in lieu of all other obligations, liabilities, or warranties. This warranty gives you specific legal rights. You may have other rights which vary from state to state. In some states the exclusion or limitation of incidental or consequential damages may not apply.

To obtain warranty service, contact an authorized Lafayette dealer. The dealer will work with Lafayette Venetian Blind, Inc. to promptly repair or replace any defective parts or components without charge. Warranty claims must be accompanied by proof of purchase.

DISCLAIMER AND LIMITATION OF WARRANTIES AND REMEDIES

THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

THE WARRANTIES SET FORTH IN THIS "LAFAYETTE WARRANTY" STATEMENT ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ALL WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH WARRANTIES ARE SPECIFICALLY DISCLAIMED BY LAFAYETTE VENETIAN BLIND, INC.

THE SOLE OBLIGATION OF LAFAYETTE VENETIAN BLIND, INC., AND THE SOLE REMEDY OF ANY ORIGINAL PURCHASER FOR ANY CLAIMED BREACH OF WARRANTY, DEFECT OR NONCONFORMITY OF PRODUCT (REGARDLESS OF THE NATURE OF SUCH CLAIM, AND INCLUDING CLAIMS OF BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, STRICT LIABILITY, AND ALL OTHER CLAIMS) SHALL BE THE ORIGINAL PURCHASER'S RIGHT TO RETURN ANY NONCONFORMING PRODUCT TO LAFAYETTE VENETIAN BLIND, INC., IN EXCHANGE FOR REPAIR OR REPLACEMENT OF SAID PRODUCT IN ACCORDANCE WITH THE LIMITED EXPRESS WARRANTY STATED IN THIS "LAFAYETTE WARRANTY." IN NO EVENT SHALL LAFAYETTE VENETIAN BLIND, INC., BE LIABLE FOR DAMAGES, WHETHER DIRECT, CONSEQUENTIAL OR INCIDENTAL, TO ANY ORIGINAL PURCHASER OR ANY OTHER PARTY, ARISING OUT OF SALE OR USE OF PRODUCTS SOLD BY LAFAYETTE VENETIAN BLIND, INC., WITH THE LIMITED EXPRESS WARRANTIES SET FORTH IN THIS "LAFAYETTE WARRANTY" STATEMENT.

Lafayette will, at our discretion, repair or replace products covered under warranties.

Product warranties DO NOT imply replacement of the product.

Product returned to Lafayette must comply with the Return Product Packaging Policy.

Lafayette will not be responsible for removal charges, reinstallation charges or shipping costs incurred.

Find the on-line Product Registration Form at www.lafayetteinteriorfashions.com/Resources/Warranty & Registration

Rev 10/2015