



Steel Landscape Edging & Nursery Sign Holders

Landscape and Nursery Solutions

Credit Cards Accepted



Collier Metal Specialties LTD

Phone: 972.494.3900 • Fax: 972.494.1605

Collier Metal Specialties LTD is a proud member of:
ASLA - American Society of Landscape Architects
FNGLA - Florida Nursery, Grower & Landscape Association
OAN - Oregon Association of Nurserymen, Inc.
SNA - Southern Nursery Association
TNLA - Texas Nursery & Landscape Association

Collier Metal Specialties LTD
3333 Miller Park South
Garland, TX 75042



PRESORTED
STANDARD
U.S. POSTAGE
PAID
PERMIT 242

Steel Landscape Edging • Nursery Sign Holders



Landscape and Nursery Solutions



POWDER
COATED
TOUGH

Collier Metal Specialties
Custom Metal Fabrication Since 1957[®]

www.colmet.com • sales@colmet.com • 1.800.829.8225





Dallas, Texas Collier Metal Specialties® LTD Atlanta, Georgia
1-800-829-8225



Product Specification

- Product # 1007 = 3/16" - 4"x10 ft in length
- Product # 1011 = 1/8" - 4"x10 ft in length
- Product # 1012 = 12 ga. - 4"x10 ft in length
- Product # 1014 = 14 ga. - 4"x10 ft in length

Above materials also available in a 6" height and include 10ga. x 12" stakes.
Standard color is forest green, brown, black and galvanized coatings are also available.

Steel Specification

Approximately 5/64" through 3/16" thick (see decimal range)
Hot Rolled low carbon steel ASTM-A-36, ASTM-A-283, ASTM-A-569

Decimal Thickness Range

- Product # 1007 = .180 to .190
- Product # 1011 = .120 to .128
- Product # 1012 = .100 to .120
- Product # 1014 = .068 to .074


Hot Rolled steel is soft enough to bend flat on itself in any direction without cracking, ductile enough for shallow drawing. Surface has normal mill oxide. The smooth deoxidized matte finish gives an excellent base for paint. Conforms to a minimum ASTM A366-with carbon content held to .10 maximum. These materials meet or exceed ASTM and ASME specification. Material is hardness tested to maximum Rockwell of 70 and maximum Webster rating of 15, approximate Brinell hardness is 137. Tensile strength ksi is 58 to 80; yield strength ksi is 36 minimum.

Paint Application

Electrostatically applied powder coating specially formulated to withstand extended outdoor exposure. This coating is ideally suited for lawn and garden equipment, fencing, playground and recreational equipment.
Colors include green, brown and black.

The information contained here is true and accurate to the best of our knowledge. This information is for the specified COL-MET products, and not for use with any other brand of edging. Specification on other products and coatings are available upon request. COL-MET is a registered trademark of Collier Metal Specialties® LTD Garland, Texas, USA and cannot be reproduced without written permission.

Commercial Grade Steel Landscape Edging



10 Ga. (3.4 mm) x 12" (30 cm)
Tapered stakes are included.

Green **powder coat finish** is standard. Brown and black available.
Unpainted galvanized finish is also available except for product #1007.

| Prod. # | Description | Stakes/ Piece | LBS Ea | Pieces per Pallet |
|---------|--------------------------------|------------------|--------|----------------------|
| 714 | 7'4" 14ga Commercial Edging | 3 | 8 | 300 |
| 712 | 7'4" 12ga Commercial Edging | 3 | 11 | 250 |
| 1014 | 10' 14ga Commercial Edging | 4 | 11 | 300 |
| 1012 | 10' 12ga Commercial Edging | 4 | 15 | 150 |
| 1011 | 10' 1/8" Commercial Edging | 4 | 17 | 150 |
| 1007 | 10' 3/16" Commercial Edging | 4 | 25 | 100 |
| 1014-6 | 10' 14ga 6" Commercial Edging | 4 | 15 | 150 |
| 1012-6 | 10' 12ga 6" Commercial Edging | 4 | 20 | 150 |
| 1007-6 | 10' 3/16" 6" Commercial Edging | 4 | 38 | 100 |

10 piece minimum on all edging


16" stakes for 6" width edging available upon request.

❖ Allow 8" (20cm) deduction for overlap ❖

Unpainted galvanized finish is also available except for product #1011 & #1007

To allow for 8" overlap: divide _____ feet needed by 9.33 to obtain _____ 10' pieces needed.
For example if you have 150' of installation length you will need to divide the 150' by 9.33 which equals 16 - 10' pieces needed.

Commercial Tree Rings



| Product # | Description | Stakes/ Piece | LBS Ea |
|-----------|--------------------------------------|------------------|--------|
| 14TR2 | 2.5' Diameter 14ga Tree Ring-1 Piece | 4 | 10.5 |
| 14TR3 | 3' Diameter 14ga Tree Ring-1 Piece | 4 | 13 |
| 14TR4 | 4' Diameter 14ga Tree Ring-2 Piece | 6 | 17.5 |
| 14TR5 | 5' Diameter 14ga Tree Ring-2 Piece | 8 | 21 |
| 14TR6 | 6' Diameter 14ga Tree Ring-2 Piece | 8 | 26 |

Green powder coat is standard. Brown and black available.




Patented Attached Stake Steel Landscape Edging

Pat. #6345465

Pat. #6629383

8 ft. (2.44m) and 10 ft. (3.05m) lengths • 14 ga. (1.8mm) x 4" (10cm) wide



Stakes attached to each piece. Two at each end of the edging. The user snaps these off when ready to install.

Stakes: 14 ga. 1 1/2" tapered to a blunt point. 8" long with die formed rib for extra strength.


Green powder coat finish is standard. Brown and black available.

| Product # | Description | LBS Ea | Pieces per Pallet |
|-----------|--------------------------------|--------|-------------------|
| 814E | 8' 14ga Attached Stake Edging | 8 | 300 |
| 1014E | 10' 14ga Attached Stake Edging | 11 | 300 |

*Allow 8" (20cm) deduction for the overlap connection



Point of sale attached to each pallet of attached stake edging.




Free form contoured planting bed edged with COL-MET.

4 Ft. (1.2m) Steel Landscape Edging

Pat. #6345465

Pat. #6629383



Attached stakes can be easily snapped off with pliers before the edging is installed. Four are provided with each piece.

Stakes: 14 ga. x 8" long, tapered from 1 1/2" at the top. A die formed rib provides extra lateral strength.

Finish: Forest green, baked on powder coat is standard. Brown and black are available.

| Product # | Description | LBS Ea | Pieces per Case |
|-----------|-------------------------------|--------|-----------------|
| 144SS | 4' 14ga Attached Stake Edging | 4 | 10 |

*Allow 8" (20cm) deduction for the overlap connection

2 Ft. (.61m) Easy-Bend Edging

Pat. #6345465


Pat. #6629383

| Product # | Description | LBS Ea | Pieces per Case |
|-----------|-------------------------------|--------|-----------------|
| 142SS | 2' 14ga Attached Stake Edging | 2 | 10 |

*Allow 8" (20cm) deduction for the overlap connection

Green powder coat is standard.

Brown and black available.



The easiest way to make perfect corners.




Hand form to any angle.

Tree Ring Sections

For tree rings and circular planting beds.

3 make a 3 ft. (.9m) diameter ring
4 make a 4 ft. (1.2m) diameter ring
5 make a 5 ft. (1.5m) diameter ring



Pieces per Case

| Product # | Description | LBS Ea | Pieces per Case |
|-----------|------------------------|--------|-----------------|
| 14TRS | Tree Ring Section 14ga | 4 | 10 |

Green powder coat is standard. Brown and black available.

Corner Stakes

Join two pieces of cut off edging to make a perfect 90° corner.



| Product # | Description | LBS Ea | Pieces per Case |
|-----------|-------------------|--------|-----------------|
| 14CS | Corner Stake 14ga | 1.1 | 20 |

Green powder coat is standard. Brown and black available.

End Stakes

Cover the cut off edge and secure the edging in place at that point.



| Product # | Description | LBS Ea | Pieces per Case |
|-----------|----------------|--------|-----------------|
| 10ES | End Stake 10ga | 0.5 | 20 |

Green powder coat is standard. Brown and black available.

Splicing Stakes

Attach two pieces of cut off edging and cover the gap where grade changes are made.



| Product # | Description | LBS Ea | Pieces per Case |
|-----------|---------------------|--------|-----------------|
| 14SS | Splicing Stake 14ga | 0.7 | 20 |

Green powder coat is standard. Brown and black available.

Extra Stakes

12" x 10 ga. powder coated. Available in bar coded singles and in bundles of four.

10XS4



| Product # | Description | LBS Ea | Pieces per Case |
|-----------|---|--------|-----------------|
| 10XS | Extra Stake 10ga | 1 | 40 |
| 10XS4 | Extra Stake 10ga-in bundles of 4-Not Barcoded | 1 | 40 |


Green powder coat is standard. Brown and black available.

End Pieces

Pat. #6345465

Pat. #6629383

Square off and provide stake slots for the end of a line of edging. Includes 2 attached stakes.



| Product # | Description | LBS Ea | Pieces per Case |
|-----------|----------------|--------|-----------------|
| 14EP | End Piece 14ga | 0.7 | 20 |


Green powder coat is standard. Brown and black available.

Vinyl Trim Cap

Provides a plastic cover on the top of the edging for swimming pool and other high pedestrian traffic areas.

| Product # | Description | LBS Ea | Pieces per Case |
|-----------|---------------------|--------|-----------------|
| 50VTC | 50' Vinyl Trim Cap | 2 | 10 |
| 500VTC | 500' Vinyl Trim Cap | 20 | 2 |

Green powder coat is standard. Brown and black available.



Retail Display And Storage Racks



Two 4' wide x 6' high upright frames are included with each rack set.

| Prod. # | Description | Load Beams | Wt. Ea. Rack |
|---------|--|------------|--------------|
| PLTDR8 | 8' display rack (2 uprights, 3 beams, and wood incl.) | (3) 9' | 165 lbs. |
| PLTDR10 | 10' display rack (2 uprights, 3 beams, and wood incl.) | (3) 11' | 185 lbs. |

FREE display with purchase of all of the following products:

| | | |
|-----------------------------|-----------------------------|-----------------------------|
| 120 pieces of product #10XS | 40 pieces of product #14EP | 20 pieces of product #142SS |
| 40 pieces of product #10ES | 40 pieces of product #14CS | 20 pieces of product #144SS |
| 40 pieces of product #14SS | 10 pieces of product #50VTC | 40 pieces of product #14TRS |

And your choice of product #814 or #1014 both are 300 piece pallets.

Display also includes P.O.P material (subject to change) and factory assistance for set up.

Display can be used for parking lot sets, sidewalks or within garden center.

Point of Purchase Sales Aids



Display Banner



Waterproof information and installation cards with clear holders

www.colmet.com - sales@colmet.com

CLEARANCE!



Display Box Of 100

Seed Pack Garden Markers

CLEARANCE WHILE SUPPLIES LAST! UPS Shippable.

Home gardeners can mark their crop rows with standard 3 1/4" x 4 1/2" empty seed package and these Col-Met holders.

The markers are made of durable galvanized steel and are reusable for years.

All markers are UPC bar coded.

| Prod. # | Description | Case Qty. | Weight per Case |
|---------|-----------------------------|-----------|-----------------|
| 3418GS | 3.25"x4.5" seed pack marker | 100 | 25 lbs. |

Special Purpose Sign Holders

Sign Face Clips

Light ga. galvanized steel clips can be easily hand formed for various purposes.

Specify top or bottom clip for open top face plates.

| Prod. # | Size | LBS Ea |
|---------|----------|--------|
| 75TC | 7" x 5" | .3 |
| 117TC | 11" x 7" | .7 |



Double Face Hanging Sign

One piece design popular for hanging baskets.

| Prod. # | Size | LBS Ea |
|----------|------------|--------|
| 54DFHS | 5" x 4" | .4 |
| 75DFHS | 7" x 5" | .6 |
| 117DFHS | 11" x 7" | 1.5 |
| 1159DFHS | 11.5" x 9" | 1.8 |



Card holder can be attached to any flat surface

Strip Sign Holders

Max. height 12" (30 cm)
Max. length 4' (1.2 m)
Min. length 12" (30 cm)



| Prod. # | Description | Weight Ea. |
|--------------|--------------------|------------|
| LP-8147-TH-5 | T-post sign holder | .9 lbs. |

T-post sign holder

- Each box includes tie wraps for sign installation.
- No tools necessary for installation.
- Constructed of durable plastic for years of use.
- 12 units per case.

Spring Clip Sign Holders

Spring clip sign holders will clip to almost any surface from 1/4" (1.6mm) to 1/2" (7.6cm) thick. Double clips can be ordered with any size face plate.



Double Clip




Other types of clips are available

Call for Current Pricing: 1.800.829.8225

Bedding Plant Signs

One piece, no parts to lose.

- Durable galvanized steel and riveted construction will keep the sign holders usable and looking good for years.
- Heavy gauge 7" x 7" base plate keeps the sign upright and stable.
- Standard 12" height - maximum 18" stake available.
- 12" x 12" base available.




Vinyl cards included.



Easily bends up for usage or back down for storage.



The sign holder set up and ready for it's card.



Double Face models holds sign cards back to back.

| Prod. # | Description | Case Qty. | Weight Per Case |
|---------|--------------------------------|-----------|-----------------|
| B54 | 5"x4" one piece sign w/base | 25 | 34 lbs. |
| B54D | 5"x4" double face sign w/base | 25 | 40 lbs. |
| B57 | 5"x7" one piece sign w/base | 25 | 37 lbs. |
| B57D | 5"x7" double face sign w/base | 25 | 43 lbs. |
| B75 | 7"x5" one piece sign w/base | 25 | 37 lbs. |
| B75D | 7"x5" double face sign w/base | 25 | 43 lbs. |
| B108 | 10"x8" one piece sign w/base | 25 | 49 lbs. |
| B117 | 11"x7" one piece sign w/base | 25 | 49 lbs. |
| B117D | 11"x7" double face sign w/base | 25 | 67 lbs. |



Horizontal Style



Vertical Style

New Sign Holders

- Galvanized material with rounded edges
- Tab design for maximum view of sign card
- Open top style available for thicker cards. Specify OT after product number
- 25 signs per case

Stake Type Tab Sign Holder

| Horizontal Style | | | | Vertical Style | | | |
|------------------|--------------------------------|----------|--------------|----------------|--------------------------------|----------|--------------|
| Product # | Description | Case Qty | Wt./Case LBS | Product # | Description | Case Qty | Wt./Case LBS |
| 7518-TSH | 7" x 5" Sign Holder 18" leg | 25 | 16 | 5718-TSH | 5" x 7" Sign Holder 18" leg | 25 | 16 |
| 7524-TSH | 7" x 5" Sign Holder 24" leg | 25 | 18 | 5724-TSH | 5" x 7" Sign Holder 24" leg | 25 | 18 |
| 7530-TSH | 7" x 5" Sign Holder 30" leg | 25 | 20 | 5730-TSH | 5" x 7" Sign Holder 30" leg | 25 | 20 |
| 11718-TSH | 11" x 7" Sign Holder 18" leg | 25 | 25 | 7118-TSH | 7" x 11" Sign Holder 18" leg | 25 | 25 |
| 11724-TSH | 11" x 7" Sign Holder 24" leg | 25 | 27 | 7124-TSH | 7" x 11" Sign Holder 24" leg | 25 | 27 |
| 11730-TSH | 11" x 7" Sign Holder 30" leg | 25 | 29 | 7130-TSH | 7" x 11" Sign Holder 30" leg | 25 | 29 |
| 118518-TSH | 11" x 8.5" Sign Holder 18" leg | 25 | 28 | 85118-TSH | 8.5" x 11" Sign Holder 18" leg | 25 | 28 |
| 118524-TSH | 11" x 8.5" Sign Holder 24" leg | 25 | 30 | 85124-TSH | 8.5" x 11" Sign Holder 24" leg | 25 | 30 |
| 118530-TSH | 11" x 8.5" Sign Holder 30" leg | 25 | 32 | 85130-TSH | 8.5" x 11" Sign Holder 30" leg | 25 | 32 |


One Piece Tab Style Sign Holder with 12" Legs

| Horizontal Style | | | | Vertical Style | | | |
|------------------|-----------------------------------|----------|--------------|----------------|-----------------------------------|----------|--------------|
| Product # | Description | Case Qty | Wt./Case LBS | Product # | Description | Case Qty | Wt./Case LBS |
| B75-TSH | 7" x 5" one piece sign w/ base | 25 | 36 | B57-TSH | 5" x 7" one piece sign w/ base | 25 | 36 |
| B117-TSH | 11" x 7" one piece sign w/ base | 25 | 48 | B711-TSH | 7" x 11" one piece sign w/ base | 25 | 48 |
| B1185-TSH | 11" x 8.5" one piece sign w/ base | 25 | 49 | B8511-TSH | 8.5" x 11" one piece sign w/ base | 25 | 49 |

Vinyl Cards

Fade resistant red and black ink is print applied for durability when exposed to bright sunlight conditions.


All vinyl cards are .010 thick, pure white, mat finish material and are completely waterproof.



Border Card



Plain White Card



Plant Information Card

| Prod. # | Description | Pack Qty. | Weight per Pack |
|-----------|-------------------------|-----------|-----------------|
| VBC H5-4 | 5"x4" border card | 25 | .3 lbs. |
| VBC H4-5 | 4"x5" border card | 25 | .3 lbs. |
| VBC H7-5 | 7"x5" border card | 25 | .5 lbs. |
| VBC H5-7 | 5"x7" border card | 25 | .5 lbs. |
| VBC H11-7 | 11"x7" border card | 25 | .9 lbs. |
| VBC H7-11 | 7"x11" border card | 25 | .9 lbs. |
| VSC H5-4 | 5"x4" sale card | 25 | .3 lbs. |
| VSC H4-5 | 4"x5" sale card | 25 | .3 lbs. |
| VSC H7-5 | 7"x5" sale card | 25 | .5 lbs. |
| VSC H5-7 | 5"x7" sale card | 25 | .5 lbs. |
| VSC H11-7 | 11"x7" sale card | 25 | .9 lbs. |
| VSC H7-11 | 7"x11" sale card | 25 | .9 lbs. |
| PC 5-4 | 5"x4" plain white card | 25 | .3 lbs. |
| PC 7-5 | 7"x5" plain white card | 25 | .5 lbs. |
| PC 11-7 | 11"x7" plain white card | 25 | .9 lbs. |
| PC 10-8 | 10"x8" plain white card | 25 | 1.0 lbs. |
| PLCD 5-4 | 5"x4" plant info card | 25 | .3 lbs. |
| PLCD 7-5 | 7"x5" plant info card | 25 | .5 lbs. |
| PLCD 11-7 | 11"x7" plant info card | 25 | .9 lbs. |

Not compatible with inkjet or laser printers.



China Markers

Boxes of 12 ea. Waterproof wax pencils for marking vinyl sign cards. Sun and fade resistant.

Poster Holders

Hold popular coroplast and corrugated poster displays up to 4' wide x 4' tall.



| Prod. # | Description | Case Qty. | Weight Per Case |
|---------|----------------------------|-----------|-----------------|
| 16PH | 10"x10" 16ga poster holder | 25 | 40 lbs. |

Table Top Sign Holders

Can be used for both indoor and outdoor displays. Galvanized or durable powder coat finish available in attractive colors.



Self-standing one piece construction.

See available color choices on page 10.

| Prod. # | Size | Case Qty. | Weight Per Case |
|---------|------------|-----------|-----------------|
| 54TT | 5" x 4" | 25 | 8 lbs. |
| 45TT | 4" x 5" | 25 | 8 lbs. |
| 75TT | 7" x 5" | 25 | 10 lbs. |
| 57TT | 5" x 7" | 25 | 10 lbs. |
| 117TT | 11" x 7" | 25 | 18 lbs. |
| 711TT | 7" x 11" | 25 | 18 lbs. |
| 108TT | 10" x 8" | 25 | 20 lbs. |
| 810TT | 8" x 10" | 25 | 20 lbs. |
| 1159TT | 11.5" x 9" | 25 | 25 lbs. |
| 9115TT | 9" x 11.5" | 25 | 25 lbs. |

Custom Signs Available



Open Top Face Plates

*To easily insert and remove sign cards
In addition to the standard sizes on page 10.
We will make custom sizes to fit all of your needs



Closed Top Face Plates

*To hold the sign cards more secure
Contact COL-MET with the size needed for a quote

Leg Lengths Available


- 18"
- 30"
- 36"
- 50 minimum



Galvanized and Powder Coated Steel Sign Holders

Durable galvanized steel and riveted construction will keep the sign holders usable and looking good for years

Use alone as a stake or with a base adapter (sold separately) for free standing sign



Your sign holders can be powder coated in your choice of attractive colors.


Standard face plate sign holders

| Product # | Description | Case Qty | Case Wt./LBS |
|-----------|-------------------------------|----------|--------------|
| 5418 | 5" x 4" Face Plate w/18" leg | 25 | 15 |
| 4518 | 4" x 5" Face Plate w/18" leg | 25 | 15 |
| 5430 | 5" x 4" Face Plate w/30" leg | 25 | 19 |
| 4530 | 4" x 5" Face Plate w/30" leg | 25 | 19 |
| 5436 | 5" x 4" Face Plate w/36" leg | 25 | 23 |
| 4536 | 4" x 5" Face Plate w/36" leg | 25 | 23 |
| 7518 | 7" x 5" Face Plate w/18" leg | 25 | 16 |
| 5718 | 5" x 7" Face Plate w/18" leg | 25 | 16 |
| 7530 | 7" x 5" Face Plate w/30" leg | 25 | 21 |
| 5730 | 5" x 7" Face Plate w/30" leg | 25 | 21 |
| 7536 | 7" x 5" Face Plate w/36" leg | 25 | 23 |
| 5736 | 5" x 7" Face Plate w/36" leg | 25 | 23 |
| 11718 | 11" x 7" Face Plate w/18" leg | 25 | 26 |
| 71118 | 7" x 11" Face Plate w/18" leg | 25 | 26 |
| 11730 | 11" x 7" Face Plate w/30" leg | 25 | 31 |
| 71130 | 7" x 11" Face Plate w/30" leg | 25 | 31 |
| 11736 | 11" x 7" Face Plate w/36" leg | 25 | 36 |
| 71136 | 7" x 11" Face Plate w/36" leg | 25 | 36 |

Flat Faces



Double Face Sign Holders




Stacked Sign Holders



Signs below for use with laminated sheets


| | | | |
|--------|---------------------------------|----|----|
| 115918 | 11.5" x 9" Face Plate w/18" leg | 25 | 28 |
| 911518 | 9" x 11.5" Face Plate w/18" leg | 25 | 28 |
| 115930 | 11.5" x 9" Face Plate w/30" leg | 25 | 33 |
| 911530 | 9" x 11.5" Face Plate w/30" leg | 25 | 33 |
| 115936 | 11.5" x 9" Face Plate w/36" leg | 25 | 38 |
| 911536 | 9" x 11.5" Face Plate w/36" leg | 25 | 38 |

*For open top style specify OT after product #



Standard Galvanized Face Plates

Open top also available.



| Prod. # | Size Horiz. x Vert. | Wt./ Each |
|---------|---------------------|-----------|
| 54FP | 5" x 4" | .20 lbs. |
| 75FP | 7" x 5" | .25 lbs. |
| 117FP | 11" x 7" | .70 lbs. |
| 1159FP | 11.5" x 9" | .80 lbs. |
| A4 | 290 x 210 mm | .34 kg |
| A5 | 215 x 150 mm | .23 kg |
| A6 | 110 x 152 mm | .14 kg |



Slotted Clamp-On Face Plates


Slotted to accept 1/2" wide hose clamps.

Specify horizontal or vertical slots.

Clamps not included.

Galvanized Steel Base Adapter

Sold separately



| Prod. # | Description | Box Qty. | Weight Per Case |
|---------|---------------------------------|----------|-----------------|
| 16BA | 10" x 10" standard base adapter | 25 | 50 lbs. |
| 14BA | 10" x 10" heavy base adapter | 25 | 75 lbs. |

*Base can also be secured under a pallet.

Call for Current Pricing: 1.800.829.8225